

References

- Abbott, M.B. (1966). *An introduction to the method of characteristics*. American Elsevier, New York.
- Abramowitz, M.A. and Stegun, I.A. (1964). *Handbook of mathematical functions*. Nat. Bur. of Standards, Appl. Math Ser., **55**.
- Abramson, H.N. (1969). Hydroelasticity: a review of hydrofoil flutter. *Appl. Mech. Rev.*, **22**, No. 2, 115-121.
- Ackerberg, R.C. (1970). Boundary layer separation at a free streamline. Part 1. Two-dimensional flow. *J. Fluid Mech.*, **44**, 211-225.
- Ackerberg, R.C. (1975). The effects of capillarity on free streamline separation. *J. Fluid Mech.*, **70**, 333-352.
- Acosta, A.J. (1955). A note on partial cavitation of flat plate hydrofoils. *Calif. Inst. of Tech. Hydro. Lab. Rep. E-19.9*.
- Acosta, A.J. (1958). An experimental study of cavitating inducers. *Proc. Second ONR Symp. on Naval Hydrodynamics*, **ONR/ACR-38**, 533-557.
- Acosta, A.J. and Hollander, A. (1959). Remarks on cavitation in turbomachines. *Calif. Inst. of Tech. Rep. E-79.3*.
- Acosta, A.J. (1960). Cavitating flow past a cascade of circular arc hydrofoils. *Calif. Inst. of Tech. Hydro. Lab. Rep. E-79.2*.
- Acosta, A.J. and Bowerman, R.D. (1957). An experimental study of centrifugal pump impellers. *Trans. ASME*, **79**, 1821-1839.
- Acosta, A.J. (1955). A note on partial cavitation of flat plate hydrofoils. *Calif. Inst. of Tech. Hydro. Lab. Rep. E-19.9*.
- Acosta, A.J. and DeLong, R.K. (1971). Experimental investigation of non-steady forces on hydrofoils oscillating in heave. *Proc. IUTAM Symp. on non-steady flow of water at high speeds, Leningrad, USSR*, 95-104.
- Acosta, A.J. (1973). Hydrofoils and hydrofoil craft. *Ann. Rev. Fluid Mech.*, **5**, 161-184.
- Acosta, A.J. and Parkin, B.R. (1975). Cavitation inception - a selective review. *J. Ship Res.*, **19**, No. 4, 193-205.
- Adam, S. and Schnerr, G.H. (1997). Instabilities and bifurcation of non-equilibrium two-phase flows. *J. Fluid Mech.*, **348**, 1-28.
- Adamczyk, J.J. (1975). The passage of a distorted velocity field through a cascade of airfoils. *Proc. Conf. on Unsteady Phenomena in Turbomachinery, AGARD Conf. Proc. No. 177*.
- Adkins, D.R. and Brennen, C.E. (1988). Analyses of hydrodynamic radial forces on centrifugal pump impellers. *ASME J. Fluids Eng.*, **110**, No. 1, 20-28.
- Adler, J. 1976. The sensing of chemicals by bacteria. *Sci. Am.* 234: 4047

- Agostinelli, A., Nobles, D. and Mockridge, C.R. (1960). An experimental investigation of radial thrust in centrifugal pumps. *ASME J. Eng. for Power*, **82**, 120-126.
- Ahn, H., Brennen, C.E., and Sabersky, R.H. (1987). Experiments on the chute flows of granular materials. *Proc. of U.S.-Japan Seminar on the Micromechanics of Granular Materials, Sendai, Japan*.
- Ahn, H. and Brennen, C.E. (1993). Channel flows of granular material and their rheological implications. *Chapter 7 in Particulate Two-Phase Flow, ed. M.C. Roco, Butterworth Co., 210-243*.
- Ai, D.K. (1966). The wall effect in cavity flows. *ASME J. Basic Eng.*, **88**, 132-138.
- Aiello, E. and Sleight, M.A. 1972. The metachronal wave of lateral cilia of *Mytilus edulis*. *J. Cell Biol.* **54**, 493-506.
- AIChE. (1947.) AIChE, **43**, No.1, 25.
- Alford, J.S. (1965). Protecting turbomachinery from self-excited rotor whirl. *ASME. J. Eng. for Power*, **87**, 333-344.
- Allan, J.F. (1957). *The New N.P.L. Ship Hydrodynamics Laboratory*. Trans. Instn. Nav. Arch., **99**.
- Alligne, S., Nicolet, C., Tsujimoto, Y. and Avellan, F. (2014). Cavitation surge modelling in Francis turbine draft tube. *J. Hydraul. Res. B*, **52**, 399-411.
- Amies, G., Levek, R. and Struesseld, D. (1977). Aircraft hydraulic systems dynamic analysis. Volume II. Transient analysis (HYTRAN). *Wright-Patterson Air Force Base Technical Report AFAPL-TR-76-43, II*.
- Amies, G. and Greene, B. (1977). Aircraft hydraulic systems dynamic analysis. Volume IV. Frequency response (HSFR). *Wright-Patterson Air Force Base Technical Report AFAPL-TR-76-43, IV*.
- Andeen, G.B. and Marks, J.S. (1978). Analysis and testing of steam chugging in pressure systems. *Electric Power Res. Inst. Report NP-908*.
- Anderson, D.A., Blade, R.J. and Stevens, W. (1971). Response of a radial-bladed centrifugal pump to sinusoidal disturbances for non-cavitating flow. *NASA TN D-6556*.
- Anderson, H.H. *Centrifugal pumps*. The Trade and Technical Press Ltd., England.
- Anderson, H.H. (1955). Modern developments in the use of large single-entry centrifugal pumps. *Proc. Inst. Mech. Eng.*, **169**, 141-161.
- Anderson, J.D. (1982). *Modern compressible flow*. McGraw-Hill.
- Anderson, J.D., Jr. (1999). *A History of Aerodynamics*. Cambridge University Press, New York.
- Anderson, R.A. 1975. Formation of the bacterial flagellar bundle. In Wu, T.Y., Brokaw, C.J. and Brennen, C.E., eds., 1975. *Swimming and Flying in Nature*, **1,2**. Plenum Press, New York.
- ANL. (1980). *Thermodynamic properties of Uranium Dioxide*. ANL Reports, ANL-CEN-RSD-80-3, -80-4.
- ANL. (1979 & 82). *Thermophysical properties of sodium*. ANL Reports, ANL-CEN-RSD-79-1 and -82-4.
- Apfel, R.E. (1981). Acoustic cavitation prediction. *J. Acoust. Soc. Am.*, **69**, 1624-1633.
- Arakeri, V.H. and Acosta, A.J. (1974). Viscous effects in the inception of cavitation on axisymmetric bodies. *ASME J. Fluids Eng.*, **95**, No. 4, 519-528.
- Arakeri, V.H. (1979). Cavitation inception. *Proc. Indian Acad. Sci.*, **C2**, Part 2, 149-177.

- Arakeri, V.H. and Shangumanathan, V. (1985). On the evidence for the effect of bubble interference on cavitation noise. *J. Fluid Mech.*, **159**, 131-150.
- Armstrong, A.H. (1953). Abrupt and smooth separation in plane and axisymmetric flow. *Memo. Arm. Res. Est., G.B., No. 22/63*.
- Armstrong, A.H. and Dunham, J.H. (1953). Axisymmetric cavity flow. *Rep. Res. Est., G.B., No. 12/53*.
- Armstrong, A.H. and Tadman, K.G. (1954). Axisymmetric cavity flow about ellipsoids. *Proc. Joint Admiralty-U.S.Navy Meeting on Hydroballistics*.
- Arndt, N. and Franz, R. (1986). Observations of hydrodynamic forces on several inducers including the SSME LPOTP. *Calif. Inst. of Tech., Div. Eng. and Appl. Sci., Report No. E249.3*.
- Arndt, N., Acosta, A.J., Brennen, C.E., and Caughey, T.K. (1989). Rotor-stator interaction in a diffuser pump. *ASME J. of Turbomachinery*, **111**, 213-221.
- Arndt, N., Acosta, A.J., Brennen, C.E., and Caughey, T.K. (1990). Experimental investigation of rotor-stator interaction in a centrifugal pump with several vaned diffusers. *ASME J. of Turbomachinery*, **112**, 98-108.
- Arndt, R.E.A. and Ippen, A.T. (1968). Rough surface effects on cavitation inception. *ASME J. Basic Eng.*, **90**, 249-261.
- Arndt, R.E.A. and Keller, A.P. (1976). Free gas content effects on cavitation inception and noise in a free shear flow. *Proc. IAHR Symp. on two-phase flow and cavitation in power generation*, 3-16.
- Arndt, R.E.A. (1981). Cavitation in fluid machinery and hydraulic structures. *Ann. Rev. Fluid Mech.*, **13**, 273-328.
- Arnold, G.S., Drew, D.A. and Lahey, R.T. (1989). Derivation of constitutive equations for interfacial force and Reynolds stress for a suspension of spheres using ensemble cell averaging. *Chem. Eng. Comm.*, **86**, 43-54.
- Arrojo, S., Nerin, C., Benito, Y. (2007). Application of salicylic acid dosimetry to evaluate hydrodynamic cavitation as an advanced oxidation process. *Ultrasonics Sonochemistry*, **14**, 343-349.
- ASHRAE. *Handbook of fundamentals*.
- ASTM (Amer. Soc. for Testing and Materials). (1967). Erosion by cavitation or impingement. *ASTM STP408*.
- Atkinson, C.M. and Kytömaa, H.K. (1992). Acoustic wave speed and attenuation in suspensions. *Int. J. Multiphase Flow*, **18**, No.4, 577-592.
- Azbel, D. and Liapis, A.I. (1983). Mechanisms of liquid entrainment. In *Handbook of Fluids in Motion* (eds: Cheremisinoff, N.P., and Gupta, R.), 453-482.
- Babic, M. and Shen, H.H. (1989). A simple mean free path theory for the stresses in a rapidly deforming granular material. *ASCE J. Eng. Mech.*, **115**, 1262-1282.
- Babuka, I., Banerjee, U. and Osborn, J.E. (2004). "Generalized Finite Element Methods: Main Ideas, Results, and Perspective". *International Journal of Computational Methods*. **1**, 1, 67103. doi:10.1142/S021987620400001
- Badowski, H.R. (1970). Inducers for centrifugal pumps. *Worthington Canada, Ltd., Internal Report*.
- Bagnold, R.A. (1954). Experiments on a gravity-free dispersion of large solid particles in a Newtonian fluid under shear. *Proc. R. Soc. Lond.*, **A225**, 49-63.

- Baker, O. (1954). Simultaneous flow of oil and gas. *Oil Gas J.*, **53**, 185.
- Balje, O.E., 1981, *Turbomachines. A guide to design, selection and theory*, John Wiley and Sons, New York.
- Barber, B.P. and Putterman, S.J. (1991). Observations of synchronous picosecond sonoluminescence. *Nature*, **352**, 318.
- Bark, G. and van Berlekom, W.B. (1978). Experimental investigations of cavitation noise. *Proc. 12th ONR Symp. on Naval Hydrodynamics*, 470–493.
- Barnea, E. and Mizrahi, J. (1973). A generalized approach to the fluid dynamics of particulate systems. Part 1. General correlation for fluidization and sedimentation in solid multiparticle systems. *The Chem. Eng. J.*, **5**, 171-189.
- Barnocky, G. and Davis, R.H. (1988). Elastohydrodynamic collision and rebound of spheres: experimental verification. *Phys. Fluids*, **31**, 1324-1329.
- Baroczy, C.J. (1966). A systematic correlation for two-phase pressure drop. *Chem. Eng. Prog. Symp. Series*, **62**, No.64, 232-249.
- Barton, C. and Raynor, S. 1967. Analytical investigation of cilia-induced mucous flow. *Bull. Math. Biophys.* **29**, 419-28
- Basset, A.B. (1888). *A treatise on hydrodynamics*, **II**. Reprinted by Dover, NY, 1961.
- Batchelor, G.K. (1967). *An introduction to fluid mechanics*. Cambridge Univ. Press.
- Batchelor, G.K. (1969). In *Fluid Dynamics Transactions*, **4**, (eds: W.Fizdon, P.Kucharczyk, and W.J.Prosnak). Polish Sci. Publ., Warsaw.
- Batchelor, G.K. and Green, J.T. (1972). The determination of the bulk stress in a suspension of spherical particles to order c^2 . *J. Fluid Mech.*, **56**, 401.
- Batcho, P.F., Moller, J.C., Padova, C. and Dunn, M.G. (1987). Interpretation of gas turbine response to dust ingestion. *ASME J. Eng. for Gas Turbines and Power*, **109**, 344-352.
- Bathe, K.J. (2006). *Finite Element Procedures*. Cambridge, MA, ISBN 978-0979004902.
- Bathurst, R.J. and Rothenburg, L. (1988). Micromechanical aspects of isotropic granular assemblies with linear contact interactions. *J. Appl. Mech.*, **55**, 17-23.
- Bearman, P.W. 1969. On vortex shedding from a circular cylinder in the critical Reynolds Number regime. *J. Fluid Mech.* **37**, 577-585.
- Behringer, R. (1993). The dynamics of flowing sand. *Nonlinear Sci. Today*, **3**, No.3, 1-15.
- Ben-Dor, G., Britan, A., Elperin, T., Igra, O. and Jiang, J. (1997). Experimental investigation of the interaction between weak shock waves and granular layers. *Expt. Fluids*, **22**, 432-443.
- Benjamin, T.B. and Ellis, A.T. (1966). The collapse of cavitation bubbles and the pressures thereby produced against solid boundaries. *Phil. Trans. Roy. Soc., London, Ser. A*, **260**, 221-240.
- Berg, H.C. 1974. Dynamic properties of bacterial flagellar motors. *Nature* **249**, 77-79.
- Berg, H.C. 1975. Bacterial movement. In Wu, T.Y., Brokaw, C.J. and Brennen, C.E., eds., 1975. *Swimming and Flying in Nature*, **1,2**. Plenum Press, New York.

- Berg, H.C. and Anderson, R. A. 1973. Bacteria swim by rotating their flagellar filaments. *Nature*, **245**, 380-82.
- Bernal, L.P. and Roshko, A. (1986). Streamwise vortex structure in plane mixing layers. *J. Fluid Mech.*, **170**, 499-525.
- Bernier, R. (1981). *Unsteady two-phase flow instrumentation and measurement*. Ph.D. Thesis, California Institute of Technology, Pasadena, California.
- Bernier, R., and Brennen, C.E. (1983). Use of the electromagnetic flowmeter in a two-phase flow. *Int. J. Multiphase Flow*, **9**, No.1, 251-257.
- Betchkov, R. and Criminale, W.O. (1967). *Stability of parallel flows*. Academic Press.
- Betz, A. and Petersohn, E. (1931). Application of the theory of free jets. *NACA TM No. 667*.
- Bhattacharyya, A., Acosta, A.J., Brennen, C.E., and Caughey, T.K. (1993). Observations on off-design flows in non-cavitating inducers. *Proc. ASME Symp. on Pumping Machinery - 1993*, **FED-154**, 135-141.
- Biesheuvel, A. and van Wijngaarden, L. (1984). Two-phase flow equations for a dilute dispersion of gas bubbles in liquid. *J. Fluid Mech.*, **148**, 301-318.
- Biesheuvel, A. and Gorissen, W.C.M. (1990). Void fraction disturbances in a uniform bubbly fluid. *Int. J. Multiphase Flow*, **16**, 211-231.
- Biheller, H.J. (1965). Radial force on the impeller of centrifugal pumps with volute, semi-volute and fully concentric casings. *ASME J. Eng. for Power*, July 1965, 319-323.
- Billet, M.L. (1985). Cavitation nuclei measurements-a review. *Proc. 1985 Cavitation and Multiphase Flow Forum*, **FED 23**, 31-38.
- Billet, M.L. and Weir, D.S. (1975). The effect of gas diffusion on the flow coefficient for a ventilated cavity. *Proc. ASME Symp. on Cavity Flows*, 95-100.
- Binder, R.C. and Knapp, R.T. (1936). Experimental determinations of the flow characteristics in the volutes of centrifugal pumps. *Trans. ASME*, **58**, 649-661.
- Binnie, A.M. and Green, J.R. (1943). An electrical detector of condensation in high velocity steam. *Proc. Roy. Soc. A*, **181**, 134.
- Biot, M.A. (1942). Some simplified methods in airfoil theory. *J. Aero. Sci.*, **9**, No. 5, 185-190.
- Birkhoff, G. (1954). Note on Taylor instability. *Quart. Appl. Math.*, **12**, 306-309.
- Birkhoff, G. (1960). *Hydrodynamics*. Princeton Univ. Press.
- Birkhoff, G. and Zarantonello, E.M. (1957). *Jets, wakes and cavities*. Academic Press, NY.
- Bjerknes, V. (1909). *Die Kraftfelder*. Friedrich Vieweg and Sohn, Braunschweig.
- Black, H.F. (1969). Effects of hydraulic forces in annular pressure seals on the vibrations of centrifugal pump rotors. *J. Mech. Eng. Sci.*, **11**, No. 2, 206-213.
- Black, H.F. and Jensen, D.N. (1970). Dynamic hybrid properties of annular pressure seals. *Proc. J. Mech. Eng.*, **184**, 92-100.
- Blake, F.G. (1949). The onset of cavitation in liquids: I. *Acoustics Res. Lab., Harvard Univ., Tech. Memo. No. 12*.

- Blake, F.G. (1949). Bjerknes forces in stationary sound fields. *J. Acoust. Soc. Am.*, **21**, 551.
- Blake, J.R. (1971a). A spherical envelope approach to ciliary propulsion. *J. Fluid Mech.* **46**, 199-208.
- Blake, J.R. (1971b). Infinite models for ciliary propulsion. *J. Fluid Mech.* **49**, 209-22.
- Blake, J.R. (1972). A model for the micro-structure in ciliated organisms. *J. Fluid Mech.* **55**, 1-23.
- Blake, J.R. (1973a). A finite model for ciliated microorganisms. *J. Biomech.* **6**, 133-40.
- Blake, J.R. (1973b). Flow in tubules due to ciliary activity.. *Bull. Math. Biol.* **35**, 513-23.
- Blake, J.R. (1974a). Hydrodynamic calculations on the movements of cilia and flagella. Part I. *Paramecium*. *J. Theor. Biol.* **45**, 183-203.
- Blake, J.R. (1975). On the movement of mucus in the lung. *J. Biomech.* **8**, 179-90.
- Blake, J.R. and Gibson, D.C. (1987). Cavitation bubbles near boundaries. *Ann. Rev. Fluid Mech.*, **19**, 99-124.
- Blake, J.R. and Sleigh, M.A. (1974). Mechanics of ciliary locomotion. *Biol. Rev.* **49**, 85-125.
- Blake, W.K., Wolpert, M.J., and Geib, F.E. (1977). Cavitation noise and inception as influenced by boundary-layer development on a hydrofoil. *J. Fluid Mech.*, **80**, 617-640.
- Blake, W.K. and Sevik, M.M. (1982). Recent developments in cavitation noise research. *Proc. ASME Int. Symp. on Cavitation Noise*, 1-10.
- Blake, W.K. (1986b). *Mechanics of flow-induced sound and vibration*. Academic Press.
- Blanchard, D.C. (1963). The electrification of the atmosphere by particles from bubbles in the sea. *Progr. in Oceanography*, **1**, 72.
- Blanchard, D.C. (1983). The production, distribution and bacterial enrichment of the sea-salt aerosol. In *Climate and health implications of bubble-mediated sea-air exchange* (eds: E.C. Monahan and M.A. VanPatten). Connecticut Sea Grant College Program CT-SG-89-06.
- Blevins, R.D. (1977). *Flow-induced vibrations*. Van Nostrand Reinhold Co., N.Y.
- Board, S.J. and Caldarola, L. (1977). Fuel coolant interactions in fast reactors. In Jones, O.C. and Bankhoff, S.G. (editors) (1977). Symposium on the thermal and hydraulic aspects of nuclear reactor safety. Volume 2: Liquid metal fast breeder reactors. ASME, New York.
- Bodansky, D. (1996). *Nuclear energy. Principles, practices and prospects*. Springer-Verlag New York, Inc.
- Bolleter, U., Wyss, A., Welte, I., and Sturchler, R. (1985). Measurements of hydrodynamic interaction matrices of boiler feed pump impellers. *ASME Paper No. 85-DET-148*.
- Bolleter, U., Wyss, A., Welte, I., and Sturchler, R. (1987). Measurement of hydrodynamic matrices of boiler feed pump impellers. *ASME J. Vibrations, Stress and Reliability in Design*, **109**, 144-151.
- Boothroyd, R.G. (1971). *Flowing gas-solid suspensions*, Chapman and Hall Ltd.
- Borishanski, V.M. (1956). An equation generalizing experimental data on the cessation of bubble boiling in a large volume of liquid. *Zh. Tekh. Fiz.*, **26**, No.7, 452-456.
- Borotnikova, M.I. and Soloukin, R.I. (1964). A calculation of the pulsations of gas bubbles in an incompressible liquid subject to a periodically varying pressure. *Sov. Phys. Acoust.*, **10**, 28-32.

- Boure, J.A., Bergles, A.E. and Tong, L.S. (1973). Review of two-phase flow instability. *Nucl. Eng. Des.*, **25**, 165-192.
- Boure, J.A. and Mercadier, Y. (1982). Existence and properties of structure waves in bubbly two-phase flows. *Appl. Sci. Res.*, **38**, 297-303.
- Boure, J.A., Bergles, A.E. and Tong, L.S. (1973). Review of two-phase flow instability. *Nucl. Eng. Des.*, **25**, 165-192.
- Brady, J.F. and Bossis, G. (1988). Stokesian dynamics. *Ann. Rev. Fluid Mech.*, **20**, 111-157.
- Brady, J.F. (2001). Computer simulations of viscous suspensions. *Chem. Eng. Sci.*, **56**, 2921-2926.
- Braisted, D.M. (1979). Cavitation induced instabilities associated with turbomachines. *Ph.D. Thesis, California Institute of Technology, Pasadena, Ca.*
- Braisted, D.M. and Brennen, C.E. (1980). Auto-oscillation of cavitating inducers. In *Polyphase Flow and Transport Technology*, (ed: R.A. Bajura), ASME Publ., New York, 157-166.
- Brennen, C. (1969a). A numerical solution of axisymmetric cavity flows. *J. Fluid Mech.*, **37**, 671-688.
- Brennen, C. (1969b). Some viscous and other real fluid effects in fully developed cavity flows. In *Cavitation State of Knowledge* (eds: J.M. Robertson, G.F. Wislicenus), ASME, N.Y.
- Brennen, C. (1970). Cavity surface wave patterns and general appearance. *J. Fluid Mech.*, **44**, No. 1, 33-49.
- Brennen, C. (1970). Some cavitation experiments with dilute polymer solutions. *J. Fluid Mech.*, **44**, 51-63.
- Brennen, C.E. (1973). The dynamic behavior and compliance of a stream of cavitating bubbles. *ASME J. Fluids Eng.*, **95**, 533-542.
- Brennen, C.E. and Acosta, A.J. (1973). Theoretical, quasistatic analysis of cavitation compliance in turbopumps. *J. Spacecraft and Rockets*, **10**, No. 3, 175-180.
- Brennen, C.E. (1974). Isostatic recovery and the strain rate dependent viscosity of the earth's mantle. *J. Geophys. Res.*, **97**, 3993-4001.
- Brennen, C. (1975). A concentrated suspension model for the Couette rheology of blood. *Can. J. Chem. Eng.*, **53**, 126-133.
- Brennen, C. (1976). On the flow in an annulus surrounding a whirling cylinder. *J. Fluid Mech.*, **75**, 173-191.
- Brennen, C.E. (1978). Bubbly flow model for the dynamic characteristics of cavitating pumps. *J. Fluid Mech.*, **89**, 223-240.
- Brennen, C.E. (1979). A linear, dynamic analysis of vent condensation stability. In *Basic Mechanisms in Two-Phase Flow and Heat Transfer* (eds. P.H. Rothe and R.T. Lahey, Jr.), ASME (No. G00179).
- Brennen, C.E., Oey, K., and Babcock, C.D. (1980). On the leading edge flutter of cavitating hydrofoils. *J. Ship Res.*, **24**, No. 3, 135-146.
- Brennen, C.E. (1982). A review of added mass and fluid inertial forces. *Naval Civil Eng. Lab., Port Hueneme, Calif., Report CR82.010.*
- Brennen, C.E. (1994). *Hydrodynamics of pumps*. Concepts ETI and Oxford Univ. Press.

- Brennen, C.E. (1995). *Cavitation and bubble dynamics*. Oxford Univ. Press.
- Brennen, C.E. (1974). An oscillating-boundary-layer theory for ciliary propulsion. *J. Fluid Mech.* **65**, 799-824.
- Brennen, C.E. (1975). Hydromechanics of propulsion for ciliated microorganisms. In Wu, T.Y., Brokaw, C.J. and Brennen, C.E., eds., 1975. *Swimming and Flying in Nature*, **1,2**. Plenum Press, New York.
- Brennen, C.E. (1976). Locomotion of flagellates with mastigonemes. *J. Mechanochem. and Cell Motil.* **3**, 207-17.
- Brennen, C.E. (1994). *Hydrodynamics of pumps*. Oxford University Press and Concepts ETI.
- Brennen, C.E. (1995). *Cavitation and bubble dynamics*. Oxford University Press.
- Brennen, C.E. (2002). Micro-nucleation in supersaturated oxygen solution injection. Proc. 2002 Mechanical Engineering Congress (MECJ-02), Tokyo, Japan,, 8, 18-19.
- Brennen, C.E. (2002). Fission of collapsing cavitation bubbles. *J. Fluid Mech.*, **472**, 153-166.
- Brennen, C.E. (2003). Cavitation in biological and bioengineering contexts. Invited Paper, Fifth Int. Symp. on Cavitation (CAV2003).
- Brennen, C.E. (2006). A review of cavitation uses and problems in medicine. Invited Paper, WIMRC Forum 2006, Warwick University, UK..
- Brennen, C.E. (2014). Cavitation in medicine. Proc. Roy. Soc. Theo Murphy International Scientific Meeting on "Amazing (cavitation) bubbles: great potentials and challenges", Kavli Roy. Soc. International Centre, England. Interface Focus, 5, No.5, 1-12.
- Brennen, C.E. (2021). A model for algal population dynamics and blooms.
- Brennen, C.E. and Acosta, A.J. (1973). Theoretical, quasi-static analyses of cavitation compliance in turbopumps. *J. Spacecraft and Rockets*, **10**, No.3, 175-180.
- Brennen, C.E. and Acosta, A.J. (1975). The dynamic performance of cavitating turbopumps. *Proc. Fifth Conference on Fluid Machinery, Akademiai Kiado, Budapest, Hungary*, 121-136.
- Brennen, C.E. and Acosta, A.J. (1976). The dynamic transfer function for a cavitating inducer. *ASME J. Fluids Eng.*, **98**, 182-191.
- Brennen, C.E. and Braisted, D.M. (1980). Stability of hydraulic systems with focus on cavitating pumps. *Proc. 10th Symp. of IAHR, Tokyo*, 255-268.
- Brennen, C.E., Meissner, C., Lo, E.Y. and Hoffman, G.S. (1982). Scale effects in the dynamic transfer functions for cavitating inducers. *ASME J. Fluids Eng.*, **104**, 428-433.
- Brennen, C. and Pearce, J.C. (1978). Granular media flow in two-dimensional hoppers. *ASME J. Appl. Mech.*, **45**, No.1, 43-50.
- Brennen, C.E., Acosta, A.J., and Caughey, T.K. (1986). Impeller fluid forces. *Proc. NASA Advanced Earth-to-Orbit Propulsion Technology Conference, Huntsville, AL, NASA Conf. Publ. 2436*, 270-295.
- Brennen, C.E., Franz, R., and Arndt, N. (1988). Effects of cavitation on rotordynamic force matrices. *Proc. Third Earth to Orbit Propulsion Conference, NASA Conf. Publ. 3012*, 227-239.
- Brennen, C.E., Keady, G. and Imberger, J. (2017). A note on algae population dynamics. Invited paper at the Inaugural Meeting of the UK Fluids Network Special Interest Group in Biologically Active Fluids (In memory of Professor John Blake). *IMA J. of Appl. Math.*, **83**, No.4, 783-796.

- Brennen, C.E., Oey, K., and Babcock, C.D. (1980). On the leading edge flutter of cavitating hydrofoils. *J. Ship Res.*, **24**, No. 3, 135-146.
- Brennen, C. and Winet, H. (1977). Fluid mechanics of propulsion by cilia and flagella. *Ann. Rev. of Fluid Mech.*, **9**, 339-398.
- Brennen, C.E. and Braisted, D.M. (1980). Stability of hydraulic systems with focus on cavitating pumps. *Proc. 10th Symp. of IAHR, Tokyo*, 255-268.
- Brennen, C.E., Meissner, C., Lo, E.Y., and Hoffman, G.S. (1982). Scale effects in the dynamic transfer functions for cavitating inducers. *ASME J. Fluids Eng.*, **104**, 428-433.
- Brennen, C.E., Sieck, K. and Paslaski, J. (1983). Hydraulic jumps in granular material flow. *Powder Tech.*, **35**, 31-37.
- Brennen, C.E., Ghosh, S., and Wassgren, C. (1993). Vertical Oscillation of a Bed of Granular Material. *ASME J. Appl. Mech.*, **63**, No.1, 156-161.
- Brenner, H. (1961). The slow motion of a sphere through a viscous fluid towards a plane surface. *Chem. Eng. Sci.*, **16**, 242-251.
- Breugelmans, F.A.E. and Sen, M. (1982). Prerotation and fluid recirculation in the suction pipe of centrifugal pumps. *Proc. 11th Int. Pump Symp., Texas A&M Univ.*, 165-180.
- Briançon-Marjollet, L., Franc, J.P., and Michel, J.M. (1990). Transient bubbles interacting with an attached cavity and the boundary layer. *J. Fluid Mech.*, **218**, 355-376.
- Brillantov, N.V., Spahn, F., Hertzsch, J.-M. and Poschel, T. (1996). Model for collisions in granular gases. *Phys. Rev. E*, **53**(5), 5382-5392.
- Brillouin, M. (1911). Les surfaces de glissement de Helmholtz et la résistance des fluides. *Ann. Chim. Phys.*, **23**, 145-230.
- Brinkman, H.C. (1947). A calculation of the viscous force exerted by a flowing fluid on a dense swarm of particles. *Appl. Sci. Res.*, **A1**, 27-34.
- Britannica, The Editors of Encyclopaedia. (2023). Pulmonary Circulation. Encyclopedia Britannica. <https://www.britannica.com/science/pulmonary-circulation>.
- Brokaw, C.J. (1965). Non-sinusoidal bending waves of sperm flagella. *J. Exp. Biol.* **43**, 155-69.
- Brokaw, C.J. (1970). Bending moments on free-swimming flagella. *J. Exp. Biol.* **53**, 445-64.
- Brokaw, C.J. (1971). Bend propagation by a sliding filament model for flagella. *J. Exp. Biol.* **55**, 289-304.
- Brokaw, C.J. (1972). Computer simulation of flagellar movement. *Biophys. J.* **12**, 564-86.
- Brokaw, C.J. (1975). Spermatozoan motility: A biophysical survey. *Biol. J. Linn. Soc.* **7**, Suppl. 1, 423-39.
- Brokaw, C.J. and Gibbons, I.R. (1975). Mechanisms of movement in flagella and cilia. In Wu, T.Y., Brokaw, C.J. and Brennen, C.E., eds., 1975. *Swimming and Flying in Nature*, **1,2**. Plenum Press, New York.
- Bromley, L.A. (1950). Heat transfer in stable film boiling. *Chem. Eng. Prog. Ser.*, **46**, 221-227.
- Brooks, D.E., Goodwin, J.W. and Seaman, G.V.F. (1970). Interactions among erythrocytes under shear. *J. Appl. Phys.*, **28**, 2, 172.

- Brown, F.B. (1949). *Air Resorption in Water Tunnels*. Hydrodynamics Lab., Calif. Inst. Tech. Rept. N-62.
- Brown, F.T. (1967). A unified approach to the analysis of uniform one-dimensional distributed systems. *ASME J. Basic Eng.*, **89**, No. 6, 423–432.
- Brun, K., Flack, R.D. and Gruver, J.K., 1996, Laser velocimeter measurements in the pump of an automotive torque converter. Part II - Unsteady measurements, *ASME J. Fluids Eng.*, **118**, 570-577.
- Bruno, R. and Carbone, V. (2013). The solar wind as a turbulence laboratory. *Living Rev. Solar Phys.*, **10**, 2. <http://www.livingreviews.org/lrsp-2013-2> doi:10.12942/lrsp-2013-2
- Buhl, A.R. and Graham, J. (1975). *The safety and environmental impact of liquid metal fast breeder reactors*. ASME Paper, 75-WA/NE-7.
- Burgess, D.S., Biordi, J. and Murphy, J. (1972). Hazards of spillage of LNG into water. *U.S. Bureau of Mines, PMSRC Rept. No. 4177*.
- Busemann, A. (1928). Das Förderhöhenverhältnis radialer Kreispumpen mit logarithmisch-spiraligen Schaufeln. *Z. angew. Math. u. Mech.*, **8**, 372.
- Butterworth, D. (1977). Introduction to condensation. Filmwise condensation. Chaps. 18 and 19 in *Two-phase flow and heat transfer* (eds: D.Butterworth and G.F.Hewitt), Oxford Univ. Press.
- Butterworth, D., and Hewitt, G.F. (1977). *Two-phase flow and heat transfer*, Oxford Univ. Press.
- By, R.R., Kunz, R. and Lakshminarayana, B., 1995, Navier-Stokes analysis of the pump flow field of an automotive torque converter, *ASME J. Fluids Eng.*, **117**, 116-122.
- By, R.R. and Lakshminarayana, B., 1995, Measurement and analysis of static pressure field in a torque converter pump, *ASME J. Fluids Eng.*, **117**, 109-115.
- Calladine, C.R. (1974). Bacteria can swim without rotating flagellar filaments. *Nature* **249**, 385.
- Campbell, C.S. (1993). Boundary interactions for two-dimensional granular flow. Parts 1 and 2. *J. Fluid Mech.*, **247**, 111-136 and **247**, 137-156.
- Campbell, C.S. (1990). Rapid granular flows. *Ann. Rev. of Fluid Mech.*, **22**, 57-92.
- Campbell, C.S. (2002). Granular shear flows at the elastic limit. *J. Fluid Mech.*, **465**, 261-291.
- Campbell, C.S. (2003). Stress controlled elastic granular shear flows. Submitted for publication.
- Campbell, C.S. and Brennen, C.E. (1985a). Computer simulation of granular shear flows. *J. Fluid Mech.*, **151**, 167-188.
- Campbell, C.S., and Brennen, C.E. (1985b). Chute flows of granular material: some computer simulation. *ASME J. Appl. Mech.*, **52**, No.1, 172-178.
- Campbell, I.J. and Pitcher. A.S. (1958). Shock waves in a liquid containing gas bubbles. *Proc. Roy. Soc. London, A*, **243**, 534-545.
- Carey, V.P. (1992). *Liquid-vapor phase-change phenomena*. Hemisphere Pub. Corp.
- Carman, P.C. (1937). Fluid flow through a granular bed. *Trans. Inst. Chem. Engrs.*, **15**, 150.
- Carrier, G.F. (1958). Shock waves in a dusty gas. *J. Fluid Mech.*, **4**, 376-382.

- Carstensen, E.L. and Foldy, L.L. (1947). Propagation of sound through a liquid containing bubbles. *J. Acoust. Soc. Amer.*, **19**, 481-501.
- Catipovic, N.M., Govanovic, G.N. and Fitzgerald, T.J. (1978). Regimes of fluidization for large particles. *AIChE J.*, **24**, 543-547.
- Ceccio, S.L. and Brennen, C.E. (1991). Observations of the dynamics and acoustics of travelling bubble cavitation. *J. Fluid Mech.*, **233**, 633-660. Corrigenda, **240**, 686.
- Ceccio, S.L., Gowing, S. and Shen, Y. (1997). The effects of salt water on bubble cavitation. *ASME J. Fluids Eng.*, **119**, 155-163.
- Cha, Y.S. and Henry, R.E. (1981). Bubble growth during decompression of a liquid. *ASME J. Heat Transfer*, **103**, 56-60.
- Chahine, G.L. (1977). Interaction between an oscillating bubble and a free surface. *ASME J. Fluids Eng.*, **99**, 709-716.
- Chahine, G.L. (1982). Cloud cavitation theory. *Proc. 14th ONR Symp. on Naval Hydrodynamics*, 165-194.
- Chahine, G.L. and Duraiswami, R. (1992). Dynamical interactions in a multibubble cloud. *ASME J. Fluids Eng.*, **114**, 680-686.
- Chamieh, D.S. and Acosta, A.J. (1981). Calculation of the stiffness matrix of an impeller eccentrically located within a volute. *Proc. ASME Cavitation and Polyphase Flow Forum*, 51-53.
- Chamieh, D. (1983). Forces on a whirling centrifugal pump-impeller. *Ph.D. Thesis, Calif. Inst. of Tech., and Div. of Eng. and App. Sci. Report No. E249.2*.
- Chamieh, D.S., Acosta, A.J., Brennen, C.E., and Caughey, T.K. (1985). Experimental measurements of hydrodynamic radial forces and stiffness matrices for a centrifugal pump-impeller. *ASME J. Fluids Eng.*, **107**, No. 3, 307-315.
- Chanson, H. (2004). *The hydraulics of open channel flow*. Butterworth-Heinemann, Oxford, UK.
- Chapman, R.B. and Plesset, M.S. (1971). Thermal effects in the free oscillation of gas bubbles. *ASME J. Basic Eng.*, **93**, 373-376.
- Cheremisinoff, N.P. and Cheremisinoff, P.N. (1984). *Hydrodynamics of Gas-Solids Fluidization*. Gulf Publ. Co.
- Cheung, A.T.W. and Jahn, T.L. (1975). Determination of the movement, pattern of the epithelial cilia of rabbit trachea and the clearance mechanism of the tracheal muco-ciliary clearance system. In Wu, T.Y., Brokaw, C.J. and Brennen, C.E., eds., 1975. *Swimming and Flying in Nature*, **1,2**. Plenum Press, New York.
- Chien, S., Usami, S., Dellenback, R.J. and Gregersen, M.L. (1967). Blood viscosity: influence of erythrocyte deformation. *Science*, 157, 827.
- Chien, S., Usami, S. and Bertles, J.F. (1970). Abnormal rheology of oxygenated blood in sickle cell anemia. *J. Clin. Invest.*, 49, 623.
- Childs, D.W. and Dressman, J.B. (1985). Convergent-tapered annular seal
- Childs, D.W. (1983a). Dynamic analysis of turbulent annular seals based on Hirs' lubrication equation. *ASME J. Lubr. Tech.*, **105**, 429-436.

- Childs, D.W. (1983b). Finite length solutions for rotordynamic coefficients of turbulent annular seals. *ASME J. Lubr. Tech.*, **105**, 437-445.
- Childs, D.W. (1987). Fluid structure interaction forces at pump-impeller-shroud surfaces for rotordynamic calculations. *ASME Symp. on Rotating Machinery Dynamics*, **2**, 581-593.
- Childs, D.W. (1989). Fluid structure interaction forces at pump-impeller-shroud surfaces for rotordynamic calculations. *ASME J. Vibration, Acoustics, Stress and Reliability in Design*, **111**, 216-225.
- Childs, D.W. and Dressman, J.B. (1982). Testing of turbulent seals for rotordynamic coefficients. *Proc. Workshop on Rotordynamic Instability Problems in High-Performance Turbomachinery, NASA Conf. Publ. 2250*, 157-171. als: analysis and testing for rotordynamic coefficients. *ASME J. Tribology*, **107**, 307-317.
- Childs, D.W. and Kim, C.-H. (1985). Analysis and testing for rotordynamic coefficients of turbulent annular seals with different directionally homogeneous surface roughness treatment for rotor and stator elements. *ASME J. Tribology*, **107**, 296-306.
- Childs, D.W. and Scharrer, J.K. (1986). Experimental rotordynamic coefficient results for teeth-on-rotor and teeth-on-stator labyrinth gas seals. *Proc. Adv. Earth-to-Orbit Propulsion Tech. Conf., NASA Conf. Publ. 2436*, 327-345.
- Chiu, H.H. and Croke, E.J. (1981). *Group combustion of liquid fuel sprays*. Univ. of Illinois at Chicago, Energy Technology Lab. Report 81-2.
- Chivers, T.C. (1969). Cavitation in centrifugal pumps. *Proc. Inst. Mech. Eng.*, **184**, Part I, No. 2, 37-68.
- Chu, S., Dong, R., and Katz, J. (1993). The noise characteristics within the volute of a centrifugal pump for different tongue geometries. *Proc. ASME Symp. on Flow Noise, Modelling, Measurement and Control*.
- Churchill, R.V. (1948). *Introduction to complex variables and applications*. McGraw-Hill Book Company.
- Chwang, A.T., Winet, H. and Wu, T.Y. (1974). A theoretical mechanism for spirochetal locomotion. *J. Mechanochem. and Cell Motil.* **3**, 69-76.
- Chwang, A.T. and Wu, T.Y. (1971). A note on the helical movement of microorganisms. *Proc. Roy. Soc. London, Ser. B*, **178**, 327-46.
- Chwang, A.T., Wu, T.Y. and Winet, H. (1972). Locomotion of spirilla. *Biophys. J.* **12**, 1549-61.
- Cimorelli, L. & Evangelisti, R. (1967). *The application of the capacitance method for void fraction measurement in bulk boiling conditions*. *Int. J. Heat Mass Transfer*, **10**, 277-288.
- Cimorelli, L. & Evangelisti, R. (1969). *Experimental determination of the slip ratio in a vertical boiling channel, under adiabatic conditions at atmospheric pressure*. *Int. J. Heat Mass Transfer*, **12**, 713-726.
- Class, G. and Kadlec, J. (1976). Survey of the behavior of BWR pressure suppression systems during the condensation phase of LOCA. *Paper presented at Amer. Nucl. Soc. Int. Conf., Washington, D.C., Nov. 1976*.
- Clements, H.A. and Fortunato, E., 1982, An advance in reversing transmissions for ship propulsion, *ASME Paper No. 82-GT-313*.
- Clements, H.A., 1989, Stopping and reversing high power ships. *ASME Paper No. 89-GT-231*.

- Cleveland, L.R. and Cleveland, B.T. (1966). The locomotory waves of *Koruga*, *Deltotrychonympha* and *Mixotricha*. *Arch. Protistenkd.* **109**, 39-63.
- Clinch River Breeder Reactor Program. (1976). *Clinch river breeder reactor plant technical review*. CRBRP-PMC 76-06.
- Cohen, H. and Gilbert, R. (1957). Two-dimensional, steady, cavity flow about slender bodies in channels of finite width. *ASME J. Appl. Mech.*, **24**, 170–176.
- Cohen, H., Sutherland, C.D., and Tu, Y-O. (1957). Wall effects in cavitating hydrofoil flow. *J. Ship Res.*, **1**, No. 3, 31–39.
- Cokelet, G.R. (1963). The rheology of human blood. Sc.D. Thesis, Chemical Engineering, M.I.T., Cambridge, MA.
- Cokelet, G.R. and Meiselman, H.J. (1968). Rheological comparison of hemoglobin solutions and erythrocyte suspensions. *Science*, 162, 275.
- Cokelet, G.R. (1972). Chapter 4, in "Biomechanics. Its foundations and objectives" edited by Y.C. Fung, N. Perrone and M. Anliker, Prentice-Hall Inc., NJ.
- Colding-Jorgensen, J. (1979). The effect of fluid forces on rotor stability of centrifugal compressors and pumps. *Ph.D. Thesis, Tech. Univ. of Denmark*.
- Colgate, S.A. and Sigurgeirsson, T. (1973). Dynamic mixing of water and lava. *Nature*, **244**, 552-555
- Collier, J.G., and Thome, J.R. (1994). *Convective boiling and condensation*. Clarendon Press, Oxford.
- Collier, J.G. and Hewitt, G.F. (1987). *Introduction to nuclear power*. Hemisphere Publ. Co.
- Constant, H. (1939). Performance of cascades of aerofoils. *Royal Aircraft Est. Note No. E3696 and ARC Rep. No. 4155*.
- Cooper, E.S. and Silverstein, D.C. (2021). Fluid therapy and the microcirculation in health and critical illness. *Front. Vet. Sci.*, 8, <https://doi.org/10.3389/fvets.2021.625708>.
- Cooper, P. (1967). Analysis of single- and two-phase flows in turbo-pump inducers. *ASME J. Eng. Power*, **89**, 577-588.
- Corke, T., Guezennec, Y. and Nagib, H. (1981). Modification in drag of turbulent boundary layers resulting from manipulation of large scale structures. NASA- CR-3444.
- Coste, C., Falcon, E. and Fauve, S. (1997). Solitary waves in a chain of beads under Hertz contact. *Phys. Rev. E*, **56(5)**, 6104-6117.
- Costello, D.P. (1973a). A new theory on the mechanics of ciliary and flagellar motility. I. Supporting observations. *Biol. Bull.* **145**, 279-91.
- Costello, D.P. (1973b). A new theory on the mechanics of ciliary and flagellar motility. II. Theoretical considerations. *Biol. Bull.* **145**, 292-309.
- Cox, R.N. and Claydon, W.A. (1956). Air entrainment at the rear of a steady cavity. *Proc. Symp. on Cavitation in Hydrodynamics, N.P.L., London*.
- Crane Company. (1957) *Flow of Fluids*. Technical Paper No. 410, Crane Company, Chicago, Illinois.
- Creech, J., Divino, V., Patterson, W., Zalesky, P.J. and Brennen, C.E. (2002). Injection of highly super-saturated oxygen solutions without nucleation. *ASME J. Biomed. Eng.*, 124, No.6, 676-683.

- Creech, J., Divino, V., Patterson, W., Zalesky, P.J. and Brennen, C.E. (2002). A remarkable example of bubble nucleation suppression. *Proc. JSME Mech. Eng. Congr.*, 18-19.
- Crespo, A. (1969). Sound and shock waves in liquids containing bubbles. *Phys. Fluids*, **12**, 2274-2282.
- CRC, (1979). *Handbook of Chemistry and Physics*. Chemical Rubber Company.
- Crowe, C.T. (1982). Review - numerical models for dilute gas-particle flow. *ASME J. Fluids Eng.*, **104**, 297-303.
- Crowe, C.T., Sommerfeld, M. and Tsuji, Y. (1998). *Multiphase flows with droplets and particles*. CRC Press.
- Crum, L.A. (1979). Tensile strength of water. *Nature*, **278**, 148-149.
- Crum, L.A. (1980). Measurements of the growth of air bubbles by rectified diffusion. *J. Acoust. Soc. Am.*, **68**, 203-211.
- Crum, L.A. (1983). The polytropic exponent of gas contained within air bubbles pulsating in a liquid. *J. Acoust. Soc. Am.*, **73**, 116-120.
- Crum, L.A. (1984). Rectified diffusion. *Ultrasonics*, **22**, 215-223.
- Crum, L.A. and Eller, A.I. (1970). Motion of bubbles in a stationary sound field. *J. Acoust. Soc. Am.*, **48**, 181-189.
- Csanady, G.T. (1964). *Theory of turbomachines*. McGraw-Hill, New York.
- Cumberbatch, E. and Wu, T.Y. (1961) Cavity flow past a slender pointed hydrofoil. *J. Fluid Mech.*, **11**, 187-208.
- Cumpsty, N. A. (1977). A critical review of turbomachinery noise. *ASME J. Fluids Eng.*, **99**, 278-293.
- Cundall, P.A. and Strack, O.D.L. (1979). A discrete numerical model for granular assemblies. *Geotechnique*, **29**, 47-65.
- Cunningham, E. (1910). On the velocity of steady fall of spherical particles through fluid medium. *Proc. Roy. Soc. A*, **83**, 357-365.
- Cunningham, R.G., Hansen, A.G. and Na, T.Y. (1970). Jet pump cavitation. *ASME J. Basic Eng.*, **92**, 483-492.
- Cunningham, R.G. (1995). Liquid jet pumps for two-phase flows. *ASME J. Fluids Eng.*, **117**, 309-316.
- Currie, I.G. (2003). *Fundamental mechanics of fluids*. Marcel Dekker, New York.
- Cushing, V. (1958). *Induction flowmeter*. *Rev. Soc. Instrum.* **29**, 692-697.
- d'Agostino, L. and Brennen, C.E. (1983). On the acoustical dynamics of bubble clouds. *ASME Cavitation and Multiphase Flow Forum*, 72-75.
- d'Agostino, L., and Brennen, C.E. (1988). Acoustical absorption and scattering cross-sections of spherical bubble clouds. *J. Acoust. Soc. Am.*, **84**, 2126-2134.
- d'Agostino, L., Brennen, C.E., and Acosta, A.J. (1988). Linearized dynamics of two-dimensional bubbly and cavitating flows over slender surfaces. *J. Fluid Mech.*, **192**, 485-509.
- d'Agostino, L., and Brennen, C.E. (1989). Linearized dynamics of spherical bubble clouds. *J. Fluid Mech.*, **199**, 155-176.

- d'Agostino, L., d'Auria, F. and Brennen, C.E. (1997). On the inviscid stability of parallel bubbly flows. *J. Fluid Mech.*, **339**, 261-274.
- Dai, Z., Sallam, K. and Faeth, G. (1998). Turbulent primary breakup of plane-free bow sheets. *Proc. 22nd ONR Symp. on Naval Hydrodynamics*.
- Daily, J.W. and Johnson, V.E., Jr. (1956). Turbulence and boundary layer effects on cavitation inception from gas nuclei. *Trans. ASME*, **78**, 1695-1706.
- Daily, J.W., and Harleman, D.R.F. (1966). *Fluid Dynamics*. Addison-Wesley.
- Daugherty, R.L. (1920). *Hydraulic turbines*. McGraw-Hill Book Co.
- Davenport, W.G., Bradshaw, A.V., and Richardson, F.D. (1967). Behavior of spherical-cap bubbles in liquid metals. *J. Iron Steel Inst.*, **205**, 1034-1042.
- Davidson, J.F. and Harrison, D. (1963). *Fluidized particles*. Cambridge Univ. Press.
- Davidson, J.F. and Harrison, D. (1971). *Fluidization*. Academic Press.
- Davidson, J.F., Clift, R., and Harrison, D. (1985). *Fluidization. Second Edition*. Academic Press.
- Davies, C.N. (1966). *Aerosol science*. Academic Press, New York.
- Davies, R.M. and Taylor, G.I. (1942). The vertical motion of a spherical bubble and the pressure surrounding it. In *The Scientific Papers of G.I. Taylor* (ed: G.K.Batchelor), **III**, 320-336, Cambridge Univ. Press.
- Davies, R.M. and Taylor, G.I. (1943). The motion and shape of the hollow produced by an explosion in a liquid. In *The Scientific Papers of G.I. Taylor* (ed: G.K.Batchelor), **III**, 337-353, Cambridge Univ. Press.
- Davies, R.M. and Taylor, G.I. (1950). The mechanics of large bubbles rising through extended liquids and through liquids in tubes. *Proc. Roy. Soc. A*, **200**, 375-390.
- Davis, R.H., Serayssol, J.M. and Hinch, E.J. (1986). The elastohydrodynamic collision of two spheres. *J. Fluid Mech.*, **163**, 479-497.
- Dean, R. C. (1959). On the necessity of unsteady flow in fluid machines. *ASME J. Basic Eng.*, **81**, 24-28.
- Delale, C.F., Schnerr, G.H. and Zierep, J. (1995). Asymptotic solution of shock-tube flows with homogeneous condensation. *J. Fluid Mech.*, **287**, 93-118.
- de Leeuw, G. (1987). Near-surface particle size distribution profiles over the North Sea. *J. Geophys. Res.*, **92**, 14, 631.
- del Valle, J., Braisted, D.M., and Brennen, C.E. (1992). The effects of inlet flow modification on cavitating inducer performance. *ASME J. Turbomachinery*, **114**, 360-365.
- DePamphilis, M.L. and Adler, J. (1971). Fine structure and isolation of the hook-basal body complex of flagella from *E.scherichia coli* and *Bacillus subtilis*. *J. Bacteriol.* **105**, 384-95.
- Dergarabedian, P. (1953). The rate of growth of vapor bubbles in superheated water. *ASME J. Appl. Mech.*, **20**, 537-545.
- Deshpande, M., Feng, J., and Merkle, C. (1993). Navier-Stokes analysis of 2-D cavity flows. *ASME Cavitation and Multiphase Flow Forum*, **FED-153**, 149-155.

- De Siervi, F., Viguier, H.C., Greitzer, E.M., and Tan, C.S. (1982). Mechanisms of inlet-vortex formation. *J. Fluid Mech.*, **124**, 173-207.
- Dickerman, C.E., Barts, E.W., De Volpi, A., Holtz, R.E., Murphy, W.F. and Rothman, A.B. (1976). Recent results from TREAT tests on fuel, cladding and coolant motion. *Ann. Nucl. Energy*, **3**, 315-322.
- Dicmas, J.L. (1987). *Vertical turbine, mixed flow, and propeller pumps*. McGraw-Hill Book Co.
- Didwania, A.K. and Homsy, G.M. (1981). Flow regimes and flow transitions in liquid fluidized beds. *Int. J. Multiphase Flow*, **7**, 563-580.
- Din, F. (1961). *Thermodynamic functions of gases*. Butterworths, London.
- Dintenfass, L. (1968). Internal viscosity of the red cell and a blood viscosity equation. *Nature*, **219**, 5157, 956.
- Dintenfass, L. (1964). Molecular and rheological considerations of the red cell membrane in view of the internal fluidity of the red cell. *Acta Haematologica*, **32**, 299.
- Dirksen, E.R. and Satir, P. (1972). Ciliary activity in the mouse oviduct as studied by transmission and scanning electron microscopy. *Tissue Cell* **4**, 389-404.
- Dix, G.E. and Andersen, J.G.M. (1977). *Spray cooling heat transfer for a BWR fuel bundle*. In Jones, O.C. and Bankhoff, S.G.(1977).
- Dixon, S.L. (1978). *Fluid mechanics, thermodynamics of turbomachinery*. Pergamon Press.
- Doetsch, R.N. (1966). Some speculations accounting for the movement of bacterial flagella. *J. Theor. Biol.* **11**, 411-17.
- Dommm, H. and Hergt, P. (1970). Radial forces on impeller of volute casing pumps. In *Flow Research on Blading* (ed: L.S. Dzung), Elsevier Publ. Co., 305-321.
- Dorfler, P.K., Sick, M. and Coutu, A. (2012). *Flow-Induced Pulsation and Vibration in Hydroelectric Machinery*. London: Springer.
- Dorfler, P.K. (2016). Cavitation influence in 1D part-load vortex models. *Proc. 28th IAHR Symp. on Hydraulic Machinery and Systems, Grenoble, France*, 897-906.
- Douady, S., Fauve, S., and Laroche, C. (1989). Subharmonic instabilities and defects in a granular layer under vertical vibrations. *Europhys. Lett.*, **8**, No.7, 621-627.
- Douglas, G.J. (1975). Sliding filaments in sperm flagella. *J. Theor. Biol.* **53**, 247-52.
- Dowling, A.P. and Ffowcs Williams, J.E. (1983). *Sound and sources of sound*. Ellis Horwood Ltd. and John Wiley and Sons.
- Dowson, D. and Taylor, C.M. (1979). Cavitation in bearings. *Ann. Rev. Fluid Mech.*, **11**, 35-66.
- Doyle, H.E. (1980). Field experiences with rotordynamic instability in high-performance turbomachinery. *Proc. First Workshop on Rotordynamic Instability Problems in High-Performance Turbomachinery, NASA Conf. Pub. 2133*, 3-13.
- Drescher, A. and De Josselin de Jong, G. (1972). Photoelastic verification of a mechanical model for the flow of a granular material. *J. Mech. Phys. Solids*, **20**, 337-351.
- Drew, D.A. (1983). Mathematical modelling of two-phase flow. *Ann. Rev. Fluid Mech.*, **15**, 261-291.

- Drew, D.A. (1991). Effect of particle velocity fluctuations in particle fluid flows. *Physica*, **179A**, 69-80.
- Dring, R.P., Joslyn, H.D., Hardin, L.W., and Wagner, J.H. (1982). Turbine rotor-stator interaction. *ASME J. Eng. for Power*, **104**, 729-742.
- Dryl, S. (1975). Local microtubules interaction theory of ciliary and flagellar motion. *Bull. Acad. Polon. Sci. Ser. Sci. Biol.* **23**, 339-46.
- Duderstadt, J.J. and Hamilton, L.J. (1976). *Nuclear reactor analysis*. John Wiley and Sons, New York.
- Duderstadt, J.J. (1979). *Nuclear power*. Marcel Dekker, New York.
- Duffy, J. and Mindlin, R. (1957). Stress-strain relations and vibrations of a granular medium. *ASME J. Appl. Mech.*, **24**, 585-593.
- Duller, G.A. (1966). On the linear theory of cascades of supercavitating hydrofoils. *U.K. Nat. Eng. Lab. Rep. No. 218*.
- Duncan, A.B. (1966). Vibrations in boiler feed pumps: a critical review of experimental and service experience. *Proc. Inst. Mech. Eng.*, **181**, 55-64.
- Dunn, M.G., Baran, A.J. and Miatech, J. (1996). Operation of gas turbine engines in volcanic ash clouds. *ASME J. Eng. for Gas Turbines and Power*, **118**, 724-731.
- Durand, R. and Condolios, E. (1952). Experimental study of the hydraulic transport of coal and solid material in pipes. *Proc. Colloq. on the Hydraulic Transport of Coal, Natl. Coal Board, U.K.*, Paper IV, 39-55.
- Dussourd, J.L. (1968). An investigation of pulsations in the boiler feed system of a central power station. *ASME J. Basic Eng.*, **90**, 607-619.
- Duttweiler, M.E. and Brennen, C.E. (2002). Surge instability on a cavitating propeller. *J. Fluid Mech.*, **458**, 133-152.
- Dwyer, O.E. (1976). *Boiling liquid-metal heat transfer*. American Nuclear Society monograph.
- Eaton, J.K. (1994). Experiments and simulations on turbulence modification by dispersed particles. *Appl. Mech. Rev.*, **47**, No.6, Part 2, S44-S48.
- Eck, B. (1973). *Fans*. Pergamon Press, London.
- Eckardt, D. (1976). Detailed flow investigations with a high-speed centrifugal compressor impeller. *ASME J. Fluids Eng.*, **98**, 390-420.
- Eckert, E.R.G., and Drake, R.M.Jr. (1958). *Heat and Mass Transfer*. McGraw-Hill Book Co.
- Eddington, R.B. (1967). Investigation of supersonic shock phenomena in a two-phase (liquid-gas) tunnel. *NASA Tech. Rep. 32-1096*.
- Efros, D.A. (1946). Hydrodynamical theory of two-dimensional flow with cavitation. *Dokl. Akad. Nauk. SSSR*, **51**, 267-270.
- Ehrich, F. and Childs, D. (1984). Self-excited vibration in high-performance turbomachinery. *Mech. Eng.*, May 1984, 66-79.
- Ehrichs, E., Jaeger, H., Karczmar, G., Knight, J., and Kuperman, V. (1995). Granular convection observed by magnetic resonance imaging. *Science*, **267**, No.5204, 1632-1634.

- Einstein, A. (1906). *Annalen der Physik* (4), **19**, 289-306. For translation see Einstein, A. (1956), chapter III, 36-62.
- Einstein, A. (1956). in "Investigations on the theory of Brownian movement", Dover Publ. Inc., NY.
- Eisenberg, P. and Pond, H.L. (1948). Water tunnel investigations of steady state cavities. *David Taylor Model Basin Rep. No. 668*.
- Ek, B. (1957). *Technische Strömungslehre*. Springer-Verlag.
- Ek, M.C. (1978). Solution of the subsynchronous whirl problem in the high pressure hydrogen turbomachinery of the Space Shuttle Main Engine. *Proc. AIAA/SAE 14th Joint Propulsion Conf., Las Vegas, Nevada, Paper No. 78-1002*.
- Ekman, V.W. (1905). On the influence of the earth's rotation on ocean-currents. *Archiv. Mat. Astron. Fysik.*, **2**, No.11, 1-52.
- Elghobashi, S.E. and Truesdell, G.C. (1993). On the two-way interaction between homogeneous turbulence and dispersed solid particles. I: Turbulence modification. *Phys. Fluids*, **A5**, 1790-1801.
- Eliezer, N. (1974). Viscoelastic properties of mucus. *Biorheology* **11**, 61-68.
- El-Kaissy, M.M. and Homsy, G.M. (1976). Instability waves and the origin of bubbles in fluidized beds. *Int. J. Multiphase Flow*, **2**, 379-395.
- Eller, A.I. and Flynn, H.G. (1965). Rectified diffusion during non-linear pulsation of cavitation bubbles. *J. Acoust. Soc. Am.*, **37**, 493-503.
- Ellis, A.T. (1952). Observations on bubble collapse. *Calif. Inst. of Tech. Hydro. Lab. Rep. 21-12*.
- Emerson, A. and Berry, L.W. (1946-7). *The Lithgow Propeller Water Tunnel*. Trans. Inst. Engrs. Shipb. Scot., **90**, 1946-47, p. 502.
- Emmons, H.W., Pearson, C.E., and Grant, H.P. (1955). Compressor surge and stall propagation. *Trans. ASME*, **79**, 455-469.
- Emmons, H.W., Kronauer, R.E., and Rockett, J.A. (1959). A survey of stall propagation-experiment and theory. *ASME J. Basic Eng.*, **81**, 409-416.
- Epstein, P.S. and Plesset, M.S. (1950). On the stability of gas bubbles in liquid-gas solutions. *J. Chem. Phys.*, **18**, 1505-1509.
- Ervine, D.A. and Falvey, H.T. (1987). Behavior of turbulent water jets in the atmosphere and in plunge pools. *Proc. Inst. Civil Eng.*, Part 2, **83**, 295-314.
- Esche, R. (1952). Untersuchung der Schwingungskavitation in Flüssigkeiten. *Acustica*, **2**, AB208-AB218.
- Esipov, I.B. and Naugol'nykh, K.A. (1973). Collapse of a bubble in a compressible liquid. *Akust. Zh.*, **19**, 285-288.
- Evesque, P., and Rajchenbach, J. (1989). Instability in a sand heap. *Phys. Lett.*, **622**, No.1, 44-46.
- Evesque, P. (1992). Shaking dry powders and grains. *Contemp. Phys.*, **33**, No.4, 245-261.
- Evesque, P. and Meftah, W. (1993). Mean flow of a vertically vibrated hourglass. *Int. J. Mod. Phys. A*, **7**, 1799.
- Fabula, A.G. (1962). Thin airfoil theory applied to hydrofoils with a single finite cavity and arbitrary free-streamline detachment. *J. Fluid Mech.*, **12**, 227-240.

- Fabula, A.G. (1964). Choked flow about vented or cavitating hydrofoils. *ASME J. Basic Eng.*, **86**, 561–568.
- Faeth, G.M. and Lazar, R.S. (1971). Fuel droplet burning rates in a combustion gas environment. *AIAA J.*, **9**, 2165–2171.
- Faeth, G.M. (1983). Evaporation and combustion of sprays. *Prog. Energy Combust. Sci.*, **9**, 1–76.
- Fage, A. and Johansen, F.C. (1927). On the flow of air behind an inclined flat plate of infinite span. *Proc. Roy. Soc., London, Series A*, **116**, 170–197.
- Falco, R.E. (1977). Coherent motions in the outer region of turbulent boundary-layers. *Phys. Fluids*, **20**, S124–S132.
- Falvey, H.T. (1990). Cavitation in chutes and spillways. *US Bur. of Reclamation, Eng. Monograph No. 42*.
- Fanelli, M. (1972). Further considerations on the dynamic behaviour of hydraulic turbomachinery. *Water Power*, June 1972, 208–222.
- Faraday, M. (1831). On a peculiar class of acoustical figures and on certain forms assumed by groups of particles upon vibrating elastic surfaces. *Phil. Trans. Roy. Soc. London*, **52**, 299–340.
- Fauske, H.K. (1977). Liquid metal fast breeder reactor safety: an overview including implications of alternate fuel cycles. In Jones, O.C. and Bankhoff, S.G.(editors) (1977). Symposium on the thermal and hydraulic aspects of nuclear reactor safety. Volume 2: Liquid metal fast breeder reactors. ASME, New York.
- Fauske, H.K. and Koyama, K. (2002). Assessment of fuel coolant interactions (FCIs) in the FBR core disruptive accident (CDA). *J. Nuclear Sci. and Tech.*, **39**, No.6, 608–614.
- Fauve, S., Douady, S., and Laroche, C. (1989). Collective behaviors of granular masses under vertical vibration. *J. Phys. France*, **50**, No.3, 187–191.
- Ferguson, T.B. (1963). *The centrifugal compressor stage*. Butterworth, London.
- Fessler, J.R., Kulick, J.D. and Eaton, J.K. (1994). Preferential concentration of heavy particles in a turbulent channel flow. *Phys. Fluids*, **6**, 3742–3749.
- Fischer, K. and Thoma, D. (1932). Investigation of the flow conditions in a centrifugal pump. *Trans. ASME, Hydraulics*, **54**, 141–155.
- Fitzpatrick, H.M. and Strasberg, M. (1956). Hydrodynamic sources of sound. *Proc. First ONR Symp. on Naval Hydrodynamics*, 241–280.
- Flagan, R.C. and Seinfeld, J.H. (1988). *Fundamentals of air pollution engineering*. Prentice Hall.
- Flint, E.B. and Suslick, K.S. (1991). The temperature of cavitation. *Science*, **253**, 1397–1399.
- Flügge, W. (1960). *Stresses in shells*, Springer-Verlag, Berlin.
- Flynn, H.G. (1964). Physics of acoustic cavitation in liquids. *Physical Acoustics*, **1B**. Academic Press.
- Foerster, S.F., Louge, M.Y., Chang, A.H. and Allia, K. (1994). Measurements of the collisional properties of small spheres. *Phys. Fluids*, **6**, 1108–1115.
- Foldy, L.L. (1945). The multiple scattering of waves. *Phys. Rev.*, **67**, 107–119.

- Forster, H.K. and Zuber, N. (1954). Growth of a vapor bubble in a superheated liquid. *J. Appl. Phys.*, **25**, No.4, 474-478.
- Fortes, A.F., Joseph, D.D. and Lundgren, T.S. (1987). Nonlinear mechanics of fluidization of beds of spherical particles. *J. Fluid Mech.*, **177**, 469-483.
- Fortunato, E. and Clements, H.A., 1979, "Marine reversing gear incorporating single reversing hydraulic coupling and direct-drive clutch for each turbine," *ASME Paper No. 79-GT-61*.
- Fox, D.L. and Coe, W.R. (1943). Biology of the California sea-mussel (*Mytilus californianus*). *Biol. Bull.* **83**, 205-49.
- Fox, F.E., Curley, S.R., and Larson, G.S. (1955). Phase velocity and absorption measurements in water containing air bubbles. *J. Acoust. Soc. Am.*, **27**, 534-539.
- Fox, L. (1962). Numerical Solution of Ordinary and Partial Differential Equations. Pergamon Press, Oxford.
- Franc, J.P. and Michel, J.M. (1985). Attached cavitation and the boundary layer: experimental investigation and numerical treatment. *J. Fluid Mech.*, **154**, 63-90.
- Franc, J.P. and Michel, J.M. (1988). Unsteady attached cavitation on an oscillating hydrofoil. *J. Fluid Mech.*, **193**, 171-189.
- France, D. (1986). Rotor instability in centrifugal pumps. *Shock and Vibr. Digest of Vibr. Inst.*, Jan.1986, 9-13.
- Frankel, N.A. and Acrivos, A. (1967). On the viscosity of a concentrated suspension of solid spheres. *Chem. Eng. Sci.*, **22**, 847.
- Franklin, R.E. and McMillan, J. (1984). Noise generation in cavitating flows, the submerged jet. *ASME J. Fluids Eng.*, **106**, 336-341.
- Franz, R. and Arndt, N. (1986). Measurements of hydrodynamic forces on the impeller of the HPOTP of the SSME. *Calif. Inst. of Tech., Div. Eng. and Appl. Sci., Report No. E249*.
- Franz, R., Acosta, A.J., Brennen, C.E. and Caughey, T.K. (1989). The rotordynamic forces on a centrifugal pump impeller in the presence of cavitation. *Proc. ASME Symp. Pumping Machinery*, **FED-81**, 205-212.
- Franz, R., Acosta, A.J., Brennen, C.E. and Caughey, T.K. (1990). The rotordynamic forces on a centrifugal pump impeller in the presence of cavitation. *ASME J. Fluids Eng.*, **112**, 264-271.
- Frey-Wyssling, A. (1952). Deformation and Flow in Biological Systems. Wiley-Interscience, New York.
- Friedlander, S.K. (1977). *Smoke, dust and haze. Fundamentals of aerosol behavior*. John Wiley and Sons.
- Fritz, R.J. (1970). The effects of an annular fluid on the vibrations of a long rotor. Part I-Theory and Part II-Test. *ASME J. Basic Eng.*, **92**, 923-937.
- Fritz, W. (1935). Berechnung des Maximal Volume von Dampfblasen. *Phys. Z.*, **36**, 379.
- Frost, D. and Sturtevant, B. (1986). Effects of ambient pressure on the instability of a liquid boiling explosively at the superheat limit. *ASME J. Heat Transfer*, **108**, 418-424.
- Frye, L.D. and Edidin, M. (1970). The rapid intermixing of cell surface antigens after formation of mouse human heterokaryons. *J. Cell. Sci.*, **7**, 319.

- Fujikawa, S. and Akamatsu, T. (1980). Effects of the non-equilibrium condensation of vapour on the pressure wave produced by the collapse of a bubble in a liquid. *J. Fluid Mech.*, **97**, 481-512.
- Fung, Y.C. (1955). *An introduction to the theory of aeroelasticity*. John Wiley and Sons.
- Furness, R.A. and Hutton, S.P. (1975). Experimental and theoretical studies on two-dimensional fixed-type cavities. *Proc. ASME Symp. on Cavity Flows*, 111-117.
- Furuya, O. and Acosta, A.J. (1973). A note on the calculation of supercavitating hydrofoils with rounded noses. *ASME J. Fluids Eng.*, **95**, 222-228.
- Furuya, O. (1974). Supercavitating linear cascades with rounded noses. *ASME J. Basic Eng., Series D*, **96**, 35-42.
- Furuya, O. (1975a). Exact supercavitating cascade theory. *ASME J. Fluids Eng.*, **97**, 419-429.
- Furuya, O. (1975b). Three-dimensional theory on supercavitating hydrofoils near a free surface. *J. Fluid Mech.*, **71**, 339-359.
- Furuya, O. (1985). An analytical model for prediction of two-phase (non-condensable) flow pump performance. *ASME J. Fluids Eng.*, **107**, 139-147.
- Furuya, O. and Maekawa, S. (1985). An analytical model for prediction of two-phase flow pump performance - condensable flow case. *ASME Cavitation and Multiphase Flow Forum*, **FED-23**, 74-77.
- Gallus, H.E., Lambertz, J., and Wallmann, T. (1980). Blade-row interaction in an axial flow subsonic compressor stage. *ASME J. Eng. for Power*, **102**, 169-177.
- Gallas, J., Herrmann, H., and Sokolowski, S. (1992). Convection cells in vibrating granular media. *Phys. Rev. Lett.*, **69**, No.9, 1371-1374.
- Gal-Or, B. (1970). On motion of bubbles and drops. *Can. J. Chem. Eng.*, **48**, 526.
- Garabedian, P.R. (1955). Calculation of axially symmetric cavities and jets. *Pacific J. Math.*, **6**.
- Garabedian, P.R. (1956). The mathematical theory of three-dimensional cavities and jets. *Bull. Amer. Math. Soc.*, **62**, 219-235.
- Garabedian, P.R. (1964). *Partial differential equations*. Wiley.
- Gardner, G.C. (1963) Events leading to erosion in the steam turbine. *Proc. Inst. Mech. Eng.*, **178**, Part 1, No.23, 593-623.
- Gates, E.M. and Bacon, J. (1978). Determination of cavitation nuclei distribution by holography. *J. Ship Res.*, **22**, No. 1, 29-31.
- Gates, E.M. and Acosta, A.J. (1978). Some effects of several free stream factors on cavitation inception on axisymmetric bodies. *Proc. 12th ONR Symp. on Naval Hydrodynamics*, 86-108.
- Gavalas, G.R. (1982). *Coal pyrolysis*. Elsevier.
- Gavrilov, L.R. (1970). Free gas content of a liquid and acoustical techniques for its measurement. *Sov. Phys.-Acoustics*, **15**, No.3, 285-295.
- Geldart, D. (1973). Types of gas fluidization. *Powder Tech.*, **7**, 285-292.
- Geng, J., Howell, D., Longhi, E., Behringer, R.F., Reydellet, G., Vanel, L., Clement, E. and Luding, S. (2001). Footprints in sand: the response of a granular material to local perturbations. *Phys. Rev. Letters*, **87**(3).

- Gerber, B.R. (1975). Towards a molecular mechanism for the movement of bacterial flagella. In Wu, T.Y., Brokaw, C.J. and Brennen, C.E., eds., 1975. *Swimming and Flying in Nature*, **1,2**. Plenum Press, New York.
- Gessow, A. and Myers, G.C. (1952). *Aerodynamics of the Helicopter*. MacMillan, New York.
- Gibilaro, L.G. (2001). *Fluidization - dynamics*. Butterworth-Heinemann.
- Gibson, D.C. and Blake, J.R. (1982). The growth and collapse of bubbles near deformable surfaces. *Appl. Sci. Res.*, **38**, 215-224.
- Gidaspow, D. (1994). *Multiphase flow and fluidization*. Academic Press.
- Gilbarg, D. (1949). A generalization of the Schwarz-Christoffel transformation. *Proc. U.S. Nat. Acad. Sci.*, **35**, 609-612.
- Gilbarg, D. (1960). Jets and cavities. In *Handbuch der Physik*, Springer-Verlag, **9**, 311-445.
- Gill, L.E., Hewitt, G.F., Hitchon, J.W., and Lacey, P.M.C. (1963). Sampling probe studies of the gas core distribution in annular two-phase flow. I. The effect of length on phase and velocity distribution. *Chem. Eng. Sci.*, **18**, 525-535.
- Gilmore, F.R. (1952). The collapse and growth of a spherical bubble in a viscous compressible liquid. *Calif. Inst. of Tech. Hydrodynamics Lab. Rep. No. 26-4*.
- Ginestra, J.C., Rangachari, S. and Jackson, R. (1980). A one-dimensional theory of flow in a vertical standpipe. *Powder Tech.*, **27**, 69-84.
- Glassman, I. (1977). *Combustion*. Academic Press.
- Goddard, J. (1990). Nonlinear elasticity and pressure-dependent wave speeds in granular media. *Proc. Roy. Soc. of London*, **430**, 105-13
- Goldsmith, W. (1960). *Impact*. E. Arnold.
- Gongwer, C. (1941). A theory of cavitation flow in centrifugal-pump impellers. *Trans. ASME*, **63**, 29-40.
- Gordon, R.B. (1967). Thermally activated processes in the earth: Creep and seismic attenuation. *Geophys. J.*, **13**, 33.
- Gore, R.A. and Crowe, C.T. (1989). The effect of particle size on modulating turbulent intensity. *Int. J. Multiphase Flow*, **15**, 279-285.
- Gosline, J.E. and O'Brien, M.P. (1934). The water jet pump. *Univ. California Publ. in Eng.*, **3**, No.3, 167-190.
- Gouesbet, G. and Berlemont, A. (1993). *Instabilities in Multiphase Flows*. Plenum Press, New York and London.
- Gouse, S.W. and Brown, G.A. (1964). A survey of the velocity of sound in two-phase mixtures. *ASME Paper 64-WA/FE-35*.
- Grabow, G. (1964). Radialdruck bei Kreispumpen. *Pumpen und Verdichter*, No. 2, 11-19.
- Gray, J. (1928). *Ciliary Movement*. Cambridge Univ. Press.
- Gray, J. (1953). Undulatory propulsion. *Quart. J. Microsc. Sci.* **94**, 551-78.
- Gray, J. and Hancock, G.J. (1955). The propulsion of sea-urchin spermatazoa. *J. Exp. Biol.* **32**, 802-14.

- Grazialei, P.P.C. (1971). Olfactory mucosa of vertebrates: In Handbook of Sensory Physiology, Vol. IV, pt. 1. Olfaction, ed. L.M.Beidler. Springer, Berlin.
- Green, H.L. and Lane, W.R. (1964). *Particulate clouds: dusts, smokes and mists*. E. and F.N. Spon Ltd., London.
- Greenberg, D.B. and Toups, H.J. (1970). Mass transfer to fluids in laminar pipe flow. *Simulation*, 14, No.1, 37-44.
- Gregor, W. and Rumpf, H. (1975). Velocity of sound in two-phase media. *Int. J. Multiphase Flow*, 1, 753-769.
- Greitzer, E.M. (1976). Surge and rotating stall in axial flow compressors. Part I: Theoretical compression system model. Part II: Experimental results and comparison with theory. *ASME J. Eng. for Power*, 98, 190-211.
- Greitzer, E.M. (1981). The stability of pumping systems-the 1980 Freeman Scholar Lecture. *ASME J. Fluids Eng.*, 103, 193-242.
- Griffith, P. and Wallis, J.D. (1960). The role of surface conditions in nucleate boiling. *Chem. Eng. Prog. Symp.*, Ser. 56, 30, 49-63.
- Grist, E. (1974). NPSH requirements for avoidance of unacceptable cavitation erosion in centrifugal pumps. *Proc. I.Mech.E. Conf. on Cavitation*, 153-163.
- Gross, L.A. (1973). An experimental investigation of two-phase liquid oxygen pumping. *NASA TN D-7451*.
- Grossman. L. (1997). Effects of container geometry on granular convection. *Phys. Rev. E*, 56, 329
- Gruver, J.K., Flack, R.D. and Brun, K., 1996, Laser velocimeter measurements in the pump of an automotive torque converter. Part I - Average measurements," *ASME J. Fluids Eng.*, 118, pp. 562-569.
- Guinard, P., Fuller, T. and Acosta, A.J. (1953). Experimental study of axial flow pump cavitation. *Calif. Inst. of Tech. Hydro. Lab. Report, E-19.3*.
- Guinzburg, A., Brennen, C.E., Acosta, A.J., and Caughey, T.K. (1990). Measurements of the rotordynamic shroud forces for centrifugal pumps. *Proc. ASME Turbomachinery Forum*, FED-96, 23-26.
- Guo, S.M., Jones, T.V., Lock, G.D., Lai, C.C., Oldfield, M.L.G., and Rawlinson, A.J. (2000). ASME Paper, 2000-GT-0204.
- Gurevich, M.I. (1961). *Theory of jets in ideal fluids*. Academic Press, N.Y. (1965).
- Haberman, W.L. and Morton, R.K. (1953). An experimental investigation of the drag and shape of air bubbles rising in various liquids. *David Taylor Model Basin, Washington, Report No. 802*.
- Hadamard, J. (1911). Movement permanent lent d'une sphere liquide et visqueuse dans un liquide visqueux. *Comptes Rendus*, 152, 1735.
- Haff, P.K. (1983). Grain flow as a fluid-mechanical phenomenon. *J. Fluid Mech.*, 134, 401-430.
- Hahn, O. & Strassman, F. (1938). The genesis of radium isotopes from uranium by radiation with fast and decelerated neutrons. *Naturwissenschaften*, 26, 755-756.
- Halbert, S.A., Tam, P.Y. and Blandau, R.J. (1976). Egg transport in the rabbit oviduct: The role of cilia and muscle. *Science* 191, 1052-53.

- Ham, N.D. (1968). Aerodynamic loading on a two-dimensional airfoil during dynamic stall. *AIAA J.*, **6**, 1927-1934.
- Hampton, L. (1967). Acoustic properties of sediments. *J. Acoust. Soc. Am.*, **42**, 882-890.
- Hancock, G.J. (1953). The self-propulsion of microscopic organisms through liquids. *Proc. Roy. Soc. London, Ser. A* **217**, 96-121.
- Hand, W.G. and Haupt, W. (1971). Flagellar activity of the colony members of *Volvox aureus* Ehrbg. during light stimulation. *J. Protozool.* **18**, 361-64.
- Hanes, D.M. and Inman, D.L. (1985). Observations of rapidly flowing granular-fluid flow. *J. Fluid Mech.*, **150**, 357-380.
- Hanley, H.J.M., McCart, R.D., and Sengers, J.V. (1974). *Viscosity and thermal conductivity coefficients of gaseous and liquid oxygen*. NASA CR-2440.
- Hansen, A.G. and Na, T.Y. (1968). A jet pump cavitation parameter based on NPSH. *ASME Paper*, 68-WA/FE-42.
- Hanson, I., Kedrinskii, V.K., and Mørch, K.A. (1981). On the dynamics of cavity clusters. *J. Appl. Phys.*, **15**, 1725-1734.
- Happel, J. (1957). Viscosity of suspensions of uniform spheres. *J. Appl. Phys.*, **28**, 1288.
- Happel, J. and Brenner, H. (1965). *Low Reynolds number hydrodynamics*. Prentice-Hall Inc., NJ.
- Harada, S., Takagi, S. and Matsumoto, Y. (2003). Wave propagation in a dynamic system of soft granular materials. *Phys. Rev. E*, **67**(061305).
- Hardin, B. and Richart, F. (1963). Elastic wave velocities in granular soils. *ASCE J. Soil Mech. and Foundations*, **89**, 33-65.
- Harper, J.F., Moore, D.W. and Pearson, J.R.A. (1967). The effect of the variation of surface tension with temperature on the motion of bubbles and drops. *J. Fluid Mech.*, **27**, 361-366.
- Harris, J.E. (1961). The mechanics of ciliary movement. In *The Cell and the Organism*, ed. J.A. Ramsay, V.B. Wigglesworth. Cambridge Univ. Press.
- Harris, W.F. (1973). Bacterial flagella, do they rotate or do they propagate waves of bending? *Proto-plasma* **77**, 477-79.
- Harris, W.F. and Robison, W.G. Jr. (1973). Dislocations in microtubular bundles with spermataxon of the coccid insect *Neosteingelia texana* and evidence for slip. *Nature* **246**, 513-15.
- Hart, D.P., Brennen, C.E., and Acosta, A.J. (1990). Observations of cavitation on a three-dimensional oscillating hydrofoil. *ASME Cavitation and Multiphase Flow Forum*, **FED 98**, 49-52.
- Hartmann, M.J. and Soltis, R.F. (1960). Observation of cavitation in a low hub-tip ratio axial flow pump. *Proc. Gas Turbine Power and Hydraulic Conf.*, *ASME Paper No. 60-HYD-14*.
- Hartunian, R.A. and Sears, W.R. (1957). On the instability of small gas bubbles moving uniformly in various liquids. *J. Fluid Mech.*, **3**, 27-47.
- Hayden, J.W. and Stelson, T.E. (1971). Hydraulic conveyance of solids in pipes. In *Advances in Solid-Liquid Flow in Pipes and its applications*, 149-163 (ed: I. Zandi), Pergamon Press.

- Heineman, J.B., Marcheterre, J.F. & Mehta, S. (1963). *Electromagnetic flow-meters for void fraction measurement in two-phase metal flow*. Rev. Sci. Instrum. **34**, 399-401.
- Helmholtz, H. (1868). Über diskontinuierliche Flüssigkeitsbewegungen. *Monatsber. Akad. Wiss., Berlin*, **23**, 215-228.
- Henderson and Tucker (1962). Performance investigation of some high speed pump inducers. *R.P.E. Tech. Note 214*. Referred to by Janigro and Ferrini (1973) but not located by the author.
- Hennyey, Z. (1962). *Linear electric circuits*. Pergamon Press.
- Henry, R.E. and Fauske, H.K. (1971). The two-phase critical flow of one-component mixtures in nozzles, orifices, and short tubes. *ASME J. Heat Transfer*, **93**, 179-187.
- Herbich, J.B. (1975.) *Coastal and deep ocean dredging*. Gulf Publ. Co, Houston.
- Hergt, P. and Benner, R. (1968). Visuelle Untersuchung der Strömung in Leitrad einer Radialpumpe. *Schweiz. Banztg.*, **86**, 716-720.
- Hergt, P. and Krieger, P. (1969-70). Radial forces in centrifugal pumps with guide vanes. *Proc. Inst. Mech. Eng.*, **184**, Part 3N, 101-107.
- Herrig, L.J., Emery, J.C., and Erwin, J.R. (1957). Systematic two-dimensional cascade tests of NACA 65-series compressor blades at low speeds. *NACA TN 3916*.
- Herring, C. (1941). The theory of the pulsations of the gas bubbles produced by an underwater explosion. *US Nat. Defence Res. Comm. Report*.
- Hetsroni, G. (1989). Particles-turbulence interaction. *Int. J. Multiphase Flow*, **15**, 735.
- Hewitt, G.F., and Roberts, D.N. (1969). Studies of two-phase flow patterns by simultaneous X-ray and flash photography. *U.K.A.E.A. Rep. No. AERE-M2159*.
- Hewitt, G.F., and Hall-Taylor, N.S. (1970). *Annular two-phase flow*. Pergamon Press.
- Hewitt, G.F. (1982). Flow regimes. In *Handbook of multiphase systems* (ed: G. Hetsroni). McGraw-Hill Book Co.
- Hewitt, H.C. and Parker, J.D. (1968). Bubble growth and collapse in liquid nitrogen. *ASME J. Heat Transfer*, **90**, 22-26.
- Hewitt, G.F. and Collier, J.G. (1987). *Introduction to nuclear power*. Taylor & Francis Group.
- Hickling, R. (1963). The effects of thermal conduction in sonoluminescence. *J. Acoust. Soc. Am.*, **35**, 967-974.
- Hickling, R. and Plesset, M.S. (1964). Collapse and rebound of a spherical bubble in water. *Phys. Fluids*, **7**, 7-14.
- Higuchi, H., Rogers, M.F., and Arndt, R.E.A. (1986). Characteristics of tip cavitation noise. *Proc. ASME Int. Symp. on Cavitation and Multiphase Flow Noise*, **FED 45**, 101-106.
- Hill, M.J.M. (1894). On a spherical vortex. *Phil. Trans. Roy. Soc., London, Ser. A.*, **185**, 213-245.
- Hill, P.G. (1966). Condensation of water vapour during supersonic expansion in nozzles. *J. Fluid Mech.*, **25**, 593-620.
- Hill, R. (1950). The mathematical theory of plasticity. Clarendon Press, Oxford.

- Hinton, E. and Irons, B. (1968). Least squares smoothing of experimental data using finite elements, *Strain*, **4**, 3, 2427. doi:10.1111/j.1475-1305.1968.tb01368.x.
- Hinze, J.O. (1959). *Turbulence*. McGraw-Hill.
- Hinze, J.O. (1961). Momentum and mechanical energy balance equations for a flowing homogeneous suspension with slip between the phases. *Appl. Sci. Res.*, **11**, 33.
- Hirs, G.G. (1973). A bulk-flow theory for turbulence in lubricant films. *ASME J. of Lubr. Tech.*, April 1973, 137-146.
- Ho, B.P. and Leal, L.G. (1974). Inertial migration of rigid spheres in two-dimensional unidirectional flows. *J. Fluid Mech.*, **65**, 365.
- Hobbs, J.M., Laird, A., and Brunton, W.C. (1967). Laboratory evaluation of the vibratory cavitation erosion test. *Nat. Eng. Lab. (U.K.), Report No. 271*.
- Hobson, D. E. and Marshall, A. (1979). Surge in centrifugal pumps. *Proc. 6th Conf. on Fluid Machinery, Budapest*, 475-483.
- Holl, J.W. (1969). Limited cavitation. In *Cavitation State of Knowledge* (eds: J.M. Robertson and G.F. Wislicenus), ASME, New York.
- Holl, J.W. and Wislicenus, G.F. (1961). Scale effects on cavitation. *ASME J. Basic Eng.*, **83**, 385-398.
- Holl, J.W. and Treaster, A.L. (1966). Cavitation hysteresis. *ASME J. Basic Eng.*, **88**, 199-212.
- Holl, J.W. and Kornhauser, A.L. (1970). Thermodynamic effects on desinent cavitation on hemispherical nosed bodies in water at temperatures from 80°F to 260°F. *ASME J. Basic Eng.*, **92**, 44-58.
- Holl, J.W., Billet, M.L., and Weir, D.S. (1975). Thermodynamic effects on developed cavitation. *Proc. ASME Symp. on Cavity Flows*, 101-109.
- Holl, J.W. and Carroll, J.A. (1979). Observations of the various types of limited cavitation on axisymmetric bodies. *Proc. ASME Int. Symp. on Cavitation Inception*, 87-99.
- Holmes, B.J., Gall, P.D., Croom, C.C., Manuel, G.S. and Kelliher, W.C. (1986). A new method for laminar boundary layer transition visualization in flight - color changes in liquid crystal coatings. NASA TM-87666.
- Holmes, P. (1982). The dynamics of repeated impacts with a sinusoidally vibrating table. *J. of Sound and Vibration*, **84**, No.2, 173-189.
- Holwill, M.E.J. (1966a). Physical aspects of flagellar movement. *Physiol. Rev.* **46**, 696-785.
- Holwill, M.E.J. (1966b). The motion of *Euglena viridis*: The role of the flagella. *J. Exp. Biol.* **44**, 578-88.
- Holwill, M.E.J. (1974). Hydrodynamic aspects of ciliary and flagellar movement. In Sleight, M.A., ed., 1974a. *Cilia and Flagella*. Academic Press, New York.
- Holwill, M.E.J. and Burge, R.E. (1963). A hydrodynamic study of the motility of flagellated bacteria. *Arch. Biochem. Biophys.* **101**, 249-60.
- Holwill, M.E.J. and Sleight, M.A. (1967). Propulsion by hispid flagella. *J. Exp. Biol.* **47**, 267-76.
- Homsy, G.M., El-Kaissy, M.M. and Didwania, A.K. (1980). Instability waves and the origin of bubbles in fluidized beds - II. Comparison of theory and experiment. *Int. J. Multiphase Flow*, **6**, 305-318.

- Homsy, G.M. (1983). A survey of some results in the mathematical theory of fluidization. In *Theory of Disperse Multiphase Flow* (ed: R.E.Meyer), Academic Press.
- Hori, M., Kobori, T. & Ouchi, V. (1966). *Method for measuring void fraction by electromagnetic flowmeters*. JAERI-1111.
- Hori, Y. (1959). A theory of oil whip. *ASME J. Appl. Mech.*, June 1959, 189-198.
- Horlock, J. M. (1968). Fluctuating lift forces on airfoils moving through transverse and chordwise gusts. *ASME J. Basic Eng.*, 494-500.
- Horlock, J.H. (1973). *Axial flow compressors*. Robert E. Krieger Publ. Co., New York.
- Horlock, J.H. and Lakshminarayana, B. (1973). Secondary flows: theory, experiment and application in turbomachinery aerodynamics. *Ann. Rev. Fluid Mech.*, **5**, 247-279.
- Hornung, H.G. (2006). *Dimensional analysis*. Dover Publ. Inc.
- Hostler, S.R. (2004). Wave propagation in granular materials. *PhD Thesis, California Institute of Technology*.
- Hostler, S.R. and Brennen, C.E. (2005). Pressure wave propagation in a granular bed. *Physical Review E*, **72**, 031303.
- Hostler, S.R. and Brennen, C.E. (2005a). Pressure wave propagation in a shaken granular bed. *Physical Review E*, **72**, 031304.
- Housner, G.W. *et al.* (1985). *Liquefaction of soils during earthquakes*. National Academy Press, Washington, DC.
- Howard, J.H.G. and Osborne, C. (1977). A centrifugal compressor flow analysis employing a jet-wake passage model. *ASME J. Fluids Eng.*, **99**, 141-147.
- Howell, A.R. (1942). The present basis of axial flow compressor design: Part I-Cascade theory and performance. *ARC R and M No. 2095*.
- Howell, D., Behringer, R.P. and Veje, C. (1999). Stress fluctuations in a 2D granular stress experiment: a continuous transition. *Phys. Rev. Lett.*, **82**, No.26, 5241-5244.
- Hoyt, J.W. and Taylor, J.J. (1977a). Waves on water jets. *J. Fluid Mech.*, **83**, 119-123.
- Hoyt, J.W. and Taylor, J.J. (1977b). Turbulence structure in a water jet discharging in air. *Phys. Fluids*, **20**, Part 2, S253-S257.
- Hsieh, D.-Y. and Plesset, M.S. (1961). Theory of rectified diffusion of mass into gas bubbles. *J. Acoust. Soc. Am.*, **33**, 206-215.
- Hsu, C.C. (1972). On flow past a supercavitating cascade of cambered blades. *ASME J. Basic Eng., Series D*, **94**, 163-168.
- Hsu, E.-Y. and Perry, B. (1954). Water tunnel experiments on spheres in cavity flow. *Calif. Inst. of Tech. Hydro. Lab. Rep. No. E-24.9*.
- Hsu, Y.-Y. and Graham, R.W. (1976). *Transport processes in boiling and two-phase systems*. Hemisphere Publ. Co. and McGraw-Hill Book Co.
- Huang, T.T. (1979). Cavitation inception observations on six axisymmetric headforms. *Proc. ASME Int. Symp. on Cavitation Inception*, 51-61.

- Hubbard, N.G. and Dukler, A.E. (1966). *The characterization of flow regimes in horizontal two-phase flow*. Heat Transfer and Fluid Mechanics Inst., Stanford Univ.
- Hui, K., Haff, P.K., Ungar, J.E. and Jackson, R. (1984). Boundary conditions for high-shear grain flows. *J. Fluid Mech.*, **145**, 223-233.
- Hunt, M.L., Zenit, R., Campbell, C.S. and Brennen, C.E. (2002). Revisiting the 1954 suspension experiments of R.A.Bagnold. *J. Fluid Mech.*, **452**, 1-24.
- Hunt, M.L., Weathers, R.C., Lee, A.T., Brennen, C.E. and Wassgren, C.R. (1999) Effects of horizontal vibration on hopper flows of granular materials. *Phys. Fluids*, **11**, No.1, 68.
- Hutchinson, P. and Whalley, P.B. (1973). A possible characterization of entrainment in annular flow. *Chem. Eng. Sci.*, **28**, 974-975.
- Hutter, K. (1993). Avalanche dynamics. Chap.11 in *Hydrology of disasters* (ed: V.P.Singh), Kluwer Acad. Publ.
- Hwang, S., Litt, M. and Forsman, W. (1969). Rheological properties of mucus. *Rheol. Acta* **8**, 438-48.
- Hydraulic Institute, New York. (1965). *Standards of the Hydraulic Institute* (11th edition).
- ICT. (19??). I.C.T., Volume 4, 441.
- Idelchik I.E. (1986). *Handbook of hydraulic resistance*. Hemisphere Pub. Corp.
- Iino, T. and Kasai, K. (1985). An analysis of unsteady flow induced by interaction between a centrifugal impeller and a vaned diffuser (in Japanese). *Trans. Japan Soc. of Mech. Eng.*, **51**, No.471, 154-159.
- Iino, T. and Mitani, M. (1966). A mutant of *Salmonella* possessing straight flagella. *J. Gen. Microbiol.* **49**, 81-88 .
- Incropera, F.P. and DeWitt, D.P. (2007). "Fundamentals of Heat and Mass Transfer", Wiley. ISBN 978-0-471-45728-2.
- Infeld, E. and Rowlands, G. (2000). *Nonlinear Waves, Solitons, and Chaos*. Cambridge University Press.
- Inglis, D.R. (1978). *Wind power and other energy options*. Univ. of Michigan Press, Ann Arbor.
- Ireland, P.T. and Jones, T.V. (2000). *Liquid crystal measurements of heat transfer and surface shear stress*. *Meas. Sci. Tech.*, **11**, 969-986.
- Ishii, M. (1982). Two-phase flow instabilities. In *Handbook of multiphase systems* (ed. G. Hetsroni). McGraw-Hill, New York.
- Ivany, R.D. and Hammitt, F.G. (1965). Cavitation bubble collapse in viscous, compressible liquids - numerical analysis. *ASME J. Basic Eng.*, **87**, 977-985.
- Iversen, H.W., Rolling, R.E., and Carlson, J.J. (1960). Volute pressure distribution, radial force on the impeller and volute mixing losses of a radial flow centrifugal pump. *ASME J. Eng. for Power*, **82**, 136-144.
- Iverson, R.M. (1997). The physics of debris flows. *Rev. Geophys.*, **35**, 245-296.
- Jackson, R. (1963). The mechanics of fluidized beds: Part I: The stability of the state of uniform fluidization. Part II: The motion of fully developed bubbles. *Trans. Inst. Chem. Eng.*, **41**, 13-28.
- Jackson, R. (1985). Hydrodynamic instability of fluid-particle systems. In *Fluidization. Second Edition*. (eds: Davidson, J.F., Clift, R., and Harrison, D.), Academic Press.

- Jaeger, C. (1963). The theory of resonance in hydro-power systems, discussion of incidents and accidents occurring in pressure systems. *ASME J. Basic Eng.*, **85**, 631-640.
- Jaeger, H., and Nagel, S. (1992). Physics of the granular state. *Science*, **255**, No.5051, 1523-1531.
- Jaeger, H.M., Nagel, S.R. and Behringer, R.P. (1996). The physics of granular materials. *Phys. Today*, April 1996, 32-38.
- Jaffe, N.A., Okamura, T.T. & Smith, A.M.O. (1970). Determination of spatial amplification factors and their application to predicting transition. *AIAA J.*, **8**, 301-308.
- Jaffrin, M.Y. and Shapiro, A.H. (1971). Peristaltic pumping. *Ann. Rev. Fluid Mech.* **3**, 13-36.
- Jahn, T.L. (1975). New problems in propulsion of micro-organisms. In Wu, T.Y., Brokaw, C.J. and Brennen, C.E., eds., 1975. *Swimming and Flying in Nature*, **1,2**. Plenum Press, New York.
- Jahn, T.L., et al. (1965). Secretory activity of the oral apparatus of ciliates: Trails of adherent particles left by *Paramecium multimicronucleatum* and *Tetrahymena pyriformis*. *Ann. NY Acad. Sci.* **118**, 912-20.
- Jahn, T.L. and Hendrix, E.M. (1969). Locomotion of the Telotrich ciliate *Opisthonecta henneguyi*. *Rev. Soc. Mex. Hist. Nat.* **30**, 103-31.
- Jahn, T.L., Landman, M.D. and Fonseca, J.R. (1964). The mechanism of locomotion in flagellates. II. Function of the mastigonemes of *Ochromonas*. *J. Protozool.* **11**, 291-96.
- Jahn, T.L. and Votta, J.J. (1972). Locomotion of protozoa. *Ann. Rev. Fluid Mech.* **4**, 93-116.
- Jakobsen, J.K. (1964). On the mechanism of head breakdown in cavitating inducers. *ASME J. Basic Eng.*, **86**, 291-304.
- Jakobsen, J.K. (1971). *Liquid rocket engine turbopumps*. NASA SP 8052.
- Janigro, A. and Ferrini, F. (1973). Inducer pumps. In *Recent progress in pump research, von Karman Inst. for Fluid Dynamics, Lecture Series 61*.
- Jansen, W. 1964. Rotating stall in a radial vaneless diffuser. *ASME J. Basic Eng.*, **86**, 750-758.
- Janssen, H.A. (1895). Versuche über Getreidedruck in Silozellen. *Zeit. Ver. Deutsch. Ing.*, **39**, 1045-1049.
- Japikse, D. (1984). *Turbomachinery diffuser design technology*. Concepts ETI, Inc., Norwich, VT.
- Japikse, D. and Baines, N.C. (19??) *Diffuser design technology*. Concepts NREC Publication.
- Jarman, P. (1960). Sonoluminescence: a discussion. *J. Acoust. Soc. Am.*, **32**, 1459-1462.
- Jeffreys, H. (1931). *Cartesian tensors*. Cambridge University Press.
- Jenike, A.W. and Shield, R.T. (1959). On the plastic flow of Coulomb solids beyond original failure. *ASME J. Appl. Mech.*, **26**, 599-602.
- Jenike, A.W. (1964). Storage and flow of solids. *Bull. No. 123, Utah Eng. Expt. Stat., U. of Utah*.
- Jenkins, J.T. and Richman, M.W. (1985). Kinetic theory for plane flows of a dense gas of identical, rough, inelastic, circular disks. *Phys. Fluids*, **28**, 3485-3494.
- Jenkins, J.T. and Richman, M.W. (1986). Boundary conditions for plane flows of smooth, nearly elastic, circular disks. *J. Fluid Mech.*, **171**, 53-69.

- Jenkins, J.T. and Savage, S.B. (1983). A theory for the rapid flow of identical, smooth, nearly elastic particles. *J. Fluid Mech.*, **130**, 187-202.
- Jery, B. and Franz, R. (1982). Stiffness matrices for the Rocketdyne diffuser volute. *Calif. Inst. of Tech., Div. Eng. and Appl. Sci., Report No. E249.1*.
- Jery, B., Acosta, A.J., Brennen, C.E., and Caughey, T.K. (1985). Forces on centrifugal pump impellers. *Proc. Second Int. Pump Symp., Houston, Texas*, 21-32.
- Jia, X., Caroli, C. and Velicky, B. (1999). Ultrasound propagation in externally stressed granular media. *Phys. Rev. Letters*, **82**(9), 1863-1866.
- Johanson, J.R. and Colijin, H. (1964). New design criteria for hoppers and bins. *Iron and Steel Eng.*, Oct. 1964, 85.
- Johnson, K. (1987). *Contact Mechanics*. Cambridge University Press.
- Johnson, P.C. and Jackson, R. (1987). Frictional-collisional constitutive relations for granular materials, with application to plane shearing. *J. Fluid Mech.*, **176**, 67-93.
- Johnson, P.C., Nott, P. and Jackson, R. (1990). Frictional-collisional equations of motion for particulate flows and their application to chutes. *J. Fluid Mech.*, **210**, 501-535.
- Johnson, V.E. (1961). Theoretical and experimental investigation of supercavitating hydrofoils operating near the free surface. *NASA TR R-93*.
- Johnson, V.E., Jr. and Hsieh, T. (1966). The influence of the trajectories of gas nuclei on cavitation inception. *Proc. 6th ONR Symp. on Naval Hydrodynamics*, 163-182.
- Johnson, V.J. (ed.) (19??). *A compendium of the properties of materials at low temperature. Part 1. Properties of fluids*. Wright-Patterson Air Force Base Report, WADD Tech. Rep. 60-56.
- Johnsson, C.A. (1969). Cavitation inception on headforms, further tests. *Proc. 12th Int. Towing Tank Conf., Rome*, 381-392.
- Johnston, J.P. and Dean, R.C. (1966). Losses in vaneless diffusers of centrifugal compressors and pumps. *ASME J. Eng. for Power*, **88**, 49-62.
- Jones, G.W. Jr. (1968). Unsteady lift forces generated by vortex shedding about a large, stationary, oscillating cylinder at high Reynolds numbers. ASME Symp. Unsteady Flows.
- Jones, O.C. and Bankhoff, S.G. (editors) (1977). *Symposium on the Thermal and Hydraulic Aspects of Nuclear Reactor Safety. Volume 1: Light Water Reactors*. ASME, New York.
- Jones, O.C. and Bankhoff, S.G. (editors) (1977). *Symposium on the Thermal and Hydraulic Aspects of Nuclear Reactor Safety. Volume 2: Liquid Metal Fast Breeder Reactors*. ASME, New York.
- Jones, O.C. Jr. & Delhay, J.-M. (1976). *Transient and statistical measurement techniques for two-phase flows: A critical review*. Int. J. Multiphase Flow, **3**, 89-113.
- Jones, O.C. and Zuber, N. (1974). Statistical methods for measurement and analysis of two-phase flow. *Proc. Int. Heat Transfer Conf., Tokyo*.
- Jones, O.C. and Zuber, N. (1978). Bubble growth in variable pressure fields. *ASME J. Heat Transfer*, **100**, 453-459.
- Jorgensen, D.W. (1961). Noise from cavitating submerged jets. *J. Acoust. Soc. Am.*, **33**, 1334-1338.

- Joseph, D. (1993). Finite size effects in fluidized suspension experiments. In *Particulate Two-Phase Flow* (ed: M.C.Roco), Butterworth-Heinemann.
- Joseph, G.G., Zenit, R., Hunt, M.L. and Rosenwinkel, A.M. (2001). Particle-wall collisions in a viscous fluid. *J. Fluid Mech.*, **433**, 329-346.
- Joseph, G.G. (2003). Collisional dynamics of macroscopic particles in a viscous fluid. *Ph.D. Thesis, California Institute of Technology*.
- Joukowski, N.E. (1890). I. A modification of Kirchhoff's method of determining a two-dimensional motion of a fluid given a constant velocity along an unknown streamline. II. Determination of the motion of a fluid for any condition given on a streamline. *Mat. Sbornik (Rec. Math.)*, **15**, 121-278.
- Kaiser, G.E. and Doetsch, R.N. (1975). Enhanced translational motion of *Leptospira* in viscous environments. *Nature* **255**, 656-57.
- Kamenetsky, V., Goldshtein, A., Shapiro, M. and Degani, D. (2000). Evolution of a shock wave in a granular gas. *Phys. Fluids*, **12**(11), 3036-3049.
- Kamijo, K., Shimura, T., and Watanabe, M. (1977). An experimental investigation of cavitating inducer instability. *ASME Paper 77-WA/FW-14*.
- Kamijo, K., Shimura, T., and Watanabe, M. (1980). A visual observation cavitating inducer instability. *Nat. Aero. Lab. (Japan), Rept. NAL TR-598T*.
- Kamijo, K., Yoshida, M., and Tsujimoto, Y. (1992). Hydraulic and mechanical performance of LE-7 LOX pump inducer. *Proc. 28th Joint Propulsion Conf., Paper AIAA-92-3133*.
- Kaplun, S. and Lagerstrom, P.A. (1957). Asymptotic expansions of Navier-Stokes solutions for small Reynolds numbers. *J. Math. Mech.*, **6**, 585-593.
- Karassik, I.J., Krutzsch, W.C., Fraser, W.H. and Messina, J.P. (1986). *Pump handbook*. McGraw-Hill Book Co.
- Karion, A. (2000). *Couette flows of granular materials: Mixing, rheology, and energy dissipation*. PhD thesis, California Institute of Technology, Pasadena, CA.
- Karplus, H.B. (1958). The velocity of sound in a liquid containing gas bubbles. *Illinois Inst. Tech. Rep. COO-248*.
- Karyeacis, M.P., Miskovich, R.S., and Brennen, C.E. (1989). Rotordynamic tests in cavitation of the SEP inducer. *Calif. Inst. of Tech., Div. of Eng. and Appl. Sci., Report E200.27*.
- Katsanis, T. (1964). Use of arbitrary quasi-orthogonals for calculating flow distribution in the meridional plane of a turbomachine. *NASA TN D-2546*.
- Katsanis, T. and McNally, W.D. (1977). Revised Fortran program for calculating velocities and streamlines on the hub-shroud midchannel stream surface of an axial-, radial-, or mixed-flow turbomachine or annular duct. *NASA TN D-8430 and D-8431*.
- Katz, D.F. (1972). On the biophysics of in vivo sperm transport. PhD thesis. Univ. Calif., Berkeley.
- Katz, D.F. (1974). On the propulsion of micro-organisms near solid boundaries. *J. Fluid Mech.* **64**, 33-49.
- Katz, J. and O'Hern, T.J. (1986). Cavitation in large scale shear flows. *ASME J. Fluids Eng.*, **108**, 373-376.

- Katz, J., Gowing, S., O'Hern, T., and Acosta, A.J. (1984). A comparative study between holographic and light-scattering techniques of microbubble detection. *Proc. IUTAM Symp. on Measuring Techniques in Gas-Liquid Two-Phase Flows*, Springer-Verlag, 41-66.
- Kawaguchi, T. and Maeda, M. (2003). Measurement technique for analysis in two-phase flows involving distributed size of droplets and bubbles using interferometric method. In preparation.
- Keller, A.P. (1974). Investigations concerning scale effects of the inception of cavitation. *Proc. I.Mech.E. Conf. on Cavitation*, 109-117.
- Keller, A.P. and Weitendorf, E.A. (1976). Influence of undissolved air content on cavitation phenomena at the propeller blades and on induced hull pressure amplitudes. *Proc. IAHR Symp. on two-phase flow and cavitation in power generation*, 65-76.
- Keller, J.B. and Kolodner, I.I. (1956). Damping of underwater explosion bubble oscillations. *J. Appl. Phys.*, **27**, 1152-1161.
- Keller, S.R., Wu, T.Y. and Brennen, C.E. (1975). A traction layer model for ciliary propulsion. In Wu, T.Y., Brokaw, C.J. and Brennen, C.E., eds., 1975. *Swimming and Flying in Nature*, **1,2**. Plenum Press, New York.
- Kelly, H.R. (1967). An extension of the Woods theory for unsteady cavity flows. *ASME J. Basic Eng.*, **89**, 798-806.
- Kemp, N. H. and Ohashi, H. (1975). Forces on unstaggered airfoil cascades in unsteady in-phase motion with applications to harmonic oscillation. *Proc. Symp. on Unsteady Aerodynamics, Tuscon, Ariz.*, 793-826.
- Kemp, N. H. and Sears, W. R. (1955). The unsteady forces due to viscous wakes in turbomachines. *J. Aero Sci.*, **22**, No.7, 478-483.
- Kennard, E.M. (1967). *Irrotational flow of frictionless fluid, mostly of invariable density*. DTMB Report 2299.
- Kenning, V.M. and Crowe, C.T. (1997). On the effect of particles on carrier phase turbulence in gas-particle flows. *Int. J. Multiphase Flow*, **23**, 403-408.
- Kermeen, R.W. (1956). Water tunnel tests of NACA 4412 and Walchner Profile 7 hydrofoils in noncavitating and cavitating flows. *Calif. Inst. of Tech., Hydrodynamics Lab. Rep.* 47-5.
- Kermeen, R.W., McGraw, J.T., and Parkin, B.R. (1955). Mechanism of cavitation inception and the related scale-effects problem. *Trans. ASME*, **77**, 533-541.
- Kerrebrock, J.L. (1977). *Aircraft engines and gas turbines*. MIT Press.
- Keulegan, G.H. and Carpenter, L.H. (1958). Forces on cylinders and plates in an oscillating fluid. *J.Res.Nat.Bur.Standards*, **60**, No.5, 423-440.
- Kiceniuk, T. (1952). A preliminary investigation of the behavior of condensible jets discharging in water. *Calif. Inst. of Tech. Hydro. Lab. Rept.*, E-24.6.
- Kimoto, H. (1987). An experimental evaluation of the effects of a water microjet and a shock wave by a local pressure sensor. *ASME Int. Symp. on Cavitation Res. Fac. and Techniques*, **FED 57**, 217-224.
- Kinnas, S.A. and Fine, N.E. (1990). Non-linear analysis of the flow around partially or super-cavitating hydrofoils on a potential based panel method. *Proc. IABEM-90 Symp. Int. Assoc. for Boundary Element Methods, Rome*, 289-300.

- Kinsler, L.E. and Frey, A.R. (1962). *Fundamentals of Acoustics*. J. Wiley and Sons, NY.
- Kirchhoff, G. (1869). Zur Theorie freier Flüssigkeitsstrahlen. *Z. reine Angew. Math.*, **70**, 289–298.
- Klebanoff, P.S. (1955). Characteristics of turbulence in boundary layer with zero pressure gradient. NACA Rep. 1247.
- Klyachko, L.S. (1934). Heating and ventilation. *USSR Journal Otopl. i Ventil.*, No.4.
- Knapp, R.T., Levy, J., O'Neill, J.P. and Brown, F.B. (1948). *The Hydrodynamics Laboratory of the California Institute of Technology*. Trans. Amer. Soc. Mech. Engrs., **70**, 437.
- Knapp, R.T. and Hollander, A. (1948). Laboratory investigations of the mechanism of cavitation. *Trans. ASME*, **70**, 419-435.
- Knapp, R.T. (1955). Recent investigations of the mechanics of cavitation and cavitation damage. *Trans. ASME*, **77**, 1045–1054.
- Knapp, R.T., Daily, J.W., and Hammitt, F.G. (1970). *Cavitation*. McGraw-Hill, New York.
- Knief, R.A. (1980). *Nuclear engineering: Theory and practice of commercial nuclear power*. Hemisphere Pub. Corp.
- Knight, J.B., Jaeger, H.M. and Nagel, S.R. (1993). Vibration induced size separation in granular media: the convection connection. *Phys. Rev. Lett.*, **70**, 3728.
- Knight, J.B. (1997). External boundaries and internal shear bands in granular convection. *Phys. Rev. E*, **55**, 6016.
- Knight-Jones, E.W. (1954). Relations between metachronism and the direction of ciliary beat in metazoa. *Quart. J. Microsc. Sci.* **95**, No.4, 503-21.
- Koch, E. and Karwat, H. (1976). Research efforts in the area of BWR pressure suppression containment systems. *Proc. 4th Water Reactor Safety Research Meeting, Gaithersburg, MD, Sept. 1976*.
- Kolmogorov, A. N. (1941a). Energy dissipation in locally isotropic turbulence, *Dokl. Akad. Nauk SSSR*, Vol. **32**, 1921.
- Kolmogorov, A. N. (1941b). The local structure of turbulence in incompressible viscous fluid for very large Reynolds numbers. *Dokl. Akad. Nauk SSSR*, **30**, 301-305.
- König, E. (1922). Potentialströmung durch Gitter. *Z. angew. Math. u. Mech.*, **2**, 422.
- Kozeny, J. (1927). *Sitzber. Akad. Wiss. Wien, Math-naturw. kl (Abt. Ha)*, **136**, 271.
- Kubota, A., Kato, H., Yamaguchi, H., and Maeda, M. (1989). Unsteady structure measurement of cloud cavitation on a foil section using conditional sampling. *ASME J. Fluids Eng.*, **111**, 204–210.
- Kubota, A., Kato, H., and Yamaguchi, H. (1992). A new modelling of cavitating flows—a numerical study of unsteady cavitation on a hydrofoil section. *J. Fluid Mech.*, **240**, 59–96.
- Kuhn de Chizelle, Y., Ceccio, S.L., Brennen, C.E., and Gowing, S. (1992a). Scaling experiments on the dynamics and acoustics of travelling bubble cavitation. *Proc. 3rd I. Mech. E. Int. Conf. on Cavitation, Cambridge, England*, 165-170.
- Kuhn de Chizelle, Y., Ceccio, S.L., Brennen, C.E., and Shen, Y. (1992b). Cavitation scaling experiments with headforms: bubble acoustics. *Proc. 19th ONR Symp. on Naval Hydrodynamics*, 72-84.

- Kulick, J.D., Fessler, J.R. and Eaton, J.K. (1994). Particle response and turbulence modification in fully developed channel flow. *J. Fluid Mech.*, **277**, 109-134.
- Kumar, S. and Brennen, C.E. (1991). Non-linear effects in the dynamics of clouds of bubbles. *J. Acoust. Soc. Am.*, **89**, 707-714.
- Kumar, S. and Brennen, C.E. (1992). Harmonic cascading in bubble clouds. *Proc. Int. Symp. on Propulsors and Cavitation, Hamburg*, 171-179.
- Kumar, S. and Brennen, C.E. (1993). Some nonlinear interactive effects in bubbly cavitation clouds. *J. Fluid Mech.*, **253**, 565-591.
- Kumar, S. and Brennen, C.E. (1993). A study of pressure pulses generated by travelling bubble cavitation. *J. Fluid Mech.*, **255**, 541-564.
- Kuo, K.K. (1986). *Principles of combustion*. Wiley Interscience.
- Kutateladze, S.S. (1948). On the transition to film boiling under natural convection. *Kotloturbostroenie*, **3**, 10.
- Kutateladze, S.S. (1952). Heat transfer in condensation and boiling. *U.S. AEC Rep. AEC-tr-3770*.
- Kynch, G.J. (1952). A theory of sedimentation. *Trans. Faraday Soc.*, **48**, 166-176.
- Kynch, G.J. (1954). The effective viscosity of suspensions. *British J. Appl. Phys.*, **5**, S5.
- Kytömaa, H.K. (1987). *Stability of the structure in multicomponent flows*. Ph.D. Thesis, Calif. Inst. of Tech.
- Kytömaa, H.K. and Brennen, C.E. (1990). Small amplitude kinematic wave propagation in two-component media. *Int. J. Multiphase Flow*, **17**, No.1, 13-26.
- KSB. (1975). *KSB Centrifugal pump lexicon*. Klein, Schanzlin and Becker, Germany.
- Lahey, R.T. Jr. (1977). *The status of boiling water nuclear reactor safety analysis*. In Jones, O.C. and Bankhoff, S.G. (1972)
- Lahey, R.T. Jr. and Moody, F.J. (1977). *The thermal hydraulics of a boiling water nuclear reactor*. American Nuclear Society monograph.
- Lakshminarayana, B. (1972). Visualization study of flow in axial flow inducer. *ASME J. Basic Eng.*, **94**, 777-787.
- Lakshminarayana, B. (1981). Analytical and experimental study of flow phenomena in noncavitating rocket pump inducers. *NASA Contractor Rep. 3471*.
- Lamb, H. (1932). *Hydrodynamics*. Dover Publishing, Sixth Edition.
- Landau, L.D. (1944). A new exact solution of the Navier-Stokes equations. *C. R. (DokL) Acad. Sci. URSS*, **43**, 286-88.
- Landau, L.D. and Lifshitz, E.M. (1959). *Fluid mechanics*. Pergamon Press (translation).
- Landau, L.D. (1944). A new exact solution of the Navier-Stokes equations. *C. R. (DokL) Acad. Sci. URSS*, **43**, 286-88.
- Landau, R. F., Moser, B.G. and Bauman, A.J. (1965). *Proc. of the Fourth International Congress on Rheology, Part 2*, edited by E.H.Lee, Interscience, NY.

- Landweber, L. (1951). The axially symmetric potential flow about elongated bodies of revolution. *David Taylor Model Basin Report No. 761*.
- Laroche, C., Douady, S., and Fauve, S. (1990). Convective flow of granular masses under vertical vibrations. *J. Phys. France*, **50**, No.7, 699-706.
- Larsen, S.H., Adler, J., Gargus, J.J. and Hogg, R.W. (1974). Chemomechanical coupling without ATP: The source of energy for motility and chemotaxis in bacteria. *Proc. Natl. Acad. Sci. USA* **71**, 1239-43.
- Lauterborn, W. and Bolle, H. (1975). Experimental investigations of cavitation bubble collapse in the neighborhood of a solid boundary. *J. Fluid Mech.*, **72**, 391-399.
- Lauterborn, W. (1976). Numerical investigation of nonlinear oscillations of gas bubbles in liquids. *J. Acoust. Soc. Am.*, **59**, 283-293.
- Lauterborn, W. and Suchla, E. (1984). Bifurcation superstructure in a model of acoustic turbulence. *Phys. Rev. Lett.*, **53**, 2304-2307.
- Law, C.K. (1982). Recent advances in droplet vaporization and combustion. *Progr. in Energy and Combustion Sci.*, **8**, No.3, 169-199.
- Lazaridi, A. and Nesterenko, V.F. (1985). The detection of isolated waves of a new type in a one-dimensional granular medium. *J. Appl. Mech. and Tech. Phys.*, **26**, 45.
- Lazarkiewicz, S. and Troskolanski, A.T. (1965). *Pompy wirowe. (Impeller pumps.)* Translated from Polish by D.K.Rutter. Publ. by Pergamon Press.
- Lazarus, J.H. and Neilson, I.D. (1978). A generalized correlation for friction head losses of settling mixtures in horizontal smooth pipelines. *Hydrotransport 5. Proc. 5th Int. Conf. on Hydraulic Transport of Solids in Pipes.*, **1**, B1-1-B1-32.
- Lea, J.F., Nickens, H.V. and Wells, M.R. (2008). *Gas well deliquification*. Elsevier Inc.
- Ledinegg, M. (1983). Instabilität der Strömung bei Natürlichen und Zwangumlaut. *Warme*, **61**, No.8, 891-898.
- Lee, C.J.M. (1966). Written discussion in *Proc. Symp. on Pump Design, Testing and Operation, Natl. Eng. Lab., Scotland*, 114-115.
- Lee, J., Cowin, S.C. and Templeton, J.S. (1974). An experimental study of the kinematics of flow through hoppers. *Trans. Soc. Rheol.*, **18**, No.2, 247.
- Leehey, P. (1971). Supercavitating hydrofoil of finite span. *Proc. IUTAM Symp. on Non-steady Flow of Water at High Speeds, Leningrad*, 277-298.
- Lefcort, M.D. (1965). An investigation into unsteady blade forces in turbomachines. *ASME J. Eng. for Power*, **87**, 345-354.
- Leibig, M. (1994). Model for the propagation of sound in granular materials. *Phys. Rev. E*, **49(2)**, 1647-1656.
- Lemonnier, H. and Rowe, A. (1988). Another approach in modelling cavitating flows. *J. Fluid Mech.*, **195**, 557-580.
- Lenneman, E. and Howard, J. H. G. (1970). Unsteady flow phenomena in centrifugal impeller passages. *ASME J. Eng. for Power*, **92-1**, 65-72.

- Levi-Civita, T. (1907). Scie e leggi di resistenza. *Rend. Circ. Mat. Palermo*, **18**, 1–37.
- Lieblein, S., Schwenk, F.C., and Broderick, R.L. (1953). Diffusion factor for estimating losses and limiting blade loadings in axial-flow-compressor blade elements. *NACA RM E53D01*.
- Lieblein, S. (1965). Experimental flow in two-dimensional cascades. *Aerodynamic design of axial flow compressors*, NASA SP-36, 183-226.
- Lienhard, J.H. and Sun, K. (1970). Peak boiling heat flux on horizontal cylinders. *Int. J. Heat and Mass Transfer*, **13**, 1425-1440.
- Liepmann, H.W. and Roshko, A. (1957). *Elements of gas dynamics*. Wiley.
- Lighthill, M.J. and Whitham, G.B. (1955). On kinematic waves: I Flood movement in long waves. II Theory of traffic flow along crowded roads. *Proc. Roy. Soc. A*, **229**, 281-345.
- Lighthill, M.J. (1975). *Mathematical Biofluidynamics*. Philadelphia: SIAM.
- Lighthill, M.J. (1978). *Waves in fluids*. Cambridge Univ. Press.
- Lillington, J.N. (2004). *The future of nuclear power*. Elsevier, Oxford.
- Lindemann, K. and Dimon, P. (2000). Two-dimensional granular flow in a vibrated small-angle funnel. *Phys. Rev. E*, **62**, 5420.
- Lindgren, H. and Johnsson, C.A. (1966). Cavitation inception on headforms, ITTC comparative experiments. *Proc. 11th Int. Towing Tank Conf., Tokyo*, 219-232.
- Lindsay, J.F., Criswell, D.R., Criswell, T. and Criswell, B. (1976). Sound-producing dune and beach sands. *Geol. Soc. of Amer. Bull.*, **87**, 463-473.
- Liss, P.S. and Slinn, W.G.N. (1983). Editors of *Air-sea exchange of gases and particles*. D.Reidel Publ. Co.
- Litt, M. (1970). Flow behavior of mucus. *Ann. Otol. Rhinol. Laryngol.* **80**, 330-35.
- Liu, C. (1994). Spatial patterns of sound propagation in sand. *Phys. Rev. B*, **50(2)**, 782-794.
- Liu, C. and Nagel, S.R. (1992). Sound in sand. *Phys. Rev. Letters*, **68(15)**, 2301-2304.
- Liu, C. and Nagel, S.R. (1993). Sound in a granular material: Disorder and nonlinearity. *Phys. Rev. B*, **48(21)**, 646-650.
- Liu, C. and Nagel, S.R. (1994). Sound and vibration in granular materials. *J. Phys.: Condensed Matter*, **6**, A433-A436.
- Lockhart, R.W. and Martinelli, R.C. (1949). Proposed correlation of data for isothermal two-phase two-component flow in pipes. *Chem. Eng. Progress*, **45**, 39-48.
- Logan, D.L. (2011). *A first course in the finite element method*. Cengage Learning. ISBN 978-0495668251.
- Lomakin, A.A. (1958). Calculation of the critical speed and the conditions to ensure dynamic stability of the rotors in high pressure hydraulic machines, taking account of the forces in the seals (in Russian). *Energomashinostroenie*, **14**, No.4, 1-5.
- Long, G. (1957). Explosions of molten aluminum in water: cause and prevention. *Metal Progr.*, **75**, No.1, 107.

- Lorett, J.A. and Gopalakrishnan, S. (1983). Interaction between impeller and volute of pumps at off-design conditions. *Proc. ASME Symp. on Performance Characteristics of Hydraulic Turbines and Pumps*, **FED-6**, 135-140.
- Lowy, J. and Spencer, M. (1968). Structure and function of bacterial flagella. *Symp. Soc. Exp. Biol.* **22**, 215-36.
- Lun, C.K.K., Savage, S.B., Jeffrey, D.J. and Chepurniy, N. (1984). Kinetic theories for granular flow: inelastic particles in Couette flow and slightly inelastic particles in a general flow field. *J. Fluid Mech.*, **140**, 223-256.
- Lun, C.K.K., and Savage, S.B. (1986). The effects of an impact velocity dependent coefficient of restitution on stresses developed by sheared granular materials. *Acta Mechanica*, **63**, 15-44.
- Lunec, J. (1975). Fluid flow induced by smooth flagella. In Wu, T.Y., Brokaw, C.J. and Brennen, C.E., eds., 1975. *Swimming and Flying in Nature*, **1,2**. Plenum Press, New York.
- Lush, P.A. and Angell, B. (1984). Correlation of cavitation erosion and sound pressure level. *ASME J. Fluids Eng.*, **106**, 347-351.
- Machemer, H. (1972a). Ciliary activity and the origin of metachrony in *Paramecium*; effects of increased viscosity. *J. Exp. Biol.* **57**, 239-60.
- Machemer, H. (1972b). Temperature influences on ciliary beat and metachronal coordination in *Paramecium*. *J. Mechanochem. Cell Motil.* **1**, 97-108.
- Machin, K.E. (1958). Wave propagation along flagella. *J. Exp. Biol.* **35**, 796-806.
- Macnab, R.M. and Koshland, D.E., Jr. (1972). The gradient-sensing mechanism in bacterial chemotaxis. *Proc. Natl. Acad. Sci. USA* **69**, 2509-12.
- Macpherson, J.D. (1957). The effect of gas bubbles on sound propagation in water. *Proc. Phys. Soc. London*, **70B**, 85-92.
- Maeda, Y., Kato, A. and Yamanaka, Y. (2017). Modeling the dynamics of a phreatic eruption based on a tilt observation: barrier breakage leading to the 2014 eruption of Mount Ontake, Japan. *JGR Solid Earth*, **122**, Issue 2, 1007-1024.
- Magnaudet, J. and Legendre, D. (1998). The viscous drag force on a spherical bubble with a time-dependent radius. *Phys. Fluids*, **10**, No.3, 550-554.
- Maines, B.H. and Brennen, C.E. (2002). Applicability of fluid transient test methods for mechanical heart valve cavitation scaling. Sixth Annual Hilton Head Workshop sponsored by the Parker Institute for Bioengineering and Bioscience. *Prosthetic Heart Valves: Past, Present and Future*.
- Maines, B.H. and Brennen, C.E. (2005). Lumped parameter model for computing the minimum pressure during mechanical heart valve closure. *ASME J. Biomech. Eng.*, **127**, No.4, 648-655.
- Maiti, B., Seshadri, V. and Malhotra, R.C. (1989). Analysis of flow through centrifugal pump impellers by finite element method. *Appl. Sci. Res.*, **46**, 105126.
- Makay, E. and Szamody, O. (1978). Survey of feed pump outages. *Electric Power Res. Inst. Rep. FP-754*.
- Makay, E. (1980). Centrifugal pump hydraulic instability. *Electric Power Res. Inst. Rep. EPRI CS-1445*.

- Makse, H., Gland, ., Johnson, D. and Schwartz, L. (1999). Why elective medium theory fails in granular materials. *Phys. Rev. Letters*, **83**(24), 5070-5073.
- Manderla, M., Weber, W. and Koutnik, J. (2016). Model measurement based on identification of Francis turbine vortex rope parameters for prototype part load pressure and power pulsation prediction. *Proc. 28th IAHR Symp. on Hydraulic Machinery and Systems, Grenoble, France*, 1007-1016.
- Mandhane, J.M., Gregory, G.A. and Aziz, K.A. (1974). A flow pattern map for gas-liquid flow in horizontal pipes. *Int. J. Multiphase Flow*, **1**, 537-553.
- Maneely, D.J. (1962). A study of the expansion process of low quality steam through a de Laval nozzle. *Univ. of Calif. Radiation Lab. Rep. UCRL-6230*.
- Mansell, C.J. (1974). Impeller cavitation damage on a pump operating below its rated discharge. *Proc. of Conf. on Cavitation, Inst. of Mech. Eng.*, 185-191.
- Marble, F.E. (1970). Dynamics of dusty gases. *Ann. Rev. Fluid Mech.*, **2**, 397-446.
- Marble, F.E. and Wooten, D.C. (1970). Sound attenuation in a condensing vapor. *Phys. Fluids*, **13**, No.11, 2657-2664.
- Marboe, R.C., Billet, M.L., and Thompson, D.E. (1986). Some aspects of travelling bubble cavitation and noise. *Proc. ASME Int. Symp. on Cavitation and Multiphase Flow Noise*, **FED 45**, 119-126.
- Marinesco, M. and Trillat, J.J. (1933). Action des ultrasons sur les plaques photographiques. *Compt. Rend.*, **196**, 858-860.
- Marples, D.R. (1986). *Chernobyl and nuclear power in the USSR*. St. Martin's Press, New York.
- Marscher, W.D. (1988). Subsynchronous vibration in boiler feed pumps due to stable response to hydraulic forces on at part-load. *Proc. I.Mech.E. Conf. on Part Load Pumping, London*, 167-175.
- Martin, C.S. (1978). Waterhammer in steam generators and feedwater piping. *Paper presented at Steam Generator Waterhammer Workshop, EPRI, Palo Alto, Cal.*
- Martin, C.S., Medlarz, H., Wiggert, D.C., and Brennen, C. (1981). Cavitation inception in spool valves. *ASME. J. Fluids Eng.*, **103**, 564-576.
- Martin, M. (1962). Unsteady lift and moment on fully cavitating hydrofoils at zero cavitation number. *J. Ship Res.*, **6**, No.1, 15-25.
- Martinelli, R.C. and Nelson, D.B. (1948). Prediction of pressure drop during forced circulation boiling of water. *Trans. ASME*, **70**, 695-702.
- Matzke, H. (1986) *Advanced LMFBR Reactor*. North Holland, Netherlands.
- Maw, N., Barber, J.R. and Fawcett, J.N. (1976). The oblique impact of elastic spheres. *Wear*, **38**, 101-114. See also (1981). The role of elastic tangential compliance in oblique impact. *ASME J. Lubr. Tech.*, **103**, 74-80.
- McCoy, D.D. and Hanratty, T.J. (1977). Rate of deposition of droplets in annular two-phase flow. *Int. J. Multiphase Flow*, **3**, 319-331.
- McCroskey, W. J. (1977). Some current research in unsteady fluid dynamics-the 1976 Freeman Scholar Lecture. *ASME J. Fluids Eng.*, **99**, 8-38.
- McNulty, P.J. and Pearsall, I.S. (1979). Cavitation inception in pumps. *ASME Int. Symp. on Cavitation Inception*, 163-170.

- McTigue, D.F. (1978). A model for stresses in shear flows of granular materials. *Proc. US-Japan Sem. on Cont.-Mech. and Stat. Approaches to Mech. Granular Mater.*, 266-271.
- Medwin, H. (1977). In situ acoustic measurements of microbubbles at sea. *J. Geophys. Res.*, **82**, No.6, 921-976.
- Mehta, A., and Luck, J. (1990). Novel temporal behavior of a nonlinear dynamical system: The completely inelastic bouncing ball. *Phys. Rev. Lett.*, **65**, No. 4, 393-396.
- Melin, S. (1994). Wave propagation in granular assemblies. *Physical Review E*, **49**(3), 2353-2361.
- Mellen, R.H. (1954). Ultrasonic spectrum of cavitation noise in water. *J. Acoust. Soc. Am.*, **26**, 356-360.
- Melo, F., Umbanhowar, P., and Swinney, H. (1994). Transition to parametric wave patterns in a vertically oscillated granular layer. *Phys. Rev. Lett.*, **72**, No. 1, 172-175.
- Melo, F., Umbanhowar, P., and Swinney, H. (1995). Hexagons, kinks, and disorder in oscillated granular layers. *Phys. Rev. Lett.*, **75**, No.21, 3838-3841.
- Mertes, T.S. and Rhodes, H.B. (1955). Liquid-particle behavior (Part 1). *Chem. Eng. Prog.*, **51**, 429-517.
- Meyer, E. and Kuttruff, H. (1959). Zur Phasenbeziehung zwischen Sonolumineszenz und Kavitationsvorgang bei periodischer Anregung. *Zeit angew. Phys.*, **11**, 325-333.
- Meyer, R.X. (1958). The effect of wakes on the transient pressure and velocity distributions in turbomachines. *Trans. ASME*, **80**, 1544.
- Mikolajczak, A. A., Arnoldi, R. A., Snyder, L. E., and Stargardter, H. (1975). Advances in fan and compressor blade flutter analysis and predictions. *J. Aircraft*, **12**, No.4, 325-332.
- Miles, J., and Henderson, D. (1990). Parametrically forced surface waves. *Ann. Rev. Fluid Mech.*, **22**, 143-165.
- Miller, C.D. and Gross, L.A. (1967). A performance investigation of an eight-inch hubless pump inducer in water and liquid nitrogen. *NASA TN D-3807*.
- Miller, C.E. (1966). Flow induced by mechanical analogues of mucociliary systems. *Ann. NY Acad. Sci.* **130**, 880-90.
- Miller, C.E. (1969). Streamlines, streaklines, and particle path lines associated with a mechanically-induced flow homomorphic with the mammalian mucociliary system. *Biorheology* **6**, 127-35.
- Mimura, Y. (1958). The flow with wake past an oblique plate. *J. Phys. Soc. Japan*, **13**, 1048-1055.
- Minnaert, M. (1933). Musical air bubbles and the sound of running water. *Phil. Mag.*, **16**, 235-248.
- Miskovich, R.S. and Brennen, C.E. (1992). Some unsteady fluid forces measured on pump impellers. *ASME J. Fluids Eng.*, **114**, 632-637.
- Miyagawa, K., Mutaguchi, K., Kanki, H., Iwasaki, Y., Sakamoto, A., Fujiki, S., Terasaki, A., and Furuya, S. (1992). An experimental investigation of fluid exciting force on a high head pump-turbine runner. *Proc. 4th Int. Symp. on Transport Phenomena and Dynamics of Rotating Machinery*, **B**, 133-142.
- Moghissi, A.A. et al. (editors) (1978). *Nuclear power waste technology*. ASME.
- Moller, W. (1938). Experimentelle Untersuchungen zur Hydrodynamik der Kugel. *Physik. Z.*, **39**, 57-80.
- Monahan, E.C. and Zietlow, C.R. (1969). Laboratory comparisons of fresh-water and salt-water whitecaps. *J. Geophys. Res.*, **74**, 6961-6966.

- Monahan, E.C. and Van Patten, M.A. (eds.) (1989). *Climate and health implications of bubble-mediated sea-air exchange*. Connecticut Sea Grant College Program CT-SG-89-06.
- Monahan, E.C. (1989). From the laboratory tank to the global ocean. In *Climate and health implications of bubble-mediated sea-air exchange* (editors, E.C. Monahan and M.A. VanPatten). Connecticut Sea Grant College Program CT-SG-89-06.
- Monsanto. (19??). Monsanto Chemical Company Data on Toluene.
- Moody, L.F. (1944) Friction factors for pipe flow. *Trans. ASME*, **66**, No.8, 671.
- Moore, R.D. and Meng, P.R. (1970a). Thermodynamic effects of cavitation of an 80.6° helical inducer operated in hydrogen. *NASA TN D-5614*.
- Moore, R.D. and Meng, P.R. (1970b). Effect of blade leading edge thickness on cavitation performance of 80.6° helical inducers in hydrogen. *NASA TN D5855*.
- Mørch, K.A. (1980). On the collapse of cavity cluster in flow cavitation. *Proc. First Int. Conf. on Cavitation and Inhomogeneities in Underwater Acoustics, Springer Series in Electrophysics*, **4**, 95-100.
- Mørch, K.A. (1981). Cavity cluster dynamics and cavitation erosion. *Proc. ASME Cavitation and Polyphase Flow Forum*, 1-10.
- Morison, J.R., O'Brien, M.P., Johnson, J.W. and Schaaf, S.A. (1950). The forces exerted by surface waves on piles. *J. Petrol. Tech.*, **189**, 149-154.
- Morrison, F.A. and Stewart, M.B. (1976). Small bubble motion in an accelerating liquid. *ASME J. Appl. Mech.*, **43**, 399-403.
- Morrison, H.L. and Richmond, O. (1976). Application of Spencer's ideal soil model to granular materials flow. *ASME J. Appl. Mech.*, **43**, 49-53.
- Mould, R.F. (2000). *Chernobyl record: the definitive history of the Chernobyl catastrophe*. Publ. Institute of Physics.
- Mueller, N.H.G. (1964). Water jet pump. *Proc. ASCE*, **90**, HY3, Pt.1, 83-112.
- Muir, T.F. and Eichhorn, R. (1963). Compressible flow of an air-water mixture through a vertical two-dimensional converging-diverging nozzle. *Proc. 1963 Heat Transfer and Fluid Mechanics Institute*, Stanford Univ. Press, 183-204.
- Munk, M. (1963). *Fluid Mechanics, Part II. Aerodynamic Theory, Vol.1*. Edited by W. Durand. Dover Publ., N.Y.
- Murai, H. (1968). Observations of cavitation and flow patterns in an axial flow pump at low flow rates (in Japanese). *Mem. Inst. High Speed Mech., Tohoku Univ.*, **24**, No.246, 315-333.
- Murakami, A. and Takahashi, J. (1975). Correlation of electrical and mechanical response in nervous control of cilia. *Nature* **257**, 48-49.
- Murakami, M. and Minemura, K. (1977). Flow of air bubbles in centrifugal impellers and its effect on the pump performance. *Proc. 6th Australasian Hydraulics and Fluid Mechanics Conf.*, **1**, 382-385.
- Murakami, M. and Minemura, K. (1978). Effects of entrained air on the performance of a horizontal axial-flow pump. In *Polyphase Flow in Turbomachinery* (eds: C.E. Brennen, P. Cooper and P.W. Runstadler, Jr.), ASME, 171-184.

- Musmarra, D., Poletta, M., Vaccaro, S. and Clift, R. (1995). Dynamic waves in fluidized beds. *Powder Tech.*, **82**, 255-268.
- Myles, D.J. (1966). A design method for mixed flow pumps and fans. *Proc. Symp. on Pump Design, Testing and Operation, Nat. Eng. Lab., Scotland*, 167-176.
- Nakagawa, M. (1988). Kinetic theory for plane flows of rough, inelastic circular discs. *Ph.D. Dissertation, Cornell University, Ithaca, NY*.
- Nakanishi, S. *et al.* (1978) Flow instability in boiling tube; 2nd report, Geysering. *Trans. JSME Ser. B*, 44-388, 4152 (*in Japanese*).
- NASA. (1970). Prevention of coupled structure-propulsion instability. *NASA SP-8055*.
- Natanzon, M.S., Bl'tsev, N.E., Bazhanov, V.V., and Leydervarger, M.R. (1974). Experimental investigation of cavitation-induced oscillations of helical inducers. *Fluid Mech., Soviet Res.*, **3**, No.1, 38-45.
- National Research Council. (1992) *Nuclear power. Technical and institutional options for the future*. National Academy Press, Washington, D.C.
- National Physical Laboratory. (1961). *Modern Computing Methods, 2nd Ed.*, H.M.S.O., London.
- Naude, C.F. and Ellis, A.T. (1961). On the mechanism of cavitation damage by non-hemispherical cavities in contact with a solid boundary. *ASME. J. Basic Eng.*, **83**, 648-656.
- NBS. (19??). *Thermophysical properties of Helium-4 from 2 to 1500 oK with pressures to 1000 atmospheres*. NBS Tech. Note 631.
- NBS. (19??). *LNG Materials and Fluids*. NBS Cryogenics Division Report.
- Nedderman, R.M., Tuzun, U., Savage, S.B. and Houlsby, G.T. (1982). The flow of granular materials I. Discharge rates from hoppers. *Chem. Eng. Sci.*, **37**, 1597.
- Nelson, D.J. (1975). The distribution, activity and function of the cilia of the brain. PhD thesis, Univ. Calif., Los Angeles.
- Neppiras, E.A. and Noltingk, B.E. (1951). Cavitation produced by ultrasonics: theoretical conditions for the onset of cavitation. *Proc. Phys. Soc., London*, **64B**, 1032-1038.
- Neppiras, E.A. (1969). Subharmonic and other low-frequency emission from bubbles in sound-irradiated liquids. *J. Acoust. Soc. Am.*, **46**, 587-601.
- Neppiras, E.A. (1980). Acoustic cavitation. *Phys. Rep.*, **61**, 160-251.
- Nesterenko, V.F. (1984). Propagation of nonlinear compression pulses in granular media. *J. Appl. Mech. and Tech. Phys.*, **5**, 733-743.
- Nesterenko, V.F. (2001). *Dynamics of Heterogeneous Materials*. Springer-Verlag New York, Inc.
- Neusen, K.F. (1962). Optimizing of flow parameters for the expansion of very low quality steam. *Univ. of Calif. Radiation Lab. Rep. UCRL-6152*.
- Newitt, D.M., Richardson, H.F., Abbot, M., and Turtle, R.B. (1955). Hydraulic conveying of solids in horizontal pipes. *Trans. Inst. Chem. Engrs.*, **33**, 93.
- Newkirk, B.L. and Taylor, H.D. (1925). Shaft whipping due to oil action in journal bearing. *General Electric Review, Aug. 1925*, 559-568.

- Newman, J.N. (1956). Supercavitating flow past bodies with finite leading edge thickness. *David Taylor Model Basin Rep. No. 1081*.
- Newman, J.N. (1970). Applications of slender-body theory in ship hydrodynamics. *Ann. Rev. Fluid Mech.*, **2**, 67-94.
- Ng, S.L. and Brennen, C.E. (1978). Experiments on the dynamic behavior of cavitating pumps. *ASME J. Fluids Eng.*, **100**, No. 2, 166-176.
- Nguyen, T.V., Brennen, C. and Sabersky, R.H. (1979). Gravity flow of granular materials in conical hoppers. *ASME J. Appl. Mech.*, **46**, No.3, 529-535.
- Nguyen, T.V., Brennen, C. and Sabersky, R.H. (1980). Funnel flow in hoppers. *ASME J. Appl. Mech.*, **102**, No.4, 729-735.
- Nigmatulin, R.I. (1979). Spatial averaging in the mechanics of heterogeneous and dispersed systems. *Int. J. Multiphase Flow*, **5**, 353-385.
- Nishiyama, T. (1970). Lifting line theory of supercavitating hydrofoil of finite span. *ZAMM*, **50**, 645-653.
- Nishiyama, T. and Ota, T. (1971). Linearized potential flow models for hydrofoils in supercavitating flows. *ASME J. Basic Eng.*, **93**, Series D, 550-564.
- Noltingk, B.E. and Neppiras, E.A. (1950). Cavitation produced by ultrasonics. *Proc. Phys. Soc., London*, **63B**, 674-685.
- Noordzij, L. (1973). Shock waves in mixtures of liquid and air bubbles. *Ph.D. Thesis, Technische Hogeschool, Twente, Netherlands*.
- Noordzij, L. and van Wijngaarden, L. (1974). Relaxation effects, caused by relative motion, on short waves in gas-bubble/liquid mixtures. *J. Fluid Mech.*, **66**, 115-143.
- Nordmann, R. and Massmann, H. (1984). Identification of dynamic coefficients of annular turbulent seals. *Proc. Workshop on Rotordynamic Instability Problems in High-Performance Turbomachinery, NASA Conf. Publ. 2338*, 295-311.
- Nori, F., Sholtz, P. and Bretz, M. (1997). Booming sand. *Scientific American*, 84-89.
- Nufrio, R., Schultz, A.N. and McKinnon, C.N., 1987, "Final report - reverse reduction gear/reversible converter coupling test and evaluation," PM-1500B.
- Numachi, F. (1961). Cavitation tests on hydrofoils designed for accelerating flow cascade: Report 1. *ASME J. Basic Eng.*, **83**, Series D, 637-647.
- Numachi, F. (1964). Cavitation tests on hydrofoils designed for accelerating flow cascade: Report 3. *ASME J. Basic Eng.*, **86**, Series D, 543-555.
- Obremski, H.J., Morkovin, M.V. and Landahl, M. (1969). A portfolio of stability characteristics of incompressible boundary layers. AGARDograph 134.
- Ogawa, S. (1978). Multitemperature theory of granular materials. *Proc. US-Japan Sem. on Cont.-Mech. and Stat. Approaches to Mech. Granular Mater.*, 208-217.
- Ogawa, S., Umemura, A. and Oshima, N. (1980). On the equations of fully fluidized granular materials. *J. Appl. Math. Phys. (ZAMP)*, **31**, 483-493.
- Ogilvie, T.F. (1964). Recent progress toward the understanding and prediction of ship motions. *Fifth ONR Naval Hydrodynamics Symp.*, 3-128.

- Ohashi, H. (1968). Analytical and experimental study of dynamic characteristics of turbopumps. *NASA TN D-4298*.
- Ohashi, H., Matsumoto, Y., Ichikawa, Y. and Tsukiyama, T. (1990). Air/water two-phase flow test tunnel for airfoil studies. *Expts. in Fluids*, **8**, 249-256.
- Ohashi, H. and Shoji, H. (1984a). Theoretical study of fluid forces on whirling centrifugal impeller (in Japanese). *Trans. JSME*, **50**, No. 458 B, 2518-2523.
- Ohashi, H. and Shoji, H. (1984b). Lateral fluid forces acting on a whirling centrifugal impeller in vaneless and vaned diffuser. *Proc. Workshop on Rotordynamic Instability Problems in High Performance Turbomachinery, NASA Conf. Publ. 2338*, 109-122.
- O'Hern, T.J., Katz, J., and Acosta, A.J. (1985). Holographic measurements of cavitation nuclei in the sea. *Proc. ASME Cavitation and Multiphase Flow Forum*, 39-42.
- Okamura, T. and Miyashiro, H. (1978). Cavitation in centrifugal pumps operating at low capacities. *ASME Symp. on Polyphase Flow in Turbomachinery*, 243-252.
- Oldroyd, J.G. (1953). The flow of non-Newtonian fluids through porous media. *Proc. Roy. Soc. A*, **218**, 122.
- Oldroyd, J.G. (1955). The effect of interfacial stabilizing films on the elastic and viscous properties of emulsions. *Proc. Roy. Soc. A*, **232**, 567.
- Olsen, H.O. (1967). *Theoretical and experimental investigation of impedance void meters*. Institutt for Atomenergi, Kjeller Res. Est., Norway.
- Omta, R. (1987). Oscillations of a cloud of bubbles of small and not so small amplitude. *J. Acoust. Soc. Amer.*, **82**, 1018-1033.
- Ooi, K.K. (1985). Scale effects on cavitation inception in submerged water jets: a new look. *J. Fluid Mech.*, **151**, 367-390.
- Orbeck, I. (1962). *Impedance void meter*. Institutt for Atomenergi, Kjeller Res. Est., Norway.
- Oseen, C.W. (1910). Über die Stokessche Formel und über die verwandte Aufgabe in der Hydrodynamik. *Arkiv Mat., Astron. och Fysik*, **6**, No. 29.
- Oshima, M. and Kawaguchi, K. (1963). Experimental study of axial and mixed flow pumps. *Proc. IAHR Symp. on Cavitation and Hydraulic Machinery, Sendai, Japan*, 397-416.
- Oshima, R. (1961). Theory of scale effects on cavitation inception on axially symmetric bodies. *ASME J. Basic Eng.*, **83**, 379-398.
- Osif, B.A., Baratta, A.J. and Conkling, T.W. (2004). *TMI 25 years later : the Three Mile Island nuclear power plant accident and its impact*. Pennsylvania State Univ. Press.
- Otsuka, S., Tsujimoto, Y., Kamijo, K. and Furuya, O. (1996). Frequency dependence of mass flow gain factor and cavitation compliance of cavitating inducers. *ASME J. Fluids Eng.*, **118**, 400-408.
- Owens, W.L. (1961). Two-phase pressure gradient. International developments in heat transfer. *ASME Paper no. 41*, **2**, 363-368.
- Pak, H., and Behringer, R. (1993). Surface waves in vertically vibrated granular materials. *Phys. Rev. Lett.*, **71**, No. 12, 1832-1835.

- Pak, H., Van Doorn, E., and Behringer, R. (1995). Effects of ambient gases on granular materials under vertical vibration. *Phys. Rev. Lett.*, **74**, No.23, 4643-4646.
- Pan, Y. and Banerjee, S. (1997). Numerical investigation of the effects of large particles on wall-turbulence. *Phys. Fluids*, **9**, 3786-3807.
- Parducz, B. (1967). Ciliary movement and coordination in ciliates. *Int. Rev. Cytol.* **21**, 91-128.
- Paris, A.D. and Eaton, J.K. (2001). Turbulence attenuation in a particle laden channel flow. *Mech. Eng. Dept., Stanford Univ. Report*
- Parkin, B.R. (1952). Scale effects in cavitating flow. *Ph.D. Thesis, Calif. Inst. of Tech., Pasadena.*
- Parkin, B.R. (1958). Experiments on circular-arc and flat plate hydrofoils. *J. Ship Res.*, **1**, 34-56.
- Parkin, B.R. (1959). Linearized theory of cavity flow in two-dimensions. *The RAND Corp. (Calif.) Rep. No. P-1745.*
- Parkin, B.R. (1962). Numerical data on hydrofoil response to non-steady motions at zero cavitation number. *J. Ship Res.*, **6**, 40-42.
- Parlitz, U., Englisch, V., Scheffczyk, C., and Lauterborn, W. (1990). Bifurcation structure of bubble oscillators. *J. Acoust. Soc. Am.*, **88**, 1061-1077.
- Parsons, C.A. (1906). The steam turbine on land and at sea. *Lecture to the Royal Institution, London.*
- Parthasarathy, R.N. and Faeth, G.M. (1987). Structure of particle-laden turbulent water jets in still water. *Int. J. Multiphase Flow*, **13**, 699-716.
- Patel, B.R. and Runstadler, P.W., Jr. (1978). Investigations into the two-phase flow behavior of centrifugal pumps. In *Polyphase Flow in Turbomachinery* (eds: C.E. Brennen, P. Cooper and P.W. Runstadler, Jr.), ASME, 79-100.
- Patton, K.T. (1965). *Tables of hydrodynamic mass factors for translational motion.* ASME Paper, 65-WA/UNT-2.
- Patton, K.T. (1965). *An experimental investigation of hydrodynamic mass and mechanical impedances.* MS Thesis, Univ. of Rhode Island.
- Papoulis, A. (1965). *Probability, random variables and stochastic processes.* McGraw-Hill.
- Paynter, H.M. (1961). *Analysis and design of engineering systems.* MIT Press.
- Pearcey, T. and Hill, G.W. (1956). The accelerated motion of droplets and bubbles. *Australian J. of Phys.*, **9**, 19-30.
- Pearsall, I.S. (1963). Supercavitation for pumps and turbines. *Engineering (GB)*, **196(5081)**, 309-311.
- Pearsall, I.S. (1966-67). Acoustic detection of cavitation. *Proc. Inst. Mech. Eng.*, **181**, No. 3A.
- Pearsall, I.S. (1972). *Cavitation.* Mills & Boon Ltd., London.
- Pearsall, I.S. (1978). Off-design performance of pumps. *von Karman Inst. for Fluid Dynamics, Lecture Series 1978-3.*
- Peterson, F.B., Danel, F., Keller, A.P., and Lecoffre, Y. (1975). Determination of bubble and particulate spectra and number density in a water tunnel with three optical techniques. *Proc. 14th Int. Towing Tank Conf., Ottawa*, **2**, 27-52.

- Peck, J.F. (1966). Written discussion in *Proc. Symp. on Pump Design, Testing and Operation, Nat. Eng. Lab., Scotland*, 256-273.
- Pfleiderer, C. (1932). *Die Kreiselpumpen*. Julius Springer, Berlin.
- Phinney, R.E. (1973). The breakup of a turbulent jet in a gaseous atmosphere. *J. Fluid Mech.*, **60**, 689-701.
- Pinkus, O. and Sternlicht, B. (1961). *Theory of hydrodynamic lubrication*. McGraw-Hill, New York.
- Pipes, L.A. (1940). The matrix theory for four terminal networks. *Phil. Mag.*, **30**, 370.
- Pipes, L.A. (1963). *Matrix methods for engineering*. Prentice-Hall, Inc., NJ.
- Platzer, M. F. (1978). Unsteady flows in turbomachines-a review of current developments. *AGARD Rept. CP-227*.
- Plesset, M.S. (1949). The dynamics of cavitation bubbles. *ASME J. Appl. Mech.*, **16**, 228-231.
- Plesset, M.S. and Zwick, S.A. (1952). A nonsteady heat diffusion problem with spherical symmetry. *J. Appl. Phys.*, **23**, No. 1, 95-98.
- Plesset, M.S. and Mitchell, T.P. (1956). On the stability of the spherical shape of a vapor cavity in a liquid. *Quart. Appl. Math.*, **13**, No. 4, 419-430.
- Plesset, M.S. and Chapman, R.B. (1971). Collapse of an initially spherical vapor cavity in the neighborhood of a solid boundary. *J. Fluid Mech.*, **47**, 283-290.
- Plesset, M.S. and Prosperetti, A. (1977). Bubble dynamics and cavitation. *Ann. Rev. Fluid Mech.*, **9**, 145-185.
- Pollman, E., Schwerdtfeger, H., and Termuehlen, H. (1978). Flow excited vibrations in high pressure turbines (steam whirl). *ASME J. Eng. for Power*, **100**, 219-228.
- Poritsky, H. (1952). The collapse or growth of a spherical bubble or cavity in a viscous fluid. *Proc. First Nat. Cong. in Appl. Math.*, 813-821.
- Potapov, A.V. and Campbell, C.S. (1996). Propagation of elastic waves in deep vertically shaken particle beds. *Phys. Rev. Letters*, **77(23)**, 4760-4763.
- Prosperetti, A. (1977). Thermal effects and damping mechanisms in the forced radial oscillations of gas bubbles in liquids. *J. Acoust. Soc. Am.*, **61**, 17-27.
- Prosperetti, A. (1982). Bubble dynamics: a review and some recent results. *Appl. Sci. Res.*, **38**, 145-164.
- Prosperetti, A. (1984). Bubble phenomena in sound fields: part one and part two. *Ultrasonics*, **22**, 69-77 and 115-124.
- Prosperetti, A. and Jones, A.V. (1985,7). The linear stability of general two-phase flow models-I and II. *Int. J. Multiphase Flow*, **11**, 133-148 and **13**, 161-171.
- Prosperetti, A. and Lezzi, A. (1986). Bubble dynamics in a compressible liquid. Part 1. First-order theory. *J. Fluid Mech.*, **168**, 457-478.
- Proudman, I., and Pearson, J.R.A. (1957). Expansions at small Reynolds numbers for the flow past a sphere and a circular cylinder. *J. Fluid Mech.*, **2**, 237-262.
- Raabe, J. (1985). *Hydro Power*. VDI-Verlag GmbH, Dusseldorf.

- Rains, D.A. (1954). Tip clearance flows in axial flow compressors and pumps. *Calif. Inst. of Tech. Hydro. and Mech. Eng. Lab. Report, No. 5*.
- Rand, R.P. and Burton, A.C. (1964). Mechanical properties of the red cell membrane. *Biophysical Journal*, **4**, 115.
- Rankine, W.J.M. (1871). On the mathematical theory of stream lines, especially those with four foci and upwards. *Phil. Trans. Roy. Soc.*, 267–306.
- Ranz, W.E. and Marshall, W.R. (1952). Evaporation from drops, I and II. *Chem. Eng. Prog.*, **48**, 141 and 173.
- Rayleigh, Lord. (1917). On the pressure developed in a liquid during the collapse of a spherical cavity. *Phil. Mag.*, **34**, 94-98.
- Reddy, J.N. (2006). *An Introduction to the Finite Element Method* (Third ed.). McGraw-Hill. ISBN 9780071267618.
- Reeks, M.W. (1992). On the continuum equations for dispersed particles in nonuniform flows. *Phys. Fluids A*, **4**, 1290-1303.
- Reese, T.S. (1965). Olfactory cilia in the frog. *J. Cell Biol.* **25**, 209-30.
- Reichardt, H. (1945). The physical laws governing the cavitation bubbles produced behind solids of revolution in a fluid flow. *Kaiser Wilhelm Inst. Hyd. Res., Gottingen, TPA3/TIB.*
- Reichardt, H. and Munzner, H. (1950). Rotationally symmetric source-sink bodies with predominantly constant pressure distributions. *Arm. Res. Est. Trans. No. 1/50*.
- Reid, R.C., Prausnitz, J.M. and Sherwood, T.K. (1958). *The properties of gases and liquids*. McGraw-Hill Book Company.
- Reynolds, A.B. and Berthoud, G. (1981). Analysis of EXCOBULLE two-phase expansion tests. *Nucl. Eng. and Design*, **67**, 83-100.
- Reynolds, A.J. (1965). The swimming of minute organisms. *J. Fluid Mech.* **23**, 241-60.
- Reynolds, O. (1873). The causes of the racing of the engines of screw steamers investigated theoretically and by experiment. *Trans. Inst. Naval Arch.*, **14**, 56-67.
- Reynolds, W.C. (1979). *Thermophysical properties in SI*. Stanford University.
- Riabouchinsky, D. (1920). On steady fluid motion with a free surface. *Proc. London Math. Soc.*, **19**, 206–215.
- Richman, M.W. (1988). Boundary conditions based upon a modified Maxwellian velocity distribution for flows of identical, smooth, nearly elastic spheres. *Acta Mechanica*, **75**, 227-240.
- Rikmenspoel, R. (1975). Contraction model for cilia. In Wu, T.Y., Brokaw, C.J. and Brennen, C.E., eds., 1975. *Swimming and Flying in Nature*, **1,2**. Plenum Press, New York.
- Rikmenspoel, R. and Sleight, M.A. (1970). Bending moments and elastic constant in cilia. *J. Theor. Biol.* **28**, 81-100.
- Rohatgi, U.S. (1978). Pump model for two-phase transient flow. In *Polyphase Flow in Turbomachinery* (eds: C.E. Brennen, P. Cooper and P.W. Runstadler, Jr.), ASME, 101-120.
- Rohsenow, W.M. and Hartnett, J.P. (1973.) *Handbook of heat transfer*. McGraw-Hill Book Company.

- Rosato, A., and Lan, Y. (1994). Granular dynamics modeling of vibration-induced convection of rough inelastic spheres. *Proc. First International Particle Tech. Forum, Denver, CO*.
- Rosenhead, L. (1963). *Laminar boundary layers*. Clarendon Press, Oxford.
- Rosenmann, W. (1965). Experimental investigations of hydrodynamically induced shaft forces with a three bladed inducer. *Proc. ASME Symp. on Cavitation in Fluid Machinery*, 172-195.
- Roshko, A. (1954). A new hodograph for free streamline theory. *NACA TN 3168*.
- Roshko, A. (1954). On the development of turbulent wakes from vortex streets. *NACA Rep. No. 1191*.
- Ross, S.M. (1971). A wavy wall analytic model of muco-ciliary pumping. PhD thesis, Johns Hopkins Univ., Baltimore, MD.
- Ross, S.M. and Corrsin, S. (1974). Results of an analytical model of mucociliary pumping. *J. Appl. Physiol.* **37**, 333-40.
- Roudebush, W.H. (1965). Potential flow in two-dimensional cascades. *Aerodynamic design of axial flow compressors, NASA SP-36*, 101-149.
- Roudebush, W.H. and Lieblein, S. (1965). Viscous flow in two-dimensional cascades. *Aerodynamic design of axial flow compressors, NASA SP-36*, 151-181.
- Rouse, H. and McNown, J.M. (1948). Cavitation and pressure distribution: headforms at zero angles of yaw. *Bull. St. Univ. Iowa, Eng., No. 32*.
- Routledge, L.M. (1975). Bacterial flagella: Structure and function. In *Comparative Physiology-Functional Aspects of Structural Materials*, ed. L. Bolis, H.P. Maddrell, K. Schmidt-Nielsen. North-Holland, Amsterdam.
- Rubin, S. (1966). Longitudinal instability of liquid rockets due to propulsion feedback (Pogo). *J. Spacecraft and Rockets*, **3**, No.8, 1188-1195.
- Rudinger, G. (1969). Relaxation in gas-particle flow. In *Nonequilibrium flows. Part 1*, (ed: P.P.Wegener), Marcel Dekker, New York and London.
- Ruggeri, R.S. and Moore, R.D. (1969). Method for prediction of pump cavitation performance for various liquids, liquid temperatures, and rotative speeds. *NASA TN D-5292*.
- Russell, D.B. (1963). The numerical solution of problems in fluid flow. *D.Phil. Thesis, Univ. of Oxford*.
- Rybizynski, W. (1911). Über die fortschreitende Bewegung einer flüssigen Kugel in einem zähen Medium. *Bull. Acad. Sci. Cracovie*, **A**, 40.
- Ryskin, G. and Rallison, J.M. (1980). On the applicability of the approximation of material frame-indifference in suspension mechanics. *J. Fluid Mech.*, **99**, 525-529.
- Sabersky, R.H., Acosta, A.J., and Hauptmann, E. (1989). *Fluid flow*. Macmillan Publ. Co.
- Sabersky, R.H., Acosta, A.J., Hauptmann, E. and Gates, E. (19??). *Fluid flow*. Prentice Hall.
- Sack, L.E. and Nottage, H.B. (1965). System oscillations associated with cavitating inducers. *ASME J. Basic Eng.*, **87**, 917-924.
- Sad, J., Eliezer, N., Silberberg, A. and Nevo, A.C. (1970). The role of mucus in transport by cilia. *Ann. Rev. Respir. Dis.* **102**, 48-52.

- Saffman, P.G. (1962). On the stability of laminar flow of a dusty gas. *J. Fluid Mech.*, **13**, 120-128.
- Saffman, P.G. (1973). On the settling speed of free and fixed suspensions. *Studies in Appl. Math.*, **52**, 115.
- Safwat, H.H. and van der Polder, J. (1973). Experimental and analytic data correlation study of water column separation. *ASME J. Fluids Eng.*, **95**, 91-97.
- Salemann, V. (1959). Cavitation and NPSH requirements of various liquids. *ASME J. Basic Eng.*, **81**, 167-180.
- Samimy, M., Breuer, K.S., Leal, L.G. and Steen, P.H. (2004). *A gallery of fluid motion*. Cambridge University Press. ISBN 0-521-82773-6.
- Sangani, A.S., Zhang, D.Z. and Prosperetti, A. (1991). The added mass, Basset, and viscous drag coefficients in nondilute bubbly liquids undergoing small-amplitude oscillatory motion. *Phys. Fluids A*, **3**, 2955-2970.
- Sangani, A.S. and Didwania, A.K. (1993). Dispersed phase stress tensor in flows of bubbly liquids at large Reynolds number. *J. Fluid Mech.*, **248**, 27-54, and Dynamic simulations of flows of bubbly liquids at large Reynolds number. *J. Fluid Mech.*, **250**, 307-337.
- Sangani, A.S., Mo, G., Tsao, H.-K., and Koch, D.L. (1996). Simple shear flows of dense gas-solid suspensions at finite Stokes numbers. *J. Fluid Mech.*, **313**, 309-341.
- Sanger, N.L. (1968a). Noncavitating performance of two low area ratio water jet pumps having throat lengths of 7.25 diameters. **NASA TN D-4445**.
- Sanger, N.L. (1968b). Noncavitating and cavitating performance of several low area ratio water jet pumps having throat lengths of 3.54 diameters. **NASA TN D-5095**.
- Samoylovich, G.S. (1962). On the calculation of the unsteady flow around an array of arbitrary profiles vibrating with arbitrary phase shift. *Prikladnaya Matematika i Mekhanika*, No.4.
- Sano, M. (1983). Pressure pulsations in turbo-pump piping systems. Experiments on the natural frequencies of the liquid columns in centrifugal pump piping systems. *Bull. JSME*, **26**, No.222, 2129-2135.
- Sargis, D.A., Stuhmiller, J.H. and Wang, S.S. (1979). Analysis of steam chugging phenomena, Volumes 1, 2 and 3. *Electric Power Res. Inst. Report NP-962*.
- Sarpkaya, T. (1977). Transverse oscillation of a circular cylinder in uniform flow. *Naval Postgraduate School Report*, NPS-69SL 77071-R.
- Sarpkaya, T. and Isaacson, M. (1981). *Mechanics of wave forces on offshore structures*. Van Nostrand Reinhold Co., N.Y.
- Sarpkaya, T. and Merrill, C. (1998). Spray formation at the free surface of liquid wall jets. *Proc. 22nd ONR Symp. on Naval Hydrodynamics*.
- Satir, P. (1965). Studies on cilia: II. Examination of the distal region of the ciliary shaft and the role of the filaments in motility. *J. Cell Biol.* **39**, 77-94.
- Satir, P. (1968). Studies on cilia: III. Further studies on the cilium tip and a sliding filament model of ciliary motility. *J. Cell Biol.* **39**, 77-94.
- Satir, P. (1974). The present status of the sliding micro-tubule model of ciliary motion. In Sleight, M.A., ed., 1974a. *Cilia and Flagella*. Academic Press, New York.

- Savage, S.B. (1965). The mass flow of granular materials derived from coupled velocity-stress fields. *Brit. J. Appl. Phys.*, **16**, 1885-1888.
- Savage, S.B. (1967). Gravity flow of a cohesionless bulk solid in a converging conical channel. *Int. J. Mech. Sci.*, **19**, 651-659.
- Savage, S.B. (1983). Granular flows down rough inclines - review and extension. In *Mechanics of Granular Materials: New Models and Constitutive Relations* (ed: J.T.Jenkins and M.Satake), Elsevier, 261-282.
- Savage, S.B. and Jeffrey, D.J. (1981). The stress tensor in a granular flow at high shear rates. *J. Fluid Mech.*, **110**, 255-272.
- Savage, S.B. and McKeown, S. (1983). Shear stress developed during rapid shear of dense concentrations of large spherical particles between concentric cylinders. *J. Fluid Mech.*, **127**, 453-472.
- Savage, S.B. and Sayed, M. (1984). Stresses developed by dry cohesionless granular materials in an annular shear cell.
- Schewe, G. (1983). On the force fluctuations acting on a circular cylinder in crossflow from subcritical up to transcritical Reynolds Numbers. *J. Fluid Mech.* **133**, 265-285.
- Schicht, H.H. (1969). Flow patterns for an adiabatic two-phase flow of water and air within a horizontal tube. *Verfahrenstechnik*, **3**, No.4, 153-161.
- Schiebe, F.R. (1972). Measurements of the cavitation susceptibility using standard bodies. *St. Anthony Falls Hydr. Lab., Univ. of Minnesota, Rep. No. 118*.
- Schlichting, H. (1960). *Boundary layer theory*. McGraw-Hill.
- Schneider, W.R. and Doetsch, R.N. (1974). Effect of viscosity on bacterial motility. *J. Bact.* **117**, 696-701.
- Schoeneberger, W. (1965). Cavitation tests in radial pump impellers. *Ph.D. Thesis, Tech. Univ. Darmstadt*.
- Schofield, A. and Wroth, P. (1968). *Critical state soil mechanics*. McGraw-Hill Publ. Co.
- Schorr, B. and Reddy, K.C. (1971). Inviscid flow through cascades in oscillatory and distorted flow. *AIAA J.*, **9**, 2043-2050.
- Schrage, R.W. (1953). *A theoretical study of interphase mass transfer*. Columbia Univ. Press.
- Schreiner, K.E. (1971). The helix as a propeller of microorganisms. *J. Biomech.* **4**, 73-83.
- Schubauer, G.B. and Skramstad, H.K. (1947). Laminar boundary-layer oscillations and stability of laminar flow. *J. Aeronaut. Sci.*, **14**, 69-78.
- Schulz, H., Greim, R. and Volgmann, W., (1996), Calculation of three-dimensional viscous flow in hydrodynamic torque converters, *ASME J. Fluids Eng.*, **118**, 578-589.
- Scriven, L.E. (1959). On the dynamics of phase growth. *Chem. Eng. Sci.*, **10**, 1-13.
- Seckel, E. (2014). *Stability and control of airplanes and helicopters*. Academic Press.
- Sedov, L.I. (1966). *Plane problems in hydrodynamics and aerodynamics (in Russian)*. Izdat. "Nauka", Moscow.
- Shack, W.J. and Lardner, T.J. (1972). Cilia transport. *Bull. Math. Biophys.* **34**, 325-35.

- Shaughnessy, E.J., Jr., Katz, I.M., and Schaffer, J.P. (2005). *Introduction to fluid mechanics*. Oxford Univ. Press.
- Shen, S.F. (1954). Calculated amplified oscillations in the plane Poiseuille and Blasius flows. *J. Aeronaut. Sci.*, **21**, 62-64.
- Shen, Y. and Peterson, F.B. (1978). Unsteady cavitation on an oscillating hydrofoil. *Proc. 12th ONR Symp. on Naval Hydrodynamics*, 362-384.
- Shepherd, J.E. and Sturtevant, B. (1982). Rapid evaporation near the superheat limit. *J. Fluid Mech.*, **121**, 379-402.
- Shercliff, J.A. (1962). *The theory of electro-magnetic flow measurement*. Cambridge Univ. Press.
- Sherman, D.C. and Sabersky, R.H. (1981). Natural convection film boiling on a vertical surface. *Lett. in Heat and Mass Transfer*, **8**, 145-153.
- Sherman, F.S. (1990). *Viscous flow*. McGraw-Hill, Inc.
- Shima, A., Takayama, K., Tomita, Y., and Muira, N. (1981). An experimental study on effects of a solid wall on the motion of bubbles and shock waves in bubble collapse. *Acustica*, **48**, 293-301.
- Shima, A., Takayama, K., Tomita, Y., and Ohsawa, N. (1983). Mechanism of impact pressure generation from spark-generated bubble collapse near a wall. *AIAA J.*, **21**, 55-59.
- Shimada, K., Yoshida, E. and Asakura, S. (1975). Cinematographic analysis of the movement of flagellated bacteria. In Wu, T.Y., Brokaw, C.J. and Brennen, C.E., eds., 1975. *Swimming and Flying in Nature*, **1,2**. Plenum Press, New York.
- Shoosmith, J.G. (1960). The measurement of bacterial motility. *J. Gen. Microbiol.* **22**, 528-35.
- Shoji, H. and Ohashi, H. (1980). Fluid forces on rotating centrifugal impeller with whirling motion. *Proc. First Workshop on Rotordynamic Instability Problems in High-Performance Turbomachinery, NASA Conf. Pub. 2133*, 317-328.
- Shook, C.A. and Roco, M.C. (1991). *Slurry flow. Principles and practice*. Butterworth-Heinemann.
- Shorr, M. and Zaehring, A.J. (1967). *Solid rocket technology*. Wiley and Sons, N.Y.
- Silberman, E. (1957). Sound velocity and attenuation in bubbly mixtures measured in standing wave tubes. *J. Acoust. Soc. Am.*, **18**, 925-933.
- Silberman, E. (1959). Experimental studies of supercavitating flow about simple two-dimensional bodies in a jet. *J. Fluid Mech.*, **5**, 337-354.
- Silberman, E. and Song, C.S. (1961). Instability of ventilated cavities. *J. Ship Res.*, **5**, 13-33.
- Silverleaf, A. (1960). *Basic design of the N.P.L. No.2 Water Tunnel*. N.P.L Ship Division Rept. No. 15.
- Silverleaf, A. (1958). *The Design of a Resorber for a Water Tunnel*. N.P.L. Ship Division Rept. No. 1.
- Silverman, M. and Simon, M. (1974). Flagellar rotation and the mechanism of bacterial motility. *Nature* **249**, 73-74.
- Simha, R. (1952). A treatment of the viscosity of concentrated suspensions. *J. Appl. Phys.*, **23**, 1020.
- Simmons, H.C. (1977). The correlation of drop-size distributions in fuel nozzle sprays. Parts I and II. *ASME J. Eng. for Power*, **99**, 309-319.

- Sirignano, W.A. and Mehring, C. (2000). Review of theory of distortion and disintegration of liquid streams. *Prog. in Energy and Combustion Sci.*, **26**, 609-655.
- Sisto, F. (1953). Stall-flutter in cascades. *J. Aero. Sci.*, **20**, 598-604.
- Sisto, F. (1967). Linearized theory of non-stationary cascades at fully stalled or supercavitating conditions. *Zeitschrift fur Angewandte Mathematik und Mechanik*, **8**, 531-542.
- Sisto, F. (1977). A review of the fluid mechanics of aeroelasticity in turbomachines. *ASME J. Fluids Eng.*, **99**, 40-44.
- Skop, R.A., Ramberg, S.E. and Ferer, K.M. (1976). Added mass and damping forces on circular cylinders. *Naval Res. Lab. Report*, NRL 7970.
- Slattery, J.C. (1972). *Momentum, energy, and mass transfer in continua*. McGraw-Hill Book Co.
- Sleigh, M.A. (1960). The form of beat in cilia of *Stentor* and *Opalina*. *J. Exp. Biol.* **37**, 1-10.
- Sleigh, M.A. (1962). *The Biology of Cilia and Flagella*. Macmillan, New York.
- Sleigh, M.A. (1966). Some aspects of the comparative physiology of cilia. *Ann. Rev. Respir. Dis.* **93** Suppl., 16-31.
- Sleigh, M.A. (1968). Patterns of ciliary beating. In *Aspects of Cell Motility*, Symp. Soc. Exp. Biol. **22**, 131-50.
- Sleigh, M.A. (1969). Coordination of the rhythm of beat in some ciliary systems. *Int. Rev. Cytol.* **25**, 31-54.
- Sleigh, M.A. (1971). Cilia. *Endeavour* **30**, 11-17.
- Sleigh, M.A. (1972). Features of ciliary movement of the ctenophores *Beroë*, *Pleurobrachia*, and *Cestus*. In *Essays in Hydrobiology*, ed. R.B. Clark, R.S. Wootton, 119-36. Univ. Exeter, England.
- Sleigh, M.A. (1973). *The Biology of Protozoa*. Arnold, London.
- Sleigh, M.A. (1974a). *Cilia and Flagella*. Academic Press, New York.
- Sleigh, M.A. (1974c). Patterns of movement of cilia and flagella. In Sleight, M.A., ed., 1974a. *Cilia and Flagella*. Academic Press, New York.
- Sleigh, M.A. and Aiello, E. (1972). The movement of water by cilia. *Acta Protozool.* **9**, 265-77.
- Sleigh, M.A. and Holwill, M.E.J. (1969). Energetics of ciliary movement in *Sabellaria* and *Mytilus*. *J. Exp. Biol.* **50**, 733-44.
- Slezkin, N.A. (1934). On a case of integrability of the complete differential equations of a viscous fluid. *Moskov. Gos. Univ. Uch. Zap.*, **2**, 89-90.
- Sloteman, D.P., Cooper, P., and Dussourd, J.L. (1984). Control of backflow at the inlets of centrifugal pumps and inducers. *Proc. Int. Pump Symp., Texas A&M Univ.*, 9-22.
- Sloteman, D.P., Cooper, P., and Graf, E. (1991). Design of high-energy pump impellers to avoid cavitation instabilities and damage. *Proc. EPRI Power Plant Symp., Tampa, Fl., June 1991*.
- Smereka, P., Birnir, B. and Banerjee, S. (1987). Regular and chaotic bubble oscillations in periodically driven pressure fields. *Phys. Fluids*, **30**, 3342-3350.

- Smialek, J.L., Archer, F.A. and Garlick, R.G. (1994). Turbine airfoil degradation in the Persian Gulf war. *J. Minerals, Metals and Materials Soc.*, **46**, 39-41.
- Smith, A., Kent, R.P. and Armstrong, R.L. (1967). Erosion of steam turbine blade shield materials. In *Erosion by Cavitation and Impingement*, ASTM STP 408, 125-151.
- Smits, A.J. and Lim, T.T. (2000). *Flow visualization: Techniques and examples*. Imperial College Press. ISBN 1-86094-193-1.
- Solin, P., Segeth, K. and Dolezel, I. (2003). *Higher-Order Finite Element Methods*, Chapman & Hall/CRC Press.
- Sondergaard, R., Chaney, K. and Brennen, C. E. (1990). Measurements of solid spheres bouncing off flat plates. *ASME J. Appl. Mech.*, **57**, 694-699.
- Song, C. and Wolf, J.P. (1997). The scaled boundary finite-element method alias consistent infinitesimal finite-element cell method for elastodynamics. *Computer Methods in Appl. Mech. and Eng.*, **147**, (34), 329355. doi:10.1016/S0045-7825(97)00021-2.
- Song, C.S. (1962). Pulsation of ventilated cavities. *J. Ship Res.*, **5**, 8-20.
- Soo, S.L. (1983). Pneumatic transport. Chap. 29 in *Handbook of fluids in motion* (eds: N.P.Cheremisinoff and R.Gupta), Ann Arbor Science.
- Southwell, R.V. and Vaisey, G. (1946). Fluid motions characterized by free streamlines. *Phil. Trans.*, **240**, 117-161.
- Southwell, R.V. (1948). *Relaxation methods in mathematical physics*. Oxford Univ. Press.
- Soyama, H., Kato, H., and Oba, R. (1992). Cavitation observations of severely erosive vortex cavitation arising in a centrifugal pump. *Proc. Third I.Mech.E. Int. Conf. on Cavitation*, 103-110.
- Sparks, C.R. and Wachel, J.C. (1976). Pulsations in liquid pumps and piping systems. *Proc. 5th Turbomachinery Symp.*, 55-61.
- Spelt, J.K., Brennen, C.E. and Sabersky, R.H. (1982). Heat transfer to flowing granular material. *Int. J. Heat Mass Transfer*, **25**, No.6, 791-796.
- Spraker, W.A. (1965). The effect of fluid properties on cavitation in centrifugal pumps. *ASME J. Eng. Power*, **87**, 309-318.
- Squire, H.B. (1951). The round laminar jet. *Quart. J. Mech. Appl. Math.*, **4**, 321-329.
- Squires, K.D. and Eaton, J.K. (1990). Particle response and turbulence modification in isotropic turbulence. *Phys. Fluids*, **A2**, 1191-1203.
- Stahl, H.A. and Stepanoff, A.J. (1956). Thermodynamic aspects of cavitation in centrifugal pumps. *Trans. ASME*, **78**, 1691-1693.
- Stanitz, J.D. (1952). Some theoretical aerodynamic investigations of impellers in radial- and mixed- flow centrifugal compressors. *Trans. ASME*, **74**, 473-497.
- Stepanoff, A.J. (1948). *Centrifugal and axial flow pumps*. John Wiley & Sons, Inc.
- Stepanoff, A.J. (1961). Cavitation in centrifugal pumps with liquids other than water. *ASME J. Eng. Power*, **83**, 79-90.
- Stepanoff, A.J. (1964). Cavitation properties of liquids. *ASME J. Eng. Power*, **86**, 195-200.

- Stewartson, K. (1951). On the impulsive motion of a flat plate in a viscous fluid. *Quart. J. Mech. Appl. Math.*, **4**, 182-198.
- Stockman, N.O. and Kramer, J.L. (1963). Method for design of pump impellers using a high-speed digital computer. *NASA TN D-1562*.
- Stokes, G.G. (1851). On the effect of the internal friction of fluids on the motion of pendulums. *Trans. Camb. Phil. Soc.*, **9**, Part II, 8-106.
- Strang, G. and Fix, G. (1973). An Analysis of The Finite Element Method. Prentice Hall. ISBN 978-0-13-032946-2.
- Strasberg, M. (1961). Rectified diffusion: comments on a paper of Hsieh and Plesset. *J. Acoust. Soc. Am.*, **33**, 359.
- Strecker, F. and Feldtkeller, R. (1929). Grundlagen der Theorie des allgemeinen Vierpols. *Elektrische Nachrichtentechnik*, **6**, 93.
- Streeter, V.L. and Wylie, E.B. (1967). *Hydraulic transients*. McGraw-Hill.
- Streeter, V.L. and Wylie, E.B. (1974). Waterhammer and surge control. *Ann. Rev. Fluid Mech.*, **6**, 57-73.
- Stripling, L.B. and Acosta, A.J. (1962). Cavitation in turbopumps - Part I. *ASME J. Basic Eng.*, **84**, 326-338.
- Stripling, L.B. (1962). Cavitation in turbopumps - Part II. *ASME J. Basic Eng.*, **84**, 339-350.
- Strub, R.A. (1963). Pressure fluctuations and fatigue stresses in storage pumps and pump-turbines. *ASME Paper No. 63-AHGT-11*.
- Struck, H.G. (1970). Discontinuous flows and free streamline solutions for axisymmetric bodies at zero and small angles of attack. *NASA TN D-5634*.
- Stodola, A. (1927). *Steam and gas turbines. Volumes I and II*. McGraw-Hill, New York.
- Stoker, J.J. (1957). *Water waves*. Interscience Publ.
- Stokes, G.G. 1851. On the effect of internal friction of fluids on the motion of pendulums. *Trans. Camb. Phil. Soc.* **9**, Part ii, 8106.
- Streeter, V.L. and Wylie, E.B. (1974). Waterhammer and surge control. *Ann. Rev. Fluid Mech.*, **6**, 57-73.
- Sturge, D.P. and Cumpsty, N.A. (1975). Two-dimensional method for calculating separated flow in a centrifugal impeller. *ASME J. Fluids Eng.*, **97**, 581-579.
- Summers, K.E. and Gibbons, I.R. (1971). Adenosine triphosphate-induced sliding of tubules in trypsin-treated flagella of sea-urchin sperm. *Proc. Natl. Acad. Sci. USA* **68**, 3092-96.
- Suslick, K.S., Mdleleni, M.M., Ries, J.T. (1997). Chemistry induced by hydrodynamic cavitation. *J. Amer. Chem. Soc.*, **119**, 9303-9304.
- Suslick, K.S., Eddingsaas, N.C., Flannigan, D.J., Hopkins, S.D., Xu, H. (2018). The chemical history of a bubble. *Accts. Chem. Res.*, **51**, 2169-2178.
- Sutherland, C.D. and Cohen, H. (1958). Finite cavity cascade flow. *Proc. 3rd U.S. Nat. Cong. of Appl. Math.*, 837-845.

- Suzuki, A., Takahashi, H. and Tanaka, T. (1968). Behavior of a particle bed in the field of vibration. II. Flow of particles through slits in the bottom of a vibrating vessel. *Powder Technol.*, **2**, 72.
- Swanson, W.M. (1953). Complete characteristics circle diagram for turbomachinery. *Trans. ASME*, **75**, 819-826.
- Symington, W.A. (1978). Analytical studies of steady and non-steady motion of a bubbly liquid. *Ph.D. Thesis, Calif. Inst. of Tech.*
- Syrett, J.J. (1958.) *Nuclear reactor theory*. Temple Press Ltd., London.
- Tabakoff, W. and Hussein, M.F. (1971). Effects of suspended solid particles on the properties in cascade flow. *AIAA J.*, 1514-1519.
- Tabakoff, W. and Hamed, A. (1986). The dynamics of suspended solid particles in a two-stage gas turbine. *ASME J. Turbomachinery*, **108**, 298-302.
- Tae-il, K., Okamoto, K. and Madarame, H. (1993). *Study of the effective parameters for the geysering period*. In *Instabilities in Multiphase Flows* (eds: G.Gouesbet and A.Berlemont), 125-136, Plenum Press.
- Taitel, Y. and Dukler, A.E. (1976). A model for predicting flow regime transitions in horizontal and near horizontal gas-liquid flow. *AIChE J.*, **22**, 47-55.
- Takahashi, H., Suzuki, A. and Tanaka, T. (1968). Behavior of a particle bed in the field of vibration. I. Analysis of particle motion in a vibrating vessel. *Powder Technol.*, **2**, 65.
- Tam, C.K.W. (1969). The drag on a cloud of spherical particles in low Reynolds number flow. *J. Fluid Mech.*, **38**, 537-546.
- Tamm, S.L. (1972). Ciliary motion in *Paramecium*. A scanning electron microscope study. *J. Cell Biol.* **55**, 250-55.
- Tamm, S.L. and Horridge, G.A. (1970). The relation between the orientation of the central fibrils and the direction of beat in cilia of *Opalina*. *Proc. Roy. Soc. London, Ser. B*, **175**, 219-33.
- Tanahashi, T. and Kasahara, E. (1969). Analysis of water hammer with water column separation. *Bull. JSME*, **12**, No.50, 206-214.
- Taneda, S. (1956). Studies on wake vortices (III). Experimental investigation of the wake behind a sphere at low Reynolds number. *Rep. Res. Inst. Appl. Mech., Kyushu Univ.*, **4**, 99-105.
- Tang, J.Y. and Behringer, R.P. (2016). Orientation, flow, and clogging in a two-dimensional hopper: Ellipses vs. disks. *EPL*, **114**, Issue 3, No.34002.
- Tangren, R.F., Dodge, C.H., and Seifert, H.S. (1949). Compressibility effects in two-phase flow. *J. Appl. Phys.*, **20**, No. 7, 637-645.
- Taylor, E.O. (1958). *Nuclear reactors for power generation*. Philosophical Library, New York.
- Taylor, G.I. (1951). Analysis of the swimming of microscopic organisms. *Proc. Roy. Soc. London, Ser. A*, **209**, 447-61.
- Taylor, G.I. (1932). The viscosity of a fluid containing small drops of another fluid. *Proc. Roy. Soc. A*, **138**, 41.
- Taylor, K.J. and Jarman, P.D. (1970). The spectra of sonoluminescence. *Aust. J. Phys.*, **23**, 319-334.

- Theofanous, T., Biasi, L., Isbin, H.S., and Fauske, H. (1969). A theoretical study on bubble growth in constant and time-dependent pressure fields. *Chem. Eng. Sci.*, **24**, 885-897.
- Thiruvengadam, A. (1967). The concept of erosion strength. Erosion by cavitation or impingement. *ASTM STP 408, Am. Soc. Testing Mats.*, 22.
- Thiruvengadam, A. (1974). Handbook of cavitation erosion. *Tech. Rep. 7301-1, Hydronautics, Inc., Laurel, Md.*
- Thomas, B., Mason, M., Liu, Y., and Squires, A. (1989). Identifying states in shallow vibrated beds. *Powder Tech.*, **57**, 267-280.
- Thomas, D.G. (1962). Transport characteristics of suspensions, part VI. Minimum transport velocity for large particle size suspensions in round horizontal pipes. *AIChE J.*, **8**, 373-378.
- Thompson, W.E. (1978). Fluid dynamic excitation of centrifugal compressor rotor vibrations. *ASME J. Fluids Eng.*, **100**, No. 1, 73-78.
- Thwaites, B. (1960), *Incompressible aerodynamics*. Dover Publ., New York.
- Timman, R. (1958) A general linearized theory for cavitating hydrofoils in nonsteady flow. *Proc. 2nd ONR Symp. on Naval Hydrodynamics*, 559-579.
- Titchmarsh, E.C. (1947). *The theory of functions*. Oxford Univ. Press.
- Tomita, Y. and Shima, A. (1977). On the behaviour of a spherical bubble and the impulse pressure in a viscous compressible liquid. *Bull. JSME*, **20**, 1453-1460.
- Tomita, Y. and Shima, A. (1990). High-speed photographic observations of laser-induced cavitation bubbles in water. *Acustica*, **71**, No. 3, 161-171.
- Tong, L.S. and Weisman, J. (1970). *Thermal analysis of pressurized water reactors*. American Nuclear Society monograph.
- Torobin, L.B. and Gauvin, W.H. (1959). Fundamental aspects of solids-gas flow. Part II. The sphere wake in steady laminar fluids. *Canadian J. Chem. Eng.*, **37**, 167-176.
- Treffitz, E. (1916). Über die Kontraktion kreisförmiger Flüssigkeits-strahlen. *Z. Math. Phys.*, **64**, 34-61.
- Tsao, H.-K., and Koch, D.L. (1995). Rapidly sheared, dilute gas-solid suspensions. *J. Fluid Mech.*, **296**, 211-245.
- Tsujimoto, Y., Imaichi, K., Tomohiro, T., and Gato, M. (1986). A two-dimensional analysis of unsteady torque on mixed flow impellers. *ASME J. Fluids Eng.*, **108**, No. 1, 26-33.
- Tsujimoto, Y., Acosta, A.J., and Brennen, C.E. (1988). Theoretical study of fluid forces on a centrifugal impeller rotating and whirling in a volute. *ASME J. Vibration, Acoustics, Stress and Reliability in Design*, **110**, 263-269.
- Tsujimoto, Y., Kamijo, K., and Yoshida, Y. (1992). A theoretical analysis of rotating cavitation in inducers. *ASME Cavitation and Multiphase Flow Forum*, **FED 135**, 159-166.
- Tsujimoto, Y., Kamijo, K. and Yoshida, Y. (1993). A theoretical analysis of rotating cavitation in inducers. *ASME J. Fluids Eng.*, **115**, 135-141.
- Tsukamoto, H. and Ohashi, H. (1982). Transient characteristics of centrifugal turbomachines. *ASME J. Fluids Eng.*, **104**, No. 1, 6-14.

- Tuck, E.O. (1968). A note on a swimming problem. *J. Fluid Mech.* **31**, 305-8.
- Tulin, M.P. (1953). Steady, two-dimensional cavity flows about slender bodies. *Tech. Rep. 834*, David Taylor Model Basin.
- Tulin, M.P. (1959). Supercavitating flow past slender delta wings. *J. Ship Res.*, **3**, No. 3, 17-22.
- Tulin, M.P. (1964). Supercavitating flows - small perturbation theory. *J. Ship Res.*, **7**, No. 3, 16-37.
- Turner, J.M. and Wallis, G.B. (1965). The separate-cylinders model of two-phase flow. *AEC Report NYO-3114-6*.
- Tyler, J.M. and Sofrin, T.G. (1962). Axial compressor noise studies. *Soc. Automotive Eng.*, **70**, 309-332.
- Uhlman, J.S. (1978). A partially cavitated hydrofoil of finite span. *ASME J. Fluids Eng.*, **100**, No. 3, 353-354.
- Uhlman, J.S. (1987). The surface singularity method applied to partially cavitating hydrofoils. *J. Ship Res.*, **31**, No. 2, 107-124.
- Uhlman, J.S. (1989). The surface singularity or boundary integral method applied to supercavitating hydrofoils. *J. Ship Res.*, **33**, No. 1, 16-20.
- Urick, R.J. (1948). The absorption of sound in suspensions of irregular particles. *J. Acoust. Soc. Am.*, **20**, 283-289.
- US Atomic Energy Commission. (1973). *The nuclear industry*. USAEC Rep. WASH-1174-73.
- US Atomic Energy Commission. (1973). *The safety of nuclear power reactors (light water cooled) and related facilities*. USAEC Report, WASH-1250-73.
- Vaage, R.D., Fidler, L.E., and Zehnle, R.A. (1972). Investigation of characteristics of feed system instabilities. *Final Rept. MCR-72-107*, Martin Marietta Corp., Denver, Col.
- Vance, J.M. (1988). *Rotordynamics of turbomachinery*. John Wiley and Sons, New York.
- van der Braembussche, R. (1982). Rotating stall in vaneless diffusers of centrifugal compressors. *von Karman Inst. for Fluid Dyn., Technical Note 145*.
- van der Meulen, J.H.J. and van Renesse, R.L. (1989). The collapse of bubbles in a flow near a boundary. *Proc. 17th ONR Symp. on Naval Hydrodynamics*, 379-392.
- Van der Walle, F. (1962). On the growth of nuclei and the related scaling factors in cavitation inception. *Proc. 4th ONR Symp. on Naval Hydrodynamics*, 357-404.
- van Deurs, B. (1974). Spermatology of some Pycnogonida (Arthropoda) with special reference to a microtubule nuclear envelope complex. *Acta Zool.* **55**, 151-62.
- Van Dyke, M. (1982). *An album of fluid motion*. Parabolic Press.
- Van Tuyl, A. (1950). On the axially symmetric flow around a new family of half-bodies. *Quart. Appl. Math.*, **7**, 399-409.
- van Wijngaarden, L. (1964). On the collective collapse of a large number of gas bubbles in water. *Proc. 11th Int. Cong. Appl. Mech.*, Springer-Verlag, Berlin, 854-861.
- van Wijngaarden, L. (1972). One-dimensional flow of liquids containing small gas bubbles. *Ann. Rev. Fluid Mech.*, **4**, 369-396.

- van Wijngaarden, L. (1976). Hydrodynamic interaction between gas bubbles in liquid. *J. Fluid Mech.*, **77**, 27-44.
- Velicky, B. and Caroli, C. (2002). Pressure dependence of the sound velocity in a two-dimensional lattice of Hertz-Mindlin balls: Mean-field description. *Physical Review E*, **65**.
- Verdon, J.M. (1985). Linearized unsteady aerodynamic theory. *United Technologies Research Center Report R85-151774-1*.
- Vernier, P. and Delhay, J.M. (1968). General two-phase flow equations applied to the thermodynamics of boiling water reactors. *Energ. Primaire*, **4**, 5-46.
- Villat, H. (1914). Sur la validité des solutions de certains problèmes d'hydrodynamique. *J. Math. Pures Appl.*(6), **10**, 231-290.
- Wachter, J. and Benckert, H. (1980). Flow induced spring coefficients of labyrinth seals for application in rotordynamics. *Proc. Workshop on Rotordynamic Instability problems in High Performance Turbomachinery, NASA Conf. Publ. 2133*, 189-212.
- Wade, G.E. (1974). Evolution and current status of the BWR containment system. *Nuclear Safety*, **15**, No.2.
- Wade, R.B. and Acosta, A.J. (1966). Experimental observations on the flow past a planoconvex hydrofoil. *ASME J. Basic Eng.*, **88**, 273-283.
- Wade, R.B. (1967). Linearized theory of a partially cavitating cascade of flat plate hydrofoils. *Appl. Sci. Res.*, **17**, 169-188.
- Wade, R.B. and Acosta, A.J. (1967). Investigation of cavitating cascades. *ASME J. Basic Eng., Series D*, **89**, 693-706.
- Wallis, G.B. (1969). *One-dimensional two-phase flow*. McGraw-Hill Book Co.
- Wallis, G.B. (1991). The averaged Bernoulli equation and macroscopic equations of motion for the potential flow of a two-phase dispersion. *Int. J. Multiphase Flow*, **17**, 683-695.
- Walton, O.R. and Braun, R.L. (1986a). Viscosity, granular-temperature, and stress calculations for shearing assemblies of inelastic, frictional disks. *J. Rheology*, **30**(5), 949-980.
- Walton, O.R. and Braun, R.L. (1986b). Stress calculations for assemblies of inelastic spheres in uniform shear. *Acta Mechanica*, **63**, 73-86.
- Wang, C. and Jahn, T.L. (1972). A theory for the locomotion of spirochetes. *J. Theor. Biol.* **36**, 53-60.
- Wang, D.P. and Wu, T.Y. (1965). General formulation of a perturbation theory for unsteady cavity flows. *ASME J. Basic Eng.*, **87**, 1006-1010.
- Wang, C. and Jahn, T.L. (1972). A theory for the locomotion of spirochetes. *J. Theor. Biol.* **36**, 53-60.
- Wang, Q. and Monahan, E.C. (1995). The influence of salinity on the spectra of bubbles formed in breaking wave simulations. In *Sea Surface Sound '94* (eds: M.J. Buckingham and J.R. Potter). World Scientific, 312-319.
- Warner, F.D. and Satir, P. (1974). The structural basis of ciliary bend formation. Radial spoke positional changes accompanying microtubule sliding. *J. Cell Biol.* **63**, 35-63.
- Warnock, J.E. (1945). Experiences of the Bureau of Reclamation. *Proc. Amer. Soc. Civil Eng.*, **71**, No.7, 1041-1056.

- Wassgren, C.R. (1997) Vibration of granular materials. PhD Thesis, California Institute of Technology.
- Wassgren, C.R., Brennen, C.E. and Hunt, M.L. (1996). Vertical vibration of a deep bed of granular material in a container. *ASME J. Appl. Mech.*, **63**, 712-719.
- Wassgren, C.R., Hunt, M.L., Freese, P.J., Palamara, J. and Brennen, C.E. (2002) Effects of vertical vibration on hopper flows of granular material. *Phys. Fluids*, **14**, No.10, 3439.
- Watanabe, S., Tsujimoto, Y., Kamijo, K. and Furuya, O. (1998). An analysis of cavitation characteristics by singularity method. (in Japanese), *Trans. JSME, Series B*, **64-621**, 1285-1292.
- Watanabe, S., Sato, K., Tsujimoto, Y. and Kamijo, K. (1999). Analysis of rotating cavitation in a finite pitch cascade using a closed cavity model. *ASME J. Fluids Eng.*, **121**, No.4, 834-840.
- Watanabe, S. and Brennen, C.E. (2003). Dynamics of a cavitating propeller in a water tunnel. *ASME J. Fluids Eng.*, **125**, No.2, 283-292.
- Weaire, D. and Hutzler, S. (2001). *The physics of foams*. Oxford Univ. Press.
- Weertman, J. (1970). The creep strength of the earth's mantle. *Rev. Geophys. Space Phys.*, **8**, 145-168.
- Wegener, P.P. and Mack, L.M. (1958). Condensation in supersonic and hypersonic wind tunnels. *Adv. Appl. Mech.*, **5**, 307-447.
- Wegener, P.P., Sundell, R.E., and Parlange, J.-Y. (1971). Spherical-cap bubbles rising in liquids. *Z. Flugwissenschaften*, **19**, 347-352.
- Wegener, P.P. and Parlange, J.-Y. (1973). Spherical-cap bubbles. *Ann. Rev. Fluid Mech.*, **5**, 79-100.
- Wehausen, J.V. (1971). Motion of floating bodies. *Ann. Rev. Fluid Mech.*, **3**, 237-268.
- Weihs, D. (1975). Some hydrodynamic aspects of fish schooling. In Wu, T.Y., Brokaw, C.J. and Brennen, C.E., eds., 1975. *Swimming and Flying in Nature*, **1,2**. Plenum Press, New York.
- Weighardt, K. (1975). Experiments in granular flow. *Ann. Rev. Fluid Mech.*, **7**, 89-114.
- Weinstein, A. (1948). On axially symmetric flow. *Quart. Appl. Math.*, **5**, 429-444.
- Weir, G.J. (2001). Sound speed and attenuation in dense, non-cohesive air-granular systems. *Chem. Eng. Sci.*, **56**, 3699-3717.
- Weisman, J. (1983). Two-phase flow patterns. Chapter 15 in *Handbook of Fluids in Motion* (eds: N.P. Cheremisinoff and R. Gupta), Ann Arbor Science Publ., 409-425.
- Weisman, J., and Kang, S.Y. (1981). Flow pattern transitions in vertical and upwardly inclined lines. *Int. J. Multiphase Flow*, **7**, 27.
- Weitendorf, E.A. (1989). 25 years research on propeller excited pressure fluctuations and cavitation *Proc. ASME Int. Symp. On Cavitation Noise and Erosion in Fluid Systems*, **FED-18**, 1-10.
- Wellman-Seaver-Morgan Co. (1915). *Hydraulic Turbines*. Catalog of the Wellman-Seaver-Morgan Co., Cleveland, Ohio (available online).
- Wells, R. and Schmid-Schonbein, H. (1969). Red cell deformation and fluidity of concentrated cell suspensions. *J. Appl. Physiol.*, **27**, 213.
- Wendel, K. (19??). *Hydrodynamic masses and hydrodynamic moments of inertia*. DTMB Translation No.260.

- Werle, H. and Gallon, M. (1972). Aeronaut. Astronaut., No. 34, 21-33.
- Westwater, J.W. (1958). Boiling of liquids. *Adv. in Chem. Eng.*, **2**, 1-56.
- Weyler, M.E., Streeter, V.L., and Larsen, P.S. (1971). An investigation of the effect of cavitation bubbles on the momentum loss in transient pipe flow. *ASME J. Basic Eng.*, **93**, 1-10.
- Whalley, P.B. (1987). *Boiling, condensation and gas-liquid flow*. Oxford Science Publ.
- White, F.M. (1974). *Viscous fluid flow*. McGraw-Hill, Inc.
- White, F.M. (1979). *Fluid mechanics*. McGraw-Hill, Inc.
- Whitehead, D. (1960). Force and moment coefficients for vibrating airfoils in cascade. *ARC R&M 3254, London*.
- Whitehead, D. (1960). Force and moment coefficients for vibrating airfoils in cascade. *ARC R&M 3254, London*.
- Whitham, G.B. (1999). *Linear and nonlinear waves*. Wiley.
- Widnall, S.E. (1966). Unsteady loads on supercavitating hydrofoils. *J. Ship Res.*, **9**, 107-118.
- Wiggert, D.C. and Sundquist, M.J. (1979). The effect of gaseous cavitation on fluid transients. *ASME J. Fluids Eng.*, **101**, 79-86.
- Wijdieks, J. (1965). Greep op het ongrijpbare-II. Hydraulische aspecten bij het ontwerpen van pompinstallaties. *Delft Hydraulics Laboratory Publ.* 43.
- Williams, F.A. (1965). *Combustion theory*. Addison-Wesley Publ. Co., Inc.
- Willie, C.K., Tzeng, Y.-C., Fisher, J.A. and Ainslie, P.N. (2014). Integrative regulation of human brain blood flow. *J. Physiol.*, 592, No.5, 841-859.
- Wilson, R. (1977). Physics of liquid metal fast breeder reactor safety. *Rev. Mod. Phys.*, **49**, No.4, 893-924.
- Winet, H. (1976). Ciliary propulsion of objects in tubes: Wall drag on swim ming *Tetrahymena* (Ciliata) in the presence of mucin and other long-chain polymers. *J. Exp. Biol.* **64**, 283-302.
- Winet, H. and Jones, A.R. (1975). Mucocysts in spirostomum (ciliata: heterotricha). *J. Protozool.* **22**, 293-96.
- Winet, H. and Keller, S.R. (1976). Spirillum swimming. Theory and observations of propulsion by the flagellar bundle. *J. Exp. Biol.*
- Wislicenus, G.F. (1947). *Fluid mechanics of turbomachinery*. McGraw-Hill, New York.
- Witte, J.H. (1969). Mixing shocks in two-phase flow. *J. Fluid Mech.*, **36**, 639-655.
- Witte, L.C., Cox, J.E. and Bouvier, J.E. (1970). The vapour explosion. *J. Metals*, Feb.1970, 39-44.
- Witte, L.C., Vyas, T.J. and Gelabert, A.A. (1973). Heat transfer and fragmentation during molten-metal/water interactions. *ASME J. Heat Transfer*, **95**, No.4, 521-527.
- Wittwer, A.R., Welter, G.S. and Loredou-Souza, A.M. (2013). Statistical analysis of wind tunnel and atmospheric boundary layer turbulent flows. Chap.9 of Wind Tunnel Designs and Their Diverse Engineering Applications, 197-218 <http://dx.doi.org/10.5772/54088>

- Wood, G.M. (1963). Visual cavitation studies of mixed flow pump impellers. *ASME J. Basic Eng.*, Mar. 1963, 17-28.
- Wood, I.R. (1991). Editor of *Air entrainment in free-surface flows*. Balkema, Rotterdam.
- Woods, L.C. (1951). A new relaxation treatment of flow with axial symmetry. *Quart. J. of Mech. and Appl. Math.*, **4**, 3.
- Woods, L.C. (1951). The relaxation treatment of singular points in Poissons equation. *Quart. J. Mech. and Appl. Math.*, **6**, 2.
- Woods, L.C. (1955). On unsteady flow through a cascade of airfoils. *Proc. Roy. Soc. A*, **228**, 50-65.
- Woods, L.C. (1957). Aerodynamic forces on an oscillating aerofoil fitted with a spoiler. *Proc. Roy. Soc. A*, **239**, 328-337.
- Woods, L.C. (1961). *The theory of subsonic plane flow*. Cambridge Univ. Press.
- Woods, L.C. and Buxton, G.H.L. (1966). The theory of cascade of cavitating hydrofoils. *Quart. J. Mech. Appl. Math.*, **19**, 387-402.
- Worster, R.C. (1963). The flow in volutes and its effect on centrifugal pump performance. *Proc. Inst. of Mech. Eng.*, **177**, No. 31, 843-875.
- Wu, P.-K., Miranda, R.F. and Faeth, G.M. (1995). Effects of initial flow conditions on primary breakup of nonturbulent and turbulent round jets. *Atomization and Sprays*, **5**, 175-196.
- Wu, P.-K. and Faeth, G.M. (1993). Aerodynamic effects on primary breakup of turbulent liquids. *Atomization and Sprays*, **3**, 265-289.
- Wu, P.-K. and Faeth, G.M. (1995). Onset and end of drop formation along the surface of turbulent liquid jets in still gases. *Phys. Fluids A*, **7**, 2915-2917.
- Wu, T.Y. (1956). A free streamline theory for two-dimensional fully cavitated hydrofoils. *J. Math. Phys.*, **35**, 236-265.
- Wu, T.Y. (1957). A linearized theory for nonsteady cavity flows. *Calif. Inst. of Tech. Eng. Div. Rep. No. 85-6*.
- Wu, T.Y. (1962). A wake model for free streamline flow theory, Part 1. Fully and partially developed wake flows and cavity flows past an oblique flat plate. *J. Fluid Mech.*, **13**, 161-181.
- Wu, T.Y. (1969). Cavity flow analysis; a review of the state of knowledge. In *Cavitation State of Knowledge* (eds: J.M. Robertson, G.F. Wislicenus), ASME, N.Y.
- Wu, T.Y. (1972). Cavity and wake flows. *Ann. Rev. Fluid Mech.*, **4**, 243-284.
- Wu, T.Y. and Wang, D.P. (1964a). A wake model for free streamline flow theory, Part 2. Cavity flows past obstacles of arbitrary profile. *J. Fluid Mech.*, **18**, 65-93.
- Wu, T.Y. and Wang, D.P. (1964b). An approximate numerical scheme for the theory of cavity flows past obstacles of arbitrary profile. *ASME J. Basic Eng.*, **86**, 556-560.
- Wu, T.Y., Whitney, A.K., and Brennen, C. (1971). Cavity-flow wall effect and correction rules. *J. Fluid Mech.*, **49**, 223-256.
- Yamada, Y. (1962). Resistance of flow through an annulus with an inner rotating cylinder. *Bull. JSME*, **5**, No. 18, 302-310.

- Yamamoto, K. (1991). Instability in a cavitating centrifugal pump. *JSME Int. J., Ser. II*, **34**, 9-17.
- Yaron, I. and Gal-Or, B. (1972). Integrative regulation of human brain blood flow. *Rheologica Acta*, 11, 3/4, 241.
- Yih, C.-S. (1969). *Fluid Mechanics*. McGraw-Hill Book Co.
- Yoshida, Y., Murakami, Y., Tsurusaki, T., and Tsujimoto, Y. (1991). Rotating stalls in centrifugal impeller/vaned diffuser systems. *Proc. First ASME/JSME Joint Fluids Eng. Conf.*, **FED-107**, 125-130.
- Young, F.R. (1989). *Cavitation*. McGraw-Hill Book Company.
- Young, J.O. and Holl, J.W. (1966). Effects of cavitation on periodic wakes behind symmetric wedges. *ASME J. Basic Eng.*, **88**, 163-176.
- Young, N.O., Goldstein, J.S., and Block, M.J. (1959). The motion of bubbles in a vertical temperature gradient. *J. Fluid Mech.*, **6**, 350-356.
- Young, W.E., Murphy, R., and Reddecliff, J.M. (1972). Study of cavitating inducer instabilities. *Pratt and Whitney Aircraft, Florida Research and Development Center, Rept. PWA FR-5131*.
- Yuan, Z. and Michaelides, E.E. (1992). Turbulence modulation in particulate flows - a theoretical approach. *Int. J. Multiphase Flow*, **18**, 779-785.
- Zandi, I. (1971). Hydraulic transport of bulky materials. In *Advances in Solid-Liquid Flow in Pipes and its applications, 1-34* (ed: I. Zandi), Pergamon Press.
- Zandi, I. and Govatos, G. (1967). Heterogeneous flow of solids in pipelines. *ASCE J. Hyd. Div.*, **93**, 145-159.
- Zeininger, G. and Brennen, C.E. (1985). Interstitial fluid effects in hopper flows of granular materials. *ASME Cavitation and Multiphase Flow Forum, 1985*, 132-136.
- Zekas, B.M. and Schultz, A.N., 1997, "Unique reverse and maneuvering features of the AOE-6 reverse reduction gear," *ASME Paper No. 97-GT-515*.
- Zenit, R. (1997). *Collision Mechanics in Solid-Liquid Flows*. Ph.D. thesis, California Institute of Technology.
- Zenit, R., Hunt, M.L. and Brennen, C.E. (1997). Collisional particle pressure measurements in solid-liquid flows. *J. Fluid Mech.*, **353**, 261-283.
- Zenz, F.A. and Othmer, D.F. (1960). *Fluidization and Fluid-Particle Systems*. Reinhold Publ. Co.
- Zhang, D.Z. and Prosperetti, A. (1994). Averaged equations for inviscid disperse two-phase flow. *J. Fluid Mech.*, **267**, 185-219.
- Zick, A. and Homsy, G.M. (1982). Stokes flow through periodic arrays of spheres. *J. Fluid Mech.*, **115**, 13-26.
- Zienkiewicz, O.C., Taylor, R.L. and Zhu, J.Z. (2013). *The Finite Element Method: Its Basis and Fundamentals*. Butterworth-Heinemann. ISBN 978-0-08-095135-5.
- Zik, O., Stavans, J. and Rabin, Y. (1992). Mobility of a sphere in vibrated granular media. *Europhys. Lett.*, **17**, 315.
- Zuber, N. (1959). Hydrodynamic aspects of boiling heat transfer. *Ph.D. Thesis, UCLA*.

- Zuber, N., Tribus, M. and Westwater, J.W. (1961). The hydrodynamic crisis in pool boiling of saturated and subcooled liquids. *Proc. 2nd Int. Heat Tranf. Conf.*, Section A, Part II, 230-237.
- Zuber, N. (1964). On the dispersed two-phase flow in the laminar flow regime. *Chem. Eng. Sci.*, **19**, 897-917.
- Zuber, N., and Findlay, J. (1965). Average volumetric concentration in 2-phase flow systems. *ASME J. Heat Trans.*, **87**, 453.
- Zung, L.B. (1967). *Particle-fluid mechanics in shear flows, acoustic waves and shock waves*. Ph.D. thesis, Calif. Inst. of Tech.